Coleopterorum Catalogus

auspiciis et auxilio

W. Junk

editus a

S. Schenkling.

BRITISH MUSEUM
NATURAL HISTORY

Pars 3:

F. Borchmann

Alleculidae.

W. Junk
Berlin W. 15, Kurfuerstendamm 201.
1910.

15/XII/09.

Coleopterorum Catalogus

auspiciis et auxilio

W. Junk

editus a

S. Schenkling.

Pars 3:

F. Borchmann

Alleculidae.

BRITISH MUSEUM

Einzel-Preis: Mark 7.50
Subscriptions-Preis: Mark 5.—

W. Junk
Berlin W. 15, Kurfuerstendamm 201.
1910.

australian spp. Cart. P.R.Soc. ~~Sci~~ viet. 28. 1915. p. 52

Indo-China. Borchm. Arch. Nat. 88. A. 10. 1922. p. 153.

Ae. atriceps Cart. Proc. R. Soc. Viet. 28. 1915. p. 56. Queensld.

Fam. Alleculidae.

Auct. **F. Borchmann.**

Seidlitz, Fauna Balt. ed. II, 1891, p. XLIX; Fauna Transs. 1891, p. XLIX; Nat. Ins. Deutschl. V, 2, 1896, p. 1.

Cistela Fabricius, Syst. Ent. 1775, p. 116.
Cistelides Latreille, Fam. Nat. 1825, p. 379; in Cuvier, Règne Anim., ed. II, 1829, II, p. 41. — Solier, Ann. Soc. Ent. Fr. III, 1834, p. 493. — Redtenbacher, Fauna Austr. ed. II, 1858, p. CVIII; ed. III, 1874, p. CXX. — Lacordaire, Gen. Col. V, 1859, p. 490. — Jacquelin du Val, Gen. Col. Eur. III, 1859—1863, p. 341.
Xistropides Solier, Ann. Soc. Ent. Fr. IV, 1835, p. 229.
Cisteliens Castelnau, Hist. Nat. II, 1840, p. 242.
Cistelae Redtenbacher, Gattg. deutsch. Käferfauna 1845, p. 54 u. 130; Fauna Austr. 1849, p. 5 u. 53. — Bach, Käferf. Deutschl. III, 1856, p. 224.
Pectinipèdes Mulsant, Col. Fr. Pectin. 1856, p. 1.
Cistelidae Leconte, Class. Col. N. Am. 1862, p. 242; ed. II, 1883, p. 389. — Thomson, Skand. Col. VI, 1864, p. 275. — Seidlitz, Fauna Baltica 1875, p. XXXIX. — Champion, Biol. Centr.-Am. Col. IV, 1, 1884—1893, p. 385. — Casey, Ann. N. York. Ac. VI, 1891, p. 69.

Kataloge: Gemminger u. Harold, Cat. Col. VII, 1870, p. 2041—2057. — Champion, Mém. Soc. Ent. Belg. VI, 1897, p. 147—179.

I. Alleculinae.

Seidlitz, Naturg. Ins. Deutschl. V, 2, 1896, p. 28, 30 (*Alleculini*).

Neoatractus Borchm.

Borchm. Deutsche Ent. Zeitschr. 1909, p. 713.

Atractus Lacord. Gen. Col. V, 1859, p. 497.

Subg. *Aethyssius* Pascoe, Journ. Ent. II, 1866, p. 46; Ann. Mag. Nat. Hist. (4) VIII, 1871—1872, p. 357.

columbinus Boisd. Voy. Astrol. II, 1835, p. 284; Bates, Trans. Ent. Soc. Lond. 1868, p. 270, t. 12, f. 7. — Australien
cyaneus Macl. Ent. Soc. N. S. Wales II, 1872, p. 300. — Gayndah
eros Pasc. Ann. Mag. Nat. Hist. (4) VIII, 1871, p. 357 (*Aethyssius*). — N. S. Wales
flavipes Macl. Proc. Linn. Soc. N. S. Wales (2) II, 1887, p. 313. — Queensland
ruficollis Macl. Trans. Ent. Soc. N. S. Wales II, 1872, p. 300. — Gayndah
rugosulus Macl. l. c. p. 300. — „
virescens Boisd. Voy. Astrol. II, 1835, p. 284. — Australien

viridis Boisd. l. c. p. 283. Australien
vitticollis Macl. Trans. Ent. Soc. N. S. Wales II, 1872, p. 300. Gayndah
vittipennis Macl. Proc. Linn. Soc. N. S. Wales (2) II, 1887, p. 313. Queensland

10

Syntractus Macl.

Macl. Proc. Linn. Soc. N. S. Wales (2) II, 1887, p. 312.

variabilis Macl. l. c. p. 312. Queensland

1

Alcmeonis Bates.

Bates, Trans. Ent. Soc. Lond. 1868, p. 270.

pulchra Bates l. c. p. 271, t. 12, f. 4. Adelaide
punctulaticollis Blackb. Trans. R. Soc. S. Austr. XVII, 1893, p. 133. Victoria

2

Simarus Borchm.

Borchm. Deutsche Ent. Zeitschr. 1909, p. 713.

Ismarus Haag-Rutenberg, Verh. Ver. Naturw. Unterh. Hamb. III, 1878, p. 104; Journ. Mus. Godeffr. XIV, 1879, p. 134.

carinatus Haag, Journ. Mus. Godeffr. XIV, 1879, p. 135. Adelaide
Godeffroyi Haag, l. c. p. 104; l. c. p. 134. Queensland

2

Licymnius Bates.

F. Bates, Trans. Ent. Soc. Lond. 1868, p. 271.

bicolor Blackb. Trans. R. Soc. S. Austr. XVII, 1893, p. 133. Süd-Australien
foveicollis Bates, Trans. Ent. Soc. Lond. 1868, p. 272, t. 12, f. 5. Queensland
strigicollis Fairm. Petites Nouv. Ent. II, 1879, p. 167; Journ. Mus. Godeffr. XIV, 1879, p. 110. Peak Downs

3

Anaxo Bates.

F. Bates, Trans. Ent. Soc. Lond. 1868, p. 272. — Blackburn, Trans. R. Soc. S. Austr. XIV, 1891, p. 308; Tabelle l. c. p. 312.

aereus Blackb. Trans. R. Soc. S. Austr. XIV, 1891, p. 308. Victoria
affinis Blackb. l. c. p. 309. Süd-Australien
ater Blackb. l. c. p. 310. Victoria
brevicornis Bates, Trans. Ent. Soc. Lond. 1868, p. 273, t. 12, f. 6. Adelaide

– A. excisipes Cart. P. R. Soc. Vict. 28. 1915. p. 56 Austr.
paradoxus Cart. l. c. "
rufovittatis Cart. P. L. S. N. S. W. 53. 1928. p. 287. Vict.

– S. elongatus Cart. Proc. R. Soc. Vict. 28. 1915. p. 95.

dentipes Cart. Trans. R. Soc. S. Austr. 44. 1920. p. 200 N. W. Austr.
strongylioides Cart. l. c. 201. N. Queensl.
tenuicornis Cart.

C. nivalis Cart. P.L.S. N.S.W. 1932. p. 111. N.S.W.
C. suturalis Cart. P.L.S. N.S.W. 55. 1930. p. 187. N.S.W.
metallica Cart. l.c. N.Qu.
C. major Cart. P.L.S. N.S.W. 53. 1928. p. 288. N.S.W.
C. varicornis Cart. P.L.S. N.S.W. 1926. p. 514. Qu.
C. eleanora Cart. P.L.S. N.S.W. 1925. p. 243. N.S.W.
" oculata Cart " S.Qu.
C. fastigiata Germ. (see Goff Cat.)

C. ornata Cart. Proc. R. Soc. Vict. 28. 1915 p. 63 Australia
fusca Cart. 64
ochracea Cart. 65.
opacicollis Cart. 66.
gracillima Cart. Trans. R. Soc. S. Austr. 44. 1920 p. 199. N. Queensld.
occidentalis Blbn (Anaxo)
vittipennis Macl. (Neoatractus)
tibialis Cart. P.L.S. N.S.W. 1921. p. 321. N.Qu.
C. violacea Cart. ibid 1922. p. 80. N.S. Wales.

M. omophloides Hope. (Allecula)
cf = singularis Haag (Lisa)
punctipennis Macl. (Allecula
armata Cart. Proc. R. Soc. Vict. 28. 1915 p. 97.
ebeninus Cart " 98.
Clarki Cart. Trans. R. Soc. S. Austr. 44. 1920. p. 212. W.A.
rubicunda Cart P.c. N. Terr.
protibialis Cart. P.c. 213 W.A.
vicina Cart P.c 214 Queensld.
dentipes Cart P.c. S. Austr.
subopaca Cart ibid 1922. p. 81. N. Queensld.

cylindricus Germ. Linn. Ent. III, 1848, p. 202. — Blackb. l. c. p. 312.	Süd-Australien
var. *obscurus* Blackb. l. c. p. 309.	„
fuscoviolaceus Fairm. Petit. Nouv. Ent. II, 1879, p. 167; Journ. Mus. Godeff. XIV, 1879, p. 111.	Peak Downs
lindensis Blackb. Trans. R. Soc. S. Austr. XIV, 1891, p. 309.	Süd-Australien
occidentalis Blackb. l. c. p. 311.	West-Australien
puncticeps Blackb. l. c. p. 311.	Victoria
rufojanthinus Fairm. Pet. Nouv. Ent. II, 1879, p. 279; Ann. Fr. (6) I, 1881, p. 284.	Fitschi-Ins.
sparsus Blackb. Trans. R. Soc. S. Austr. XIV, 1891, p. 310.	Victoria
sydneyanus Blackb. Trans. R. Soc. S. Austr. XVI, 1893, p. 134.	Sydney

12

Chromomaea Pasc.

Pasc. Journ. Ent. II, 1866, p. 490.

Lepturidea Fauvel, Rev. d'Ent. XXIII, 1905, p. 225.

Deplanchei Fvl. Bull. Norm. VII, 1862, p. 150, t. 10, f. 32—39; Rev. d'Ent. XXIII, 1905, p. 225.	Australien
rufipennis Blackb. Trans. R. Soc. S. Austr. XIV, 1891, p. 316.	Victoria
maculicornis Blackb. Trans. R. Soc. S. Austr. XIV, 1891, p. 315.	„
Mastersi Macl. Trans. Soc. N. S. Wales II, 1872, p. 300.	Gayndah
nigriceps Champ. Trans. Ent. Soc. Lond. 1895, p. 215.	West-Australien
pallida Bates, Trans. Ent. Soc. Lond. 1868, p. 319.	N.-S.-Wales
Pascoei Bates l. c. p. 317.	Brisbane
picea Macl. Trans. Ent. Soc. N. S. Wales II, 1872, p. 300.	Gayndah
picta Pasc. Journ. Ent. II, 1866, p. 491.	Queensland
rufescens Bates, Trans. Ent. Soc. Lond. 1868, p. 320.	N.-S.-Wales
unicolor Bates l. c. p. 320.	„
vittata Bates, Trans. Ent. Soc. Lond. 1868, p. 318.	„

11

Metistete Pasc.

Pasc. Journ. Ent. II, 1866, p. 489.

cisteloides Newm. Ent. Mag. V, 1838, p. 488. — Pasc. Journ. Ent. II, 1866, p. 489. — Lacord. Gen. Col. V, 1859, p. 499, nota 2.	Australien
costatipennis Champ. Trans. Ent. Soc. Lond. 1895, p. 221.	Nordwest-Australien
elongata Macl. Trans. Ent. Soc. N. S. Wales II, 1872, p. 302.	Gayndah
incognita Blackb. Horn Exp. II, 1896, p. 280.	Mittel-Australien
Lindi Blackb. Proc. Linn. Soc. N. S. Wales (2) III, 1888, p. 1438.	Süd-Australien (Port Lincoln)
Pascoei Macl. Trans. Ent. Soc. N. S. Wales II, 1872, p. 229.	Gayndah
pimeloides Hope, Proc. Ent. Soc. Lond. 1842, p. 79; Trans. Ent. Soc. Lond. IV, 1845—1847, p. 111. — Gemm. u. Har. Cat. VII, 1870, p. 2045.	Adelaide

gibbicollis Newm. Ent. Mag. V, 1838, p. 488. — Pasc. Journ. Ent. II, 1866, p. 489. — Blackb. Proc. Linn. Soc. N. S. Wales (2) III, 1888, p. 1436. — Australien

7

Dimorphochilus Borchm.

Borchm. in: Michaelsen, Fauna Südwest-Austral. I, 1908, p. 352.

apicalis Borchm. l. c. p. 353, f. 1, t. 3, f. 11. — Torbay (S.-W.-Austr.)

diversicollis Borchm. l. c. p. 354, f. 2a—c, t. 3, f. 12 u. 13. — Northampton etc.

sobrinus Borchm. l. c. p. 356, f. 3. — Dirk Hartog

3

Oocistela Borchm.

Borchm. l. c. p. 356.

convexa Borchm. l. c. p. 357, f. 4a—d, t. III, f. 9. — Fremantle

1

Apellatus Pasc.

Pasc. Journ. Ent. II, 1866, p. 45.

Euomma Bohem. Res. Eug. 1858, p. 101. — Lacord. Gen. Col. V, 2, 1859, p. 573. — Blackb. Trans. R. Soc. S. Austr. XIV, 1891, p. 313.

amoenus Pasc. Trans. R. Soc. S. Austr. XIV, 1891, p. 313. — N.-S.-Wales
lateralis Pasc. Journ. Ent. II, 1866, p. 45, t. 2, f. 1.

apicalis Blackb. Proc. Linn. Soc. N. S. Wales (2) III, 1888, p. 1440. — West-Australien

lateralis Boh. Res. Eug. 1858, p. 101, t. 2, f. 1. — Blackb. Trans. R. Soc. S. Austr. XIV, 1891, p. 313. — Sidney

nigricornis Blackb. l. c. p. 315. — Victoria

nodicornis Blackb. l. c. p. 314. — „

palpalis Macl. Trans. Soc. N. S. Wales II, 1872, p. 298 (♂). — Blackb. Proc. Linn. Soc. N. S. Wales (2) VII, 1892, p. 115; l. c. (2) III, 1888, p. 1439. — Gayndah
Mastersi Macl. l. c. p. 299 (♀); Blackb. l. c. — „
Biologie: Blackb. Proc. Linn. Soc. N. S. Wales (2) III, 1888, p. 1439.

tasmanicus Champ. Trans. Ent. Soc. Lond. 1895, p. 215. — Tasmania

7

Tanychilus Newm.

Newm. Ent. Mag. V, 1838, p. 487. — Lacord. Gen. Col. V, 2, 1859, p. 498. — Redtenb. Reise Nov. 1868, p. 134.

dubius Newm. l. c. p. 488. — Australien

kanalensis Perroud, Ann. Soc. Linn. Lyon 1864, p. 122. — Fauv. Rev. d'Ent. XXIII, 1905, p. 226. — Neu-Caledonien

sophorae Broun, Man. N. Zeal. Col. I, 1880, p. 396. — Neu-Seeland

NOTOCISTELA Cart P. R. Soc. Vict. 28. 1915. p. 102

tibialis Cart l. c. p. 102
pustulatus Cart " 103
dispar Cart. P. L. S. N. S. W. 1922. p. 82. S. Austr.

- I. Pascoei ~~Bates~~ Macl. (Metistete)

Melaps Cart. (Tenebr.). = Oocistela Borch.
M. cistelioides Cart. (Tenebr.
" victoriae Cart Proc. R. Soc. Vict. 28. 1915. p. 99.
" punctatus Cart. l. c. 100.
- " pilosus Cart l. c. 101.
" glaber Cart. Trans. R. Soc. S. Austr. 44. 1920. p. 216. S.A.
" tibialis Cart. l. c. WA.

- A. simplex Cart Proc. R. Soc. Vict. 28 1915. p. 68.
- plebejus Cart. l. c. 69.
lineatus Cart l. c. 70
concolor Cart l. c 70
- nigripes Cart. l. c 71.

- T. pulcher Cart Proc. R. Soc. Vict. 28 191.. p 75
minor Cart l. c
ruber Cart l. c.

metallicus White Voy. Erebus & Terror 1846 p. 12. N. Zealand.
aeratus Cart. P. L. S. N. S. W. 1926. p. 515. Qu.
opacus Cart " 1917. p. 115. fig. N.T

Atoichus Cart. Proc. R. Soc. Vict. 28. 1915 p 72

A. tasmanicus, flavus, crassicornis Cart. l. c.
bicolor Blbn (Licymnium)
flavipes Cart. P. L. S. N. S. W. 1924. p. 543 Moreton Bay
dimidiatus Cart. l. c. 544 "

P. usambarana Pic. Mel. 22. 1915. p. [illegible] usambara. | Falsopeilonycha Pic. Bull. Soc. Ent. Fr. 1930. p. 303 G-t. usambarana Pic.
sibatensis Pic. 24 [illegible] 14 Congo.
[illegible] Pic. " [illegible]
[illegible] Pic. " "

E. annulipes Pic. piceitarsis Pic. behanzini Pic. + v. iridithorax Pic. (Dahomey.)
dilagoensis Pic., zanguebarensis Pic. + v. atripennis, (E. Africa)
sub. [illegible] Pic. + v. notatithorax (Erythraea) Mel. 27 1914. pp. 13 + 14.
senegalensis Pic. Bull. S. E. Fr. 1920. p. 158.
favareli Pic. Mel. 41. 1924. p. 30. afr.
bicoloripes "

L. breyeri Brèthes Ann. Soc. Argentina 69. 1910. p. 2[illegible] Bolivia
sublestacea Brèthes l. c. "
luridus F. Syst. Ent. 1775. p. 258. — Blair. Ann. Mag. Nat. Hist. Brazil.
rufipennis Pic. Mel. 41. 1924. p. 2 3 Amer.
castaneipennis
aenea
inustriata
rufimembris
dentulipes
clavieri
latithorax
drakei
lineata, rugiceps, bicoloripes, foveolata

L. mrazi Pic. Sborn. Narod. Mus. 2(14) 1924. p. 85		Brazil
triimpressa Pic. ech. 39. 1924. p. 27.		"
longipennis Pic Bull. S.E. Fr. 1926. p. 203		"
4-foveolata Pic Mel. 48. 1927. p. 21		Colombia.
Dallieri		Brazil
seductestriata Pic	l. c	"
Biolleyi Pic.		C. Rica
bicoloripes Pic.		Brazil.
geniculata Pic.		"
coeruleipennis Pic.		"
boliviensis Pic		Bolivia.
paranana.		Argentine.
v. inspinosa		Brazil.
janeirensis Pic	2e.	"
luteofemorali Pic		"

splendens Bless. Hor. Ross. I, 1861, p. 111. Ballarat
striatus Newm. Ent. Mag. V, 1838, p. 487, fig. — Lacord. Gen. Col. Atl. t. 58, f. 4. — Redtenb. Reise Nov. II, 1868, p. 134. Australien

5

Xylochus Broun.

Broun, Man. N. Zeal. Col. I, 1880, p. 396.

dentipes Broun, New Zeal. Journ. Sc. I, 1883, p. 788. Neu-Seeland
spinifer Broun, Man. New Zeal. Col. V, 1893, p. 1168. „
substriata Broun, Man. New Zeal. Col. I, 1880, p. 397. „
tibialis Broun, l. c. p. 397. „

4

Omedes Broun.

Broun, Man. N. Zeal. Col. V, 1893, p. 1169.

apterus Broun, Ann. Mag. Nat. Hist. (6) XV, 1895, p. 244. Neu-Seeland
fuscatus Broun, Man. N. Zeal. Col. V, 1893, p. 1170. „
nitidus Broun, l. c. p. 1169. „

3

Temnes Champ.

Champ. Biol. Centr.-Am. Col. IV, 1, 1888, p. 410.

coeruleus Champ. l. c. p. 410, t. 18, f. 15 u. 15a. Panama

1

Bratyna Westw.

Westw. Trans. Ent. Soc. Lond. 1875, p. 228.

apicalis Westw. l. c. p. 228, t. 7, f. 2 (♂). — Kraatz, Deutsche Ent. Zeitschr. 1900, p. 10 (♀). West-Afrika (Old Calabar)

1

Omolepta Fåhr.

Fåhr. Öfv. Vet. Ak. Förh. XXVII, 1870 (1871), p. 320.

elegans Fåhr. l. c. p. 320. Caffraria

1

Amorphopoda Fåhr.

Fåhr. l. c. p. 320.

elateroides Fåhr. l. c. p. 321. Süd-Afrika

1

Psilonycha Fåhr.

Fåhr. Öfv. Vet. Ak. Förh. XXVII, 1870 (1871), p. 321.

campestris Fåhr. l. c. p. 322. Caffraria
tenella Fåhr. l. c. p. 322. „

2

Ectenostoma Fåhr.

Fåhr. Öfv. Vet. Ak. Förh. XXVII, 1870 (1871), p. 317.

apicalis Müll. Tijdschr. Ent. XXX, 1887, p. 307, t. 12, f. 8. Sambesi
brevicornis Kolbe, Käf. D. O. Afrika 1898, p. 251. D.-O.-Afrika
nigripes Kolbe, l. c. p. 251. „
nigriventris Fåhr. Öfv. Vet. Ak. Vörh. XXVII, 1870 (1871), p. 317. Süd-Afrika

4

Alogista Fåhr.

Fåhr. Öfv. Vet. Ak. Förh. XXVII, 1870 (1871), p. 318.

abnormis Fåhr. l. c. p. 318. Süd-Afrika

1

Ectatocera Fåhr.

Fåhr. Öfv. Vet. Ak. Förh. XXVII, 1870 (1871), p. 325.

longicornis Fåhr. l. c. p. 325. Süd-Afrika

1

Blepusa Westw.

Westw. Trans. Ent. Soc. Lond. III, 1842, p. 69. — Lacord. Gen. Col. V, 1859, p. 499.

costata Westw. Trans. Ent. Soc. Lond. III, 1842, p. 70, t. 3, f. 3a, b. Brasilien
Dormei Fairm. Compt. rend. Soc. Ent. Belg. 1889, p. XLIII. Minas Geraes

2

Lobopoda Sol.

Solier, Ann. Soc. Ent. Fr. IV, 1835, p. 233. — Lacord. Gen. Col. V, 1859, p. 500. — Champ. Biol. Centr.-Am. Col. IV, 1, 1884—1893, p. 386 u. 387. — Casey, Ann. N. York Ac. 1891, p. 77.

Monoloba Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 235.

acutangula Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 390, t. 17, f. 3 u. 3a. Central-Amerika
aeneipennis Champ. l. c. p. 408, t. 18, f. 2 u. 2a. Panama
aeneotincta Champ. l. c. p. 405. „
anthracina Kirsch, Berl. Ent. Zeitschr. X, 1866, p. 206. Bogatà
apicalis Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 393. t. 17, f. 8 u. 8a. Guatemala

asperula Champ. l. c. p. 390, t. 17, f. 2, 2a und b.	Yucatan
atra Say, Journ. Ac. Phil. V, 1827, p. 242. — Casey, Ann. N. York Ac. VI, 1891, p. 82. *nigrans* Melsh. Proc. Ac. Phil. III, 1846, p. 60. — Casey, l. c.	Connecticut
atrata Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 394, t. 17, f. 9 u. 9a.	Central-Amerika
attenuata Champ. l. c. p. 397, t. 17, f. 16.	„
calcarata Champ. l. c. p. 563, t. 23, f. 23.	Mexico
cariniventris Champ. l. c. p. 408, t. 18, f. 12.	Panama
catopina Perty, Del. anim. art. 1830, p. 63, t. 13, f. 7.	Brasilien
cayennensis Cast. Hist. Nat. II, 1840, p. 242.	Cayenne
chontalensis Champ. Biol. C.-Am. Col. IV, 1, 1884—1893, p. 399.	Nicaragua
coerulescens Kirsch, Berl. Ent. Zeitschr. X, 1866, p. 207.	Bogotà
contracta Germ. Ins. Spec. nov. 1824, p. 163.	Brasilien
convexicollis Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 395 u. 564, t. 17, f. 12.	Central-Amerika
dircaeoides Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 236.	Brasilien
ebenina Champ. Trans. Ent. Soc. Lond. 1896, p. 34, t. 1, f. 11.	Insel Grenada
erythrocnemis Germ. Ins. Spec. nov. 1824, p. 164. — Casey, Ann. N. York Ac. VI, 1891, p. 82.	Louisiana
femoralis Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 398, t. 17, f. 18 u. 18a.	Central-Amerika
foveata Champ. l. c. p. 405 u. 565, t. 18, f. 7 u. 7a.	Panama
galapagoensis Linell, Proc. U. S. Mus. XXI, 1898, p. 266.	Galapagos
gigantea Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 388, t. 17, f. 1.	Mexico
glabrata Champ. l. c. p. 409, t. 18, f. 14 u. 14a.	Panama
grandis Champ. l. c. p. 389.	Nicaragua
helopina Perty, Del. anim. art. 1830, p. 63, t. 13, f. 6.	Brasilien
hirta Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 400.	Nicaragua
impressa Er. Arch. Naturgesch. XIII, 1847, I, p. 121.	Peru
impressipennis Cast. Hist. Nat. II, 1840, p. 243.	Brasilien
inculta Er. Arch. Naturgesch. XIII, 1847, I, p. 122.	Peru
insularis Champ. Trans. Ent. Soc. Lond. 1896, p. 33, t. 1, f. 10 u. 10a.	West-Indien (Ins. Mustique)
irazuensis Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 406, t. 18, f. 9 u. 9a.	Costa Rica
jalapensis Champ. l. c. p. 402 u. 564, t. 18, f. 2.	Mexico
laevicollis Champ. l. c. p. 401, t. 17, f. 21, 21a u. b.	„
mexicana Champ. l. c. p. 392, t. 17, f. 5 u. 5a.	Central-Amerika
minuta Champ. l. c. p. 403, t. 18, f. 4.	Panama
mucronata Champ. l. c. p. 393, t. 17, f. 7.	„
nitens Champ. l. c. p. 406, t. 18, f. 8.	Costa Rica
nitida Champ. l. c. p. 407.	Panama
oblonga Champ. l. c. p. 396, t. 17, f. 13.	Yucatan
obsoleta Champ. l. c. p. 409, t. 18, f. 13.	Central-Amerika
oculatifrons Casey, Ann. N. York Ac. VI, 1891, p. 81.	Texas
opaca Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 400 u. 564, t. 17, f. 23 u. 23a.	Panama
opacicollis Champ. l. c. p. 400.	Central-Amerika
pallicornis F. Syst. El. II, 1801, p. 22. — Cast. Hist. Nat. II, 1840, p. 242.	Buenos Ayres
panamensis Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 392, t. 17, f. 6 u. 6a.	Panama

parvula Champ. l. c. p. 403, t. 18, f. 3. — Mexico
pilosa Champ. l. c. p. 405 u. 565. — Central-Amerika
pilosula Fairm. Ann. Soc. Ent. Fr. LXI, 1892, p. 93. — Venezuela
proxima Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 402, t. 18, f. 1. — Yucatan
puncticollis Champ. l. c. p. 396, t. 17, f. 14, 14a u. b. — Guatemala
sculpturata Champ. l. c. p. 401, t. 17, f. 20. — Yucatan
seriata Champ. l. c. p. 395, t. 17, f. 11 u. 11a. — „
simplex Champ. l. c. p. 399, t. 17, f. 22. — Brit.-Honduras
socia Lec. Proc. A. Phil. VII, 1854, p. 84. — Casey, Ann. N. York Ac. VI, 1891, p. 78. — Texas
subcuneata Casey, l. c. p. 79. — „
subparallela Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 394, — Mexico
striata Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 235. — Bahia
tarsalis Fleut. u. Sallé, Ann. Soc. Ent. Fr. (6) IX, 1889. p. 431. — Ins. Guadelupe
teapensis Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 564, t. 23, f. 24. — Mexico
tenuicornis Champ. l. c. p. 403, t. 18, f. 5 u. 5a. — Panama
tristis Champ. l. c. p. 391, t. 17, f. 4 u. 4a. — „
tropicalis Champ. l. c. p. 398, t. 17, f. 17. — „
umbrosa Er. Arch. Naturgesch. XIII, 1847, p. 121. — Peru
viridipennis Champ. l. c. p. 407, t. 18, f. 10 u. 10a. — Panama
viridis Champ. l. c. p. 404, t. 18, f. 6, 6a u. b. — Central-Amerika
yucatanica Champ. l. c. p. 397, t. 17, f. 15 u. 15a. — Yucatan

68

Stenochidus Lec.

Lec. Class. Col. N. Am. 1862, p. 244. — Casey, Ann. N. York Ac. VI, 1891, p. 75.

cyanescens Lec. Proc. Ac. Phil. 1859, p. 78. — Casey, Ann. N. York Ac. VI, 1891, p. 76. — Californien
gracilis Lec. Ann. Lyc. N. York V, 1851, p. 150; Proc. Ac. Phil. III, 1854, p. 219. — Casey, l. c. — „

2

Stenerula Fairm.

Fairm. Bull. Soc. Ent. Fr. (5) V, 1875, p. LXI.

subopaca Fairm. l. c. p. 41. — Madagascar
suturella Fairm. Rev. d'Ent. XX, 1903, p. 192. — „

2

Morocaula Fairm.

Fairm. Not. Leyd. Mus. XX, 1898, p. 215.

remipes Fairm. l. c. — West-Afrika

1

Orchesis Pobopoda Pic Mel. 30. 1919. p. 6.
O. minutissima Pic. l. c. Brazil.

Scrobustus Schaeff. pub. N. York Ent. Soc 13. 1911. p. 125 Calif.
carbonarius Schaeff. (cyanescens var.) l. c. 126. "

Pseudomorocaulas
P.
P. major Pic Mél 32. 1920 p. 19. Gaboon

igriallecula Pic. Ed. 32. 1920 p 19.
L. aeneipennis Pic. l. c. Zahomey

A. femorata Borchm. Rec. Indian Mus. 11. 1915. p. 183 India
sukliensis Borchm. l. c. 185 "
sobrina Borchm. l. c. 186. "

Apalmia Fairm.

Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 60.

cerambycina Fairm. l. c. p. 60. Birma

1

Dioxycula Fairm.

Fairm. Not. Leyd. Mus. XVIII, 1896, p. 116.

aranea Fairm. l. c. p. 116. Java

1

Allecula F.

F. Syst. El. II, 1801, p. 21. — Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 231. — Cast. Hist. Nat. II, 1840, p. 242. — Muls. Pectin. 1856, p. 36. — Lacord. Gen. Col. V, 1859, p. 502. — Jacq. du Val, Gen. Col. Eur. III, 1863, p. 342. — Redtenb. Fauna Austr. 1874, p. CXXI u. 128. — Seidl. Fauna Balt. 1891, p. 136 u. 523; Naturg. Ins. Deutschl. V, 2, 1896, p. 31. — Champ. Biol. Centr.-Am. Col. IV, 1, 1888, p. 411.

Subgen. *Dietopsis* Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 229.
Subgen. *Upinella* Muls. Op. VII, 1856, p. 17. — Jacq. du Val, Gen. Col. Eur. III, 1863, p. 356. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 35.

Biologie: Schiödte, Naturh. Tijdskr. 1879, III, 11, p. 520. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 32.

acicularis Mars. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 325. Japan
acuminata Fairm. Ann. Soc. Ent. Fr. LXI, 1892, p. 94 (*Dietopsis*). Venezuela
aeneipennis Har. Deutsche Ent. Zeitschr. XXII, 1878, p. 80. — Lewis, Ann. Mag. Nat. Hist. (6) XV, 1895, p. 252. Japan
aethiopica Rits. Tijdschr. Ent. XVIII, 1875, p. 132 (*Dietopsis*). Congo
angustata Champ. Biol. C. A. Col. IV, 1, 1888, p. 416, t. 19, f. 3. Mexico
angusticollis Boh. Res. Eug. 1858, p. 100. Sydney
annamensis Fleut. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 65. Annam
annulata Mäkl. Act. Soc. Fenn. X, 1875, p. 667 (517). Java
anthracina Fauv. Rev. d'Ent. XXIV, 1905, p. 236; Tabelle l. c. p. 226. Neu-Caledonien
arcuatipes Fairm. Ann. Soc. Ent. Fr. LXII, 1893, p. 34. Indo-China
arthritica Fairm. l. c. p. 36. Belgaum
aterrima Rosenh. Beitr. Ins. Eur. 1847, p. 122. — Küst. Käf. Eur. XVIII, 1849, no. 58. — Bach, Käferf. Deutschl. III, 1856, p. 228. — Muls. Op. VII, 1856, p. 18. — Redtenb. Fauna Austr. ed. II, 1858, p. 622 und 1003; ed. III, 1874, II, p. 129. — Jacq. du Val, Gen. Col. III, 1863, p. 342, t. 80, f. 396. — Baudi, Col. Eterom. 1877, p. 6. Europa
basitibialis Fairm. Ann. Soc. Ent. Fr. LXII, 1893, p. 37. Kanara
Belti Champ. Biol. Centr.-Am. IV, 1, 1888, p. 414, t. 8, f. 22. Nicaragua
bilamellata Mars. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 323. Japan
brachydera Fairm. Ann. Soc. Ent. Fr. LXII, 1893, p. 35. Indo-China
brevicollis Klug, Ins. Madag. 1833, p. 186. Madagascar

bucculata Fairm. Ann. Soc. Ent. Fr. LXXIV, 1905, p. 302 (*Dietopsis*).	Montevideo
caligata Thoms. Arch. Ent. II, 1858, p. 102.	Gabun
canescens Hope, Proc. Ent. Soc. Lond. 1842, p. 80; Trans. Ent. Soc. Lond. IV, 1845, p. 111.	Adelaide
castaneipennis Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 412, t. 18, f. 16.	Centr.- u. Süd-Amerika
cinnamomea Quedenf. Berl. Ent. Zeitschr. XXIX, 1885, p. 35.	Quango
comorana Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 543.	Comoren
confusa Borchm. Deutsche Ent. Zeitschr. 1909, p. 714. *tenuis* Fairm. Ann. Soc. Ent. Fr. LXXIV, 1905, p. 302.	Argentinien
coreana Kolbe, Arch. Naturg. LII, I, 1886, p. 211, t. 11, f. 36. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 37.	Korea
costata Haag-Rut. Verh. Ver. Naturw. Unt. Hamb. III, 1878, p. 105; Journ. Mus. Godef. XII, 1879, p. 137.	Gayndah
costipennis F. Bates, Cist. Ent. II, 1872, p. 482; Sec. Yark. Miss. Col. 1890, p. 76 (*Dietopsis*).	Murree
crassipes Fairm. Not. Leyd. Mus. IV, 1882, p. 254 (*Dietopsis*).	Sumatra
crenulata Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 61.	Birma
cribricollis Fairm. Ann. Soc. Ent. Fr. (6) III, 1883, p. 514.	Montevideo
cruralis Fairm. Not. Leyd. Mus. X, 1888, p. 267.	Süd-Afrika
cryptomeriae Lewis, Ann. Mag. Nat. Hist. (6) XV, 1895, p. 250.	Japan
cuneipennis Fairm. Not. Leyd. XVIII, 1897, p. 235.	Sumatra
cupreipennis Fauv. Rev. d'Ent. XXIV, 1905, p. 233.	Neu-Caledonien
curticollis Fauv. l. c. p. 235.	"
cylindricollis Boisd. Voy. Astrol. II, 1832, p. 283.	Australien
debilis Er. Arch. Naturgesch. XIII, 1847, I, p. 122.	Peru
decorata Kirsch, Berl. Ent. Zeitschr. XXX, 1886, p. 335.	Columbien
densaticollis Fairm. Compt. rend. Soc. Ent. Belg. 1891, p. 215.	Tschang-Yang
depressa Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 415, t. 19, f. 1, 1a.	Mexico
diluta Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 39.	Belgaum
discipennis Fairm. Rev. d'Ent. XX, 1903, p. 193.	Madagascar
divisa Reitt. Rev. Mens. Ent. I, 1883, p. 115. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 37.	Kaukasus
elegans Walk. Ann. Mag. Nat. Hist. (3) II, 1858, p. 285.	Ceylon
ellipsoides Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 38.	Belgaum
estriata Seidl. Naturg. Ins. Deutschl. V, 2, 1896, p. 37.	Külek
Fairmairei Fauv. Rev. d'Ent. XXIV, 1905, p. 228.	West-Afrika
puberula Fairm. Ann. Soc. Ent. Fr. LXVI, 1897, p. 137.	
Fauveli Borchm. Deutsche Ent. Zeitschr. 1909, p. 714. *rugicollis* Fauv. Rev. d'Ent. XXIV, 1905, p. 228.	Neu-Caledonien
ferox Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 413, t. 18, f. 19a u. b.	Guatemala
filicornis Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 37.	Belgaum
flavicornis Kolbe, Berl. Ent. Zeit. XXVII, 1883, p. 25.	Chinchoxo
flavifemur Walk. Ann. Mag. Nat. Hist. (3) III, 1859, p. 259.*	Ceylon
flavipes Jacq. du Val, Hist. Cuba 1857, p. 157.	Cuba
fortipes Er. Schombg. Reise III, 1848, p. 565.	Guayana
foveicollis Hope, Proc. Ent. Soc. Lond. 1842, p. 80; Trans. Ent. Soc. Lond. IV, 1845, p. 112.	Adelaide
foveipennis Fairm. Ann. Soc. Ent. Fr. (6) III, 1883, p. 514.	Montevideo

* Bl. T. E. S. 1921. p. 278.

A. cinctipennis Pic	Natural 31. 1909	p. 19	Yunnan
cardoni Pic	l. c		
semeti Pic	Ech 25. 1909.	p. 142	Yunnan.
formosana Pic.	– 26. 1910.	p. 94	formosa.
kulunensis Pic	l. c		Himalaya
maxima Pic	l. c		Yunnan.
subacuminata Pic.	– 29. 1913.	p. 116.	Congo.
dentatipes Pic.	l. c.		"
signatipennis Pic.	– 30. 1914.	p. 45	Sumatra.
v. subunnotata Pic	Mel. 47. 1926.	p. 30.	
rufonotata Pic	l. c		"
aenea Pic.	Mel. 9. 1914.	p. 1,	Tonkin.
viridipennis Pic	l. c.	"	"
vitalisi Pic.	"	p. 18	"
villosa Pic.	"	"	"
spinipes Pic.	"	"	"
lata Pic.	"	p. 19	"
ambrensis Pic.	– 12. 1915	p. 13.	Madagascar.
multilineata Pic.	"		"
innotatipennis Pic	"		"
minuta Pic	"		Banguey.
annulicornis Pic	"	p. 14	Zanzibar
zanzibarica Pic	"	"	"
sulcaticollis Pic	"	p. 15.	"
lucidicollis Pic.	"	"	"
raffrayi Pic.	"	"	"
cinctipennis Pic.	"	"	Yunnan.
malaccana Pic.	"	16	Perak.
rufipennis Pic.	"	"	Sumatra
bruneiensis Pic	"	"	Borneo

A. obscuripes Pic.	Mél. 12.	17	Borneo
borneensis Pic.	"		"
subopaca Pic.	"	"	Java
Alberti Pic.			Congo
elongata Pic.		p. 15	S. America
subaenea Pic.			"
baeri Pic.			"
congoensis Pic.	— 14	p. 7	Congo.
basipemorasis Pic.	18. 1916.	p. 20.	W. Africa.
laosensis Pic.			Tonkin.
chatanayi Pic.	30. 1919.	p. 4	Madagascar
minutissima Pic.	"		"
(viridipennis Pic.)	"		"
n.n. semiviridis Pic.	Mel. 37. 1922. p. 18. (note)		
apicicornis Pic.	— 32. 1920.	p. 21	Gabon.
Fochi Pic.			Congo
v. diversipennis Pic.		22.	S. Africa.
forcipifer Pic.		"	Zanzibar
v. beirana Pic.	"		Beira.
subaenescens Pic.	"		E. Africa
diversipes Pic.	"		Cochin China
bicoloripes Pic.		p. 23.	China.

subaeneipennis Pic. Mél. 37. 1922. p. 15.		Laos.
salvazai Pic.	l. c.	Tonkin.
ingeniculata Pic., (luridipes var.)	l. c. p. 16.	Laos.
ruficolor Pic.	l. c.	Laos.
sulcatithorax Pic.	l. c.	Laos.
cambodgensis Pic.	l. c.	Cambodge.

fuliginosa Mäkl. Act. Soc. Fenn. X, 1875, p. 666. — Lewis, Ann. Mag. Nat. Hist. (6) XV, 1895, p. 251.	Japan
obscura Har. Abh. Nat. Ver. Bremen V, 1876, p. 132.	
? *velutina* Mars. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 322. — Seidl. Nat. Ins. Deutschl. 2, 1896, p. 35 (*Upinella*).	
funesta Mäkl. l. c. p. 665 (515).	Java
fusca Sol. Hist. Chile V, 1851, p. 249, t. 20, f. 12c—e; Ann. Soc. Ent. Fr. (4) III, 1863, p. 225 (*Dietopsis*).	Chile
fuscata Fairm. Col. Nov. (Oberth.) I, 1884, p. 80.	Madagascar
fuscula Schh. Syn. Ins. I. 2. p. 336	Portorico
? *flavipes* F. Syst. El. II, 1801, p. 564. — Quedenf. Berl. Ent. Zeitschr. XXX, 1886, p. 119.	
fusiformis Walk. Ann. Mag. Hist. (3) III, 1858, p. 285.	Ceylon * Ber. T. E. S. 1921. p. 277.
Gaumeri Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 414, t. 18, f. 20.	Yucatan
geniculata Germ. Ins. Spec. nov. 1824, p. 164.	Brasilien
gentilis Fairm. Col. Nov. (Oberth.) I, 1884, p. 80.	Madagascar
Gouldi Hope, Proc. Ent. Soc. Lond. 1842, p. 80; Trans. Ent. Soc. Lond. IV, 1845, p. 112.	Adelaide } Dinorphochilus Cart. TRSSA. 44. 1920. p. 198.
hirta Fåhr. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 319 (*Dietopsis*).	Süd-Afrika
holomelaena Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 27.	Bengalen
hypuloides Fairm. Ann. Soc. Ent. Fr. LXII, 1893, p. 154.	Senegal
indica Borchm. Deutsche Ent. Zeitschr. 1909, p. 714.	Belgaum
brachydera Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 38.	
insulana Fauv. Rev. d'Ent. XXIV, 1905, p. 232.	Neu-Caledonien
kanarensis Borchm. Deutsche Ent. Zeitschr. 1909, p. 714.	Kanara
arcuatipes Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 37.	
laevior Fauv. Rev. d'Ent. XXIV, 1905, p. 233.	Neu-Caledonien
laticeps Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 416, t. 19, f. 4.	Mexico
laticollis Boh. Res. Eug. 1858, p. 100.	Sydney
lignicolor Fairm. Col. Nov. (Oberth.) I, 1884, p. 80.	Madagascar
limbatipennis Fairm. Ann. Soc. Ent. Belg. XLII, 1898. p. 235.	„
var. *sulurata* Fairm. l. c. p. 235.	„
lineata Kirsch, Berl. Ent. Zeitschr. XXX, 1886, p. 336.	Columbien
longipennis Quedenf. Berl. Ent. Zeitschr. XXXII, 1888, p. 186 (*Dietopsis*).	Centr.-Afrika
luctuosa Champ. Trans. Ent. Soc. Lond. 1895, p. 216.	Tasmania
luridipes Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 300.	Lang-song
Macleayi Borchm. Deutsche Ent. Zeitschr. 1909, p. 714.	Queensland
flavicornis Macl. Proc. Linn. Soc. N. S. Wales (2) II, 1887, p. 316.	
maculicornis Fairm. Ann. Ent. Belg. XXXVII, 1893, p. 542.	Comoren
Mastersi Macl. Trans. Soc. N. S. Wales II, 1872, p. 302.	Gayndah
Mechowi Quedenf. Berl. Ent. Zeitschr. XXIX, 1885, p. 36.	Quango
melanaria Mäkl. Act. Soc. Fenn. X, 1875, p. 669 (519). — Lewis, Ann. Mag. Nat. Hist. (6) XV, 1895, p. 251.	Japan
rufipes Mars. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 322.	

melancholica Hope, Proc. Ent. Soc. Lond. 1842, p. 79; Trans. Ent. Soc. Lond. IV, 1845, p. 111. — Adelaide

metallica Lacord. Gen. Col. V, 1859, p. 503, nota. — Brasilien

montana Fauv. Rev. d'Ent. XXIV, 1905, p. 235. — Neu-Caledonien

morio F. Mant. Ins. I, 1787, p. 86; Syst. El. II, 1801, p. 21. — Panz. Fauna Germ. 95, 1805, no. 1. — Gyllh. Ins. Suec. II, 1810, p. 539. — Cast. Hist. Nat. II, 1840, p. 243. — Küst. Käf. Eur. XVIII, 1849, p. 59. — Redtenb. Fauna Austr. 1849, p. 601; ed. II, 1858, p. 622; ed. III, 1874, II, p. 128. — Muls. Col. Fr. Pect. 1856, p. 37. — Bach, Käferf. Deutschl. III, 1856, p. 228. — Jacq. du Val, Gen. Col. Eur. III, 1863, t. 80, f. 397. — Thoms. Skand. Ins. VI, 1864, p. 277. — Seidl. Fauna Balt. 1875, p. 365; ed. II, 1891, p. 523; Fauna Transsylv. 1891, p. 562; Nat. Ins. Deutschl. V, 2, 1896, p. 41. — Baudi, Col. Eterom. 1877, p. 6. — Europa

Cistela morio F. Mant. Ins. I, 1787, p. 86; Ent. syst. I, 2, 1792, p. 46. — Oliv. Encycl. méth. VI, 1790, p. 7; Entom. III, 1795, no. 54, p. 8, t. 1, f. 7. — Panz. Ent. Germ. 1795, p. 187. — Payk. Fauna Suec. II, 1799, p. 122. — Walkenaer, Fauna Paris. I, 1802, p. 148.

Chrysomela morio Villers, Linn. Ent. IV, 1789, p. 264.

Cistela opaca Illig. Schneiders N. Mag. V, 1794, p. 610. — Panz. Fauna Germ. XXV, 1795, no. 18; Ent. Germ. 1795, p. 186.

rufipes F. Ins. Mant. I, 1787, p. 222; Ent. syst. I, 2, 1792, p. 40.

Biologie: Muls. Col. Fr. Pect. 1856, p. 94. — Perris, Ann. Soc. Linn. Lyon 1876, p. 297, f. 318. — Schiödte, Nat. Tidskr. 1879, III, p. 575, 588, t. 12, f. 1—9. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 33.

moupinea Fairm. Compt. rend. Soc. Ent. Belg. 1891, p. 215. — China

navicularis Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 321. — Tonkin

neglecta Borchm. Deutsche Ent. Zeitschr. 1909, p. 714. — Argentinien

tenuis Fairm. Ann. Soc. Ent. Fr. LXXIV, 1905, p. 302 (*Dietopsis*).

nigricans Hope, Proc. Ent. Soc. Lond. 1842, p. 80; Trans. Ent. Soc. Lond. IV, 1845, p. 112. — Adelaide

noctivaga Lewis Ann. Mag. Nat. Hist. (6) XV, 1895, p. 251. — Japan

nuceipennis Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 322. — Tonkin

omophloides Hope, Proc. Ent. Soc. Lond. 1842, p. 80. — Adelaide

opacipennis Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 415, t. 19, f. 2. — Mexico

opacula Fauv. Rev. d'Ent. XXIV, 1905, p. 236. — Neu-Caledonien

oronthea Baudi, Deutsche Ent. Zeitschr. 1877, p. 292. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 37. — Libanon

pallida Blanch. Voy. d'Orb. 1843, p. 199, t. 15, f. 3. — Bolivia

palmarum Montr. Ann. Fr. (3) X, 1860, p. 304. — Fauv. Rev. d'Ent. XXIV, 1905, p. 231. — Insel Art

papuensis Macl. Proc. Linn. S. N. S. Wales (2) I, 1886, p. 156. — Neu-Guinea

A. longipes Pic. Mél. 36. 1922. p. 16. Laos.

vientianensis Pic. l. c. p. 17. "

brevesuturalis Pic. l. c. Tonkin.

tibialis Pic. l. c. Laos.

crassifemur Pic. l. c. "

curtipes Pic. l. c. Tonkin.

longatipennis Pic. l. c. Annam.

hirsutus Pic. l. c. Tonkin.

– humeralis Blr. Rec. Ind. Mus. XXIV. 1922. p. 295 Barkuda I. Assam, Siam M.

babaulti Pic. Voy. Babault. 1921. p. 19. B. E. Afr.

Savioi Pic. Bull. Fr. 1925. p. 302 China.

– himalaica Blr. Ann. Mag. N. H. (9) XIX. 1927. p. 248 Tibet

– seminitens Blr. l. c. "

baeri Pic. Mel. 42. 1924. p. 4 S. Amer.

spiniventris

spinosa

simplex

unispinosa

subsinuata

amazonica

sparsepunctata

helopsioides

gounellei

ceitteri

taeta

alluaudi Madag

calathoides

ambovombeensis

striatipennis China

A. babaulti Pic Voy. Babault. 1921. p. 19.		B & Afr.
savioi Pic. Bull S.S. Fr. 1925. p. 302		China
obliquefasciata Pic Mel. 41. 1926. p. 29.		Yunnan
metallicipennis Pic		"
angustul		Tonkin
brithana		"
elongatissima v. vagemetallica.		Yunnan
atrosaturalis		Tonkin.
miersodentata Pic. Sborn. Narod. Mus 3(22) 1926. p. 162		Burma
inhumeralis		"
helferi v rufotestacea		"
obenbergeri		"
dentatipennis		"
sericata Borch. Treubia 6. 1925. p.	329	Sumatra
decipiens		"
discicollis	330	"
suturalis	331	"
ruficipes		"
puerilis	332	"
filiola	333	Java
Clermonti Pic Mel 49. 1927. p. 16.		Tonkin.
feaverinorei Pic		Hanoi
curtipennis Pic		? (Tonkin)

Pascoei Macl. Trans. Soc. N. S. Wales II, 1872, p. 302. — Gayndah
phyllocera Fauv. Rev. d'Ent. XXIV, 1905, p. 230. — Neu-Caledonien
piceata Fairm. Ann. Belg. XXXVIII, 1894, p. 26. — Bengalen
picta Fåhr. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 318 (*Dietopsis*). — Süd-Afrika
pilipes Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 414, t. 18, f. 21, 21a. — Mexico
planicollis Macl. Trans. E. Soc. N. S. Wales II, 1872, p. 303. — Gayndah
plebeja Kolbe Berl. Ent. Zeitschr. XXVII, 1883, p. 25. — Chinchoxo
poplitis Fairm. Ann. Fr. LXVI, 1897, p. 136. — West-Afrika
praticolor Fairm. Mem. Soc. Zool. Fr. XII, 1899, p. 21. — Madagascar
promiscua Mäkl. Act. Soc. Fenn. X, 1875, p. 664 (514). — Java
puberula Montr. Ann. Soc. Ent. Fr. (3) X, 1860, p. 304. — Fauv. Rev. d'Ent. XXIV, 1905, p. 228. — Insel Lifu
pulchella Sol. Hist. Chil. V, 1851, p. 248, t. 20, f. 12a, b. — Fairm. Ann. Soc. Ent. Fr. (4) III, 1863, p. 225. (*Dietopsis*). — Chile
punctatella Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 26; XL, 1896, p. 36. — Bengalen
punctatissima Mäkl. Act. Soc. Fenn. X, 1875, p. 664 (514). — Java
puncticollis Boh. Res. Eug. 1858, p. 99. — Tahiti
punctipennis Macl. Trans. E. Soc. N. S. Wales II, 1872, p. 302. — Gayndah
punctulata Melsh. Proc. Ac. Phil. III, 1846, p. 59. — N.-Amerika
? socia Lec. Proc. Phil. VII, 1854, p. 84. — Casey, Ann. N. York Ac. VI, 1891, p. 78 (*Lobopoda*). — Laredo.
pusilla Fauv. Rev. d'Ent. XXIV, 1905, p. 232. — Neu-Caledonien
quadrillum Fauv. l. c. p. 229. — „ Kanala
rhenana Bach, Käferf. Deutschl. III, 1856, p. 228; Berl. Ent. Zeitschr. II, 1858, p. 373. — Heyden, Berl. Ent. Zeitschr. XIX, 1875. p. 389. — Redtenb. Fauna Austr. ed. III, 1874, II, p. 128. — Seidl. Fauna Balt. ed. II, 1891, p. 523; Fauna Transsylv. 1891, p. 562; Naturg. Ins. Deutschl. V, 2, 1896, p. 36 u. 44. — Rheinland.
Loevendali Reitt. Wien. Ent. Zeit. V, 1886, p. 140. — Seidl. Fauna Balt. ed. II, 1891, p. 523; Fauna Transsylv. 1891, p. 562; Nat Ins. Deutschl. V, 2, 1896, p. 46.
Biologie: Schiödte Naturh. Tidsskr. 1879, III, 11, p. 578, 588, t. XII, f. 10—13; Met. El. X, 1877, p. 578, t. XII, f. 10—11. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 33.
var. *semilivida* Pic, Echange VI, 1890, p. 51; Bull. Fr. 1898, p. 114. — Seidl. l. c. p. 47. — Frankreich.
rotundicollis Cast. Hist. Nat. II, 1840, p. 243. — Australien
rubripes Boh. Res. Eug. 1858, p. 99. — Buenos Aires
rufa Sol. Hist. Chile V, 1851, p. 249, t. 20, f. 12 f—g. — Fairm. Ann. Fr. (4) III, 1863, p. 225. (*Dietopsis*). — Australien
rugicollis Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 412, t. 18, f. 17 u. 17a. — Mexico
satsumae Fairm. Nat. Leyd. Mus. XVIII, 1897, p. 116. — Japan
semicaligata Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 36. — Kanara
seriatopora Fairm. Ann. Soc. Ent. Belg. XXXVI, 1892, p. 251. — Argentinien
sericans Fairm. Ann. Soc. Ent. Fr. (6) VI, 1886, p. 190. (*Dietopsis*). — Manila
sertatipennis Berg, Ann. Univ. Buenos Ayr. VI, 1889, p. 125. — Chaco
simiola Lewis, Ann. Mag. Nat. Hist. (6) XV, 1895, p. 251. — Japan

simplex Fauv. Rev. d'Ent. XXIV, 1905, p. 230. Neu-Caledonien

Solieri Cast. Hist. Nat. II, 1840, p. 243. Brasilien
sordida Horn, Proc. Calif. Ac. (2) IV, 1894, p. 432. Kalifornien
spadicea Er. Schombg. Reise III, 1848, p. 566. Guayana
squalescens Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 27. Bengalen
striata Thoms. Arch. II, 1858, p. 103. (*Dietopsis*). Gabun
strigicollis Fauv. Rev. d'Ent. XXIV, 1905, p. 227. Neu-Caledonien
subsulcata Macl. Trans. E. Soc. N. S. Wales II, 1872, p. 302. Gayndah
Biologie: Froggatt, Proc. Linn. Soc. N. S. Wales 1895, p. 80.
sugillata Klug, Ins. Madag. 1833, p. 186. Madagascar
tenuestriata Fairm. Col. Nov. (Oberth.) I, 1884, p. 79.
tenuicornis Fauv. Rev. d'Ent. XXIV 1905, p. 231. Neu-Caledonien
tenuis Mars. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 326. Japan
umbilicata Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 38. China
umbonata Fauv. Rev. d'Ent. XXIV, 1905, p. 234. Neu-Caledonien
velutina Mars. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 322. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 35. Japan
veraepacis Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 413, t. 18, f. 18. Guatemala
vilis Mäkl. Act. Soc. Fenn. X, 1875, p. 668 (518). Java
villosipes Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 60. Birma

151

Asticostena Fairm.

Fairm. Not. Leyd. Mus. XIX, 1897, p. 228.

alternata Fairm. l. c. p. 228. Süd-Indien (Trichinopoli)

1

Borboresthes Fairm.

Fairm. Not. Leyd. Mus. XIX, 1897, p. 253.

cruralis Mars. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 324. — Fairm. l. c. Japan
fuliginosus Fairm. Not. Leyd. Mus. XIX, 1897, p. 253. Szé-tchouen

2

Brachycula Fairm.

Fairm. Bull. Mus. Paris XII, 1906, p. 278.

quadrivittata Fairm. l. c. p. 278. Madagascar

1

Mycetocharina Seidl.

Seidl. Fauna Balt. ed. II, 1891, p. 136; Fauna Transsylv. 1891, p. 136; Nat. Ins. Deutschl. V, 2, 1896, p. 47 (31).

Subg. *Alleculopsis* Semenow, Mém. biol. Pet. XIII, 1893, p. 361.

[illegible] Borch. [illegible] China

B. suturalis Borchm. Rec. Ind. Mus. 11 1915 p. 186. E Himalaya

[illegible]aticollis Pic. Mel. 37. 1922. p. 18. Laos.

[illegible]fasciata Pic l.c. Tonkin

[illegible]sulcatus Pic. Ech. 38. 1922 p. 24 Yunnan

A. subsulcatus Pic "

obscurithorax Pic Formosa.

impressithorax China

fokienensis "

mausonensis Tonkin.

paulopunctatus Pic Sborn. Narod. Mus. 3(12)1925. p. 163 Burma.

U. simoni Pic Ann. Soc. Ent. Belg. 54 [illegible] Africa.

[illegible]ogadovica Escal. Trab. Mus. [illegible] 12 [illegible]

rupiceps Pic Ech. 39. 1923 p. 10 Aden

longipennis Sinai

seminigra Pic Bull. S. R. Ent. Egypt. 18. 1926 p. 228 Egypt.

S. pulchra Pic. Mel. 41. 1925. p. 31 Madag

rufithorax " "

rufipes " "

scutellaris Pic Mel. 42. 1924. p. 8 "

Alleculodes Borch. Treubia 6. 1925. p. 338

g.t. discrepans B	l. c. figs.	Java.
neptis		Burma
varus		Sumatra
latipes		Singapore
genualis		Borneo
sauteri		Formosa.
glos		Borneo.
opaca		Hong Kong
proavia		"

B. longicornis Pic Mél. 12 p. 18 Perak

S. apicicornis Pic. Ann. Soc. Ent. Belg. 54. 1910. p. 196. Africa
caroli Pic l. c. " "
obscuricolor Pic l. c. "
benitoensis Pic. l. c. 197.
major Pic l. c. "
longipennis Pic Mél. 12. 1915 p. 19 Congo
crampeli Pic " 14. p. 7. "
~~abbo~~ tr. vittata Pic " 30. 1919. p 5 Gaboon
lateplagiata Pic l. c "
ruficornis Pic l. c Ft. Crampel.
convexa Pic " 32. 1920. p. 18. Ivory Coast.
testacea Pic l. c. 19. E. Africa.
rohani Pic Bull Mus Paris 1921. p. 342. Angola.
elongata Pic. Bull Soc. Zool. Fr. 1917. p. 26.
obscuripalpis Pic l. c Afr.
babaulti Pic. Voy. Babault. 1921. p 18. B. E. Afr.
tanaensis Pic l. c. "
saturalis Pic Bull. S. E. Fr. 1920. p. 158 Zanzibar
mocquerysi Pic " Gaboon,
macroceps Pic Ech. 38. 1922. p. 20 Dahomey.
babaulti Pic Voy Babault 1921 p. 18 B. E. A
tanaensis "

Eucistela g. n. Cart. P. L. S. N. S. W. 1922. p. 79
E. cyanea Cart. l. c. p. 80. N. Queensld.

H. testacea Cart. Trans. R. Soc. S. Austr. 44. 1920. p. 202 W. Austr.

N. rugosus Cart. Proc. R. Soc. Vict. 28. 1915. p. 93.
subfasciatus Cart. Trans. R. Soc. S. Austr. 44. 1920. p. 211. N. W. Austr. — New Taxon.
" convexa Macl. (Cistela)
" ovata Macl. (")
securigera Macl. (")
suttoni Cart. P. L. S. N. S. W. 61. 1936 p. 109. N. S. W.

Synallecula

armitagei	Pic Mel. 43. 1925. p. 13.	Zanzebar
subparallela		Abyss.
atriceps		& Africa
fasciornis (forticornis var.)		Ivory Coast.
cherenensis	Pic Ech. 39. 1924. p. 32	Eritrea
impreincollis	Pic	Zanzebar
suborata	Pic Ech. 41. 1925. p. 3	Afr
tibialis		"
forticornis		"
zanzibarensis	Pic Mel. 50. 1927. p. 26	Zanzebar.
punctaticeps		& Afr.
diversicornis		Zanzebar.
† costata	Pic Ann Mag N H. (10) VIII. 1931. p. 556	S. Leone.

Caristela Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 311. — Bedel Ab. XXIX, 1896—1900, p. 36.

adusta Reitt. Ent. Nachr. XXIV, 1898, p. 65. Syrien
castanea Faust, Hor. Ross. XII, 1877, p. 322. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 48. Samara
deserticola Sem. Mém. biol. St. Pet. XIII, 1893, p. 362; Rev. Russe V, 1905, p. 56. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 49. (*Alleculopsis.*) Buchara
macrophthalma Gebl. Bull. Mosc. IV, 1859, p. 341. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 49. (*Alleculopsis.*) Sungarei
megalops Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 311. (*Caristela.*) Algier
ocularis Fairm. Rev. d'Ent. XI, 1892, p. 115. Obock
orientalis Faust, Hor. Ross. XII, 1877, p. 318. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 48. Derbent
Beckeri Kiesw. Verh. Nat. Ver. Brünn XVI, 1878, p. 245, t. 4, f. 39. Aksu
puncticollis Reitt. Ent. Nachr. XXIV, 1898, p. 65. Buchara
rufotestacea Reitt. l. c. p. 65.
syriaca Baudi, Deutsche Ent. Zeitschr. XXV, 1881, p. 293. Syrien

10

Eubalia Cast.

Cast. Hist. Nat. II, 1840, p. 257. — Gemm. u. Har. Cat. Col. VII, 1870, p. 2079 (*Lagriidae*). — Fairm. Ann. Soc. Ent. Belg. XLI, 1897, p. 114; XLIII, 1899, p. 539. — Borchm. Deutsche Ent. Zeitschr. 1909, p. 713.

Plesia Kl. Ins. Madag. 1833, Sep. p. 25 und 97. — Cast. l. c. p. 243. — Lacord. Gen. Col. V, 1856, p. 506.

aurozonata Fairm. Ann. Soc. Ent. Belg. XLIII, 1899, p. 539. Madagascar
brevior Fairm. Bull. Soc. Ent. Fr. 1875, p. 41. „
convexiuscula Fairm. l. c. p. 41. „
cyaneostriata Fairm. Ann. Soc. Ent. Belg. XLIII, 1899, p. 113. „
flava Cast. Hist. Nat. II, 1840, p. 257. — Fairm. Ann. Soc. Ent. Fr. (4) VIII, 1868, p. 817. „
geniculata Kl. Ins. Madag. 1833, p. 185 (97). — Cast. l. c. p. 243. — Fairm. Ann. Soc. Ent. Fr. (4) IX, 1869, p. 240. „
laticollis Fairm. Ann. Soc. Ent. Belg. XLII, 1898, p. 412. „
melanura Kl. Ins. Madag. 1833, p. 185 (97). — Cast. Hist. Nat. II, 1840, p. 243. — Fairm. Ann. Soc. Ent. Fr. (4) IX, 1869, p. 239 (*Cacoplesia* ?). „
crenatostriata Fairm. s. *Cacoplesia!*
micans Kl. l. c. p. 185 (97). — Cast. l. c. p. 243. — Fairm. l. c. p. 241. „
ovalis Cast. l. c. p. 257. — Fairm. Ann. Soc. Ent. Fr. (4) VIII, 1868, p. 817. „
rufovittata Fairm. Ann. Soc. Ent. Belg. XLIII, 1899, p. 540. „
zonalis Fairm. Mém. Soc. Zool. Fr. XII, 1893, p. 21. „

12

Netopha Fairm.

Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 299.

pallidipes Fairm. l. c. p. 300. Lang-song (Tonkin)

1

Anthracula Fairm.

Fairm. Not. Leyd. Mus. XVIII, 1896, p. 236.

latifrons Fairm. l. c. p. 236. Simla

1

Bolbostetha Fairm.

Fairm. Not. Leyd. Mus. XVIII, 1896, p. 117.

quadricollis Fairm. l. c. p. 117. Singapur
soleata Fairm. l. c. p. 117. „

2

Synallecula Kolbe.

Kolbe, Berl. Ent. Zeit. XXVII, 1883, p. 25.

livida Sahlb. Peric. Ent. II, 1823, p. 19; in Thon, Arch. II, 1, 1829, p. 17. — Kolbe, l. c. Sierra Leone
picea Sahlb. l. c. p. 19; l. c. p. 16. — Kolbe, l. c. „
sororcula Kolbe, l. c. p. 25. Chinchoxo

3

Charisius Champ.

Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 44.

fasciatus Champ. l. c. p. 421, t. 19, f. 12, 12a, 13. Guatemala
floridanus Linell, Proc. S. Wash. IV, 1901, p. 184. N.-Amerika
interstialis Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 422. Mexico
Salvini Champ. l. c. p. 423, t. 19, f. 15. Guatemala
zunilensis Champ. l. c. p. 422, t. 19, f. 14. „
pictugatus Champ. l. c. p. 565, t. 23, f. 21. Mexico

Alethia Champ.

Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 417.

azteca Champ. l. c. p. 418, t. 19, f. 8. Mexico
carbonaria Schaeff. Mus. Brookl. Inst. I, N. 7, 1905, p. 176. Arizona
funerea Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 419. Mexico
Högei Champ. l. c. p. 420, t. 19, f. 10. „
lepturoides Champ. l. c. p. 419, t. 19, f. 9 u. 9a. „
longipennis Champ. l. c. p. 418, t. 19, f. 6. „
nitidipennis Champ. l. c. p. 565. „
Sallaei Champ. l. c. p. 417, t. 19, f. 5, 5a und b. „
subnitida Champ. l. c. p. 418, t. 19, f. 7. „

9

Narses Champ.

Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 423.

subalatus Champ. l. c. p. 424, t. 19, f. 15, 15a und b. Guatemala

1

Barycistela Blackb.

Blackb. Trans. R. S. Austr. XIV, 1891, p. 327.

robusta Blackb. l. c. p. 328. — Queensland

1

Hemicistela Blackb.

Blackb. Trans. R. Soc. S. Austr. XIV, 1891, p. 331.

discoidalis Blackb. l. c. p. 332. — Victoria

1

Nocar Blackb.

Blackb. Trans. R. Soc. S. Austr. XIV, 1891, p. 328.

australica Blackb. Proc. Linn. Soc. N. S. Wales (2) III, 1888, p. 1441. — Nord-Australien

depressiuscula Macl. Trans. Ent. Soc. N. S. Wales II, 1872, p. 303. — Gayndah

debilis Blackb. Trans. R. Soc. S. Austr. XIV, 1891, p. 329; l. c. XIX, 1896, p. 55. — Süd-Australien

latus Blackb. l. c. p. 329. — Champ. Trans. Ent. Soc. Lond. 1895, p. 225. — Tasmania, S.-Australien

simplex Blackb. l. c. p. 330. — „

4

Neocistela Borchm.

Borchm. Deutsche Ent. Zeitschr. 1909, p. 713.

Pseudocistela Blackb. Trans. R. Soc. S. Austr. XIV, 1891, p. 316.

ovalis Blackb. l. c. p. 317. — Victoria

1

Taxes Champ.

Champ. Trans. Ent. Soc. Lond. 1895, p. 226.

alphitobioides Champ. l. c. p. 227. — West-Australien

depressus Champ. l. c. p. 226, t. 6, f. 3. — „

2

Scaletomerus Bl. 1891 (p 18.)

Otys Champ.

Champ. Trans. Ent. Soc. Lond. 1895, p. 221.

armatus Champ. l. c. p. 222, t. 6, f. 2. — West-Australien

harpalinus Champ. l. c. p. 221. — „

pallens Champ. l. c. p. 222. — „

3

Scaletomerus Blackb.

Blackb. Trans. R. Soc. S. Austr. XIV, 1891, p. 330.

harpaloides Blackb. l. c. p. 330. S.-Australien
proximus Blackb. l. c. p. 331. „

2

Homotrysis Pasc.

Pascoe, Journ. Ent. II, 1866, p. 489. — Blackb. Trans. R. Soc. S. Austr. XIV, 1891, p. 317, 318.

Subg. *Hybrenia* Pasc. Journ. Ent. II, 1866, p. 489. — Blackb. l. c. p. 319.
Subg. *Lisa* Haag, Journ. Mus. Godeffr. XIV, 1879, p. 134 nota.

Bestimmungstabelle: Blackb. Trans. R. Soc. S. Austr. XIV, 1891, p. 319 u. 320; op. cit. XIX, 1896, p. 54.

angustata Macl. Proc. Linn. Soc. N. S. Wales (2) II, 1887, p. 315 (*Hybrenia*).	Queensland
arida Blackb. Trans. R. Soc. S. Austr. XIX, 1896, p. 53.	Central-Australien
bicolor Champ. Trans. Ent. Soc. Lond. 1895, p. 217.	Tasmania
callabonensis Blackb. Trans. R. Soc. S. Austr. XIX, 1896, p. 53.	Central-Australien
carbonaria Germ. Linn. Ent. III, 1842, p. 202 (= *tristis* Germ.?). — Blackb. Proc. Linn. Soc. N. S. Wales (2) III, 1888, p. 1441.	Adelaide
curticornis Haag, Verh. Ver. Naturh. Hamb. III, 1878, p. 105; Journ. Mus. Godeffr. XIV, 1879, p. 136.	Peak Downs
debilicornis Haag, l. c. p. 105; l. c. p. 135.	„
fusca Blackb. Trans. R. Soc. S. Austr. XIV, 1891, p. 326.	Australien
fuscipennis Blessig, Hor. Ross. I, 1861, p. 112, t. 4, f. 2. — Blackb. Proc. Linn. Soc. N. S. Wales (2) III, 1888, p. 1441.	Ballarat
microderes Pasc. Journ. Ent. II, 1866, p. 489. — Blackb. l. c. p. 1441.	
grandis Borchm. in: Michaelsen, Fauna S. W. Austr. 1908, p. 349, t. 3, f. 14.	West-Australien
insularis Pasc. Journ. Ent. II, 1866, p. 490 (*Hybrenia*).	Lizard Island
laticollis Macl. Proc. Linn. Soc. N. S. Wales (2) II, 1887, p. 314 (*Hybrenia*).	Queensland
limbata Blackb. Trans. R. Soc. Austr. XIV, 1891, p. 323.	Victoria
lugubris Blackb. l. c. p. 322.	„
maculata Haag, Verh. Ver. Naturw. Unterh. Hamb. III, 1878, p. 105; Journ. Mus. God. XIV, 1879, p. 136, nota.	„ Kap York
nitida Blackb. Trans. R. Soc. S. Austr. XIV, 1891, p. 326.	S.-Australien
obscura Borchm. in Michaelsen, Fauna S. W. Austr. 1908, p. 351, t. 3, f. 10.	West-Australien
princeps Blackb. Trans. R. Soc. S. Austr. XIV, 1891, p. 325.	S.-Australien
regularis Macl. Trans. Ent. Soc. N. S. Wales II, 1872, p. 301.	Gayndah
rufa Blackb. Trans. R. Soc. S. Austr. XIV, 1891, p. 324.	S.-Australien
ruficornis Macl. Trans. Ent. Soc. N. S. Wales II, 1872, p. 301.	Gayndah
rufulicornis Borchm. Deutsche Ent. Zeitschr. 1909, p. 714.	Queensland
ruficornis Blackb. Trans. R. Soc. S. Austr. XIV, 1891, p. 322.	

S. bicolor Cart. Proc. R. Soc. Vict. 28. 1915. p. 95.

[illegible]

H. ornata Cart. Proc. R. Soc. Vict. 28 1915 p. 84 Austral.
rubicunda Cart l.c. 85 "
Kershawi Cart Trans R. Soc. S. Austr. 44 1920. p. 204. W. Austr.
pallipes Cart. l.c. " N Queensld.
Doddi Cart. l.c. 205 W. Austr.
posttibialis Cart. l.c. 206. S.W. Austr.
rufocaerulea Cart. l.c. " Queensld.
scutellaris Cart l.c. 207 N.S.W.
variolosus Cart. l.c. 208. "
canescens Hope. (Allecula).
laticollis Boh. (")
luctuosus Champ (")
Macleayi Borchm (")
Pascoei Macl. (")
planicollis Macl. (")
ruficollis Macl. (Stroryylium)
rufipes F. (Helops)
= angusticollis Boh (Allecula)
aerea Cart. P.L.S. N.S.W. 1921. p. 322. N.S.W.
aenescens Cart. " Queensld.
montuipes Cart ?
torpedo Cart. ibid 1922. p. 81. "
rufipilis Cart. " 1928. p. 289 N Qu.
dentipes Cart. " 1929 p. 76 N Qu.
tibialis Cart. " 77 "
ornipes Cart (Hybrenia) " 1932 p. 112 C. York
caudaba Cart. (") 112 S. Qu.

(Hybrenia)

H. rugicollis Cart. P.R.Soc. Vict. 28. p. 87 Austr.
planata Cart. l.c. 88
pallida Cart. l.c. 89
femorata Cart. l.c. "
nitidior Cart. l.c. 90.
occidentalis Cart. Trans R.S.S. Austr. 44. 1920 p. 209. W. Aus.
pilosa Cart. l.c. 210. "
torrida Cart. l.c. " N. Terr.
subsulcata Macl. (Allecula)
elongata Macl. (Metistete)
pimelioides Hope (")
zmophlor
substriata Cart. P.L.S.N.S.W. 1926. p. 515. Qu.

yeppoonensis Cart. P.L.S.N.S.W. 53. 1928. p. 289 Qu.
angusticollis Cart. l.c. 289 N.Qu.

clermontia Cart. P.L.S.N.S.W. 55. 1930. p. 188 Qu.

Ommatophorus O. boops Cart. P.L.S.N.S.W. 55. 1930. p. 188. N.Qu.
atripes Cart. Proc. R.Soc. Vict. 28. 1915. p. 92.
v. bicolor Cart. P.L.S.N.S.W. 1926. p. 516.
H. rugulosa Boisd. (Homotrysis) = Mastersi Macl.
Midgei Cart. P.L.S.N.S.W. 1926. p. 516. Qu.
elbertae Blatchley. Can. Ent. 50. 1918. p. 57. Florida.
nigronotatus Pic. Sborn. Narod. Mus. 2(14). 1924. p. 89. Brazil.

rugulosa Boisd. Voy. Astrol. II, 1832, p. 282. — Blackb. Trans. R. Soc. S. Austr. XIV, 1891, p. 323. — S.-Australien
scabrosa Champ. Trans. Ent. Soc. Lond. 1895, p. 218. — West-Australien
singularis Haag, Journ. Mus. Godeffr. XIV, 1879, p. 135, nota (*Lisa*). — Queensland
sitiens Blackb. Trans. R. Soc. S. Austr. XIX, 1896, p. 53. — Central-Australien
subgeminata Macl. Tr. Ent. Soc. N. S. Wales, II, 1872, p. 301. — Gayndah
sublaevis Macl. Proc. Linn. Soc. N. S. Wales (2), II, 1887, p. 315 (*Hybrenia*). — Queensland
subvittata Macl. l. c. p. 314 (*Hybrenia*). — „
tenebrioides Blackb. Trans. R. Soc. S. Austr. XIV, 1891, p. 325. — S.-Australien
tristis Germ. Linn. Ent. III, 1842, p. 201. — Australien
vittata Pasc. Journ. Ent. II, 1866, p. 490 (*Hybrenia*). — Port Albany

32

Ommatophorus Macl.

Macl. Trans. Ent. Soc. N. S. Wales II, 1872, p. 304. — Blackb. Trans. Roy. Soc. S. Austr. XIV, 1891, p. 335.

Mastersi Macl. l. c. p. 305. — Gayndah

1

Jophon Champ.

Champ. Trans. Ent. Soc. Lond. 1895, p. 225.

myrmecophilus Champ. l. c. p. 225, t. 6, f. 4. — N. W. Australien

1

Nypsius Champ.

Champ. Trans. Ent. Soc. Lond. 1895, p. 219.

aeneopiceus Champ. l. c. p. 219. — Tasmania
foveatus Champ. l. c. p. 220, t. 6, f. 1. — „

2

Buxela Fairm.

Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 28.

sordescens Fairm. l. c. p. 28. — Bengalen

1

Hymenorus Muls.

Muls. Mém. Ac. Lyon I, 1851, p. 201; Opusc. Ent. I, 1852, p. 68 (*Hymenophorus*), p. 188; Col. Fr. Pectinip. 1856, p. 33. — Jacq. du Val, Gen. Col. Eur. III, 1859—1863, p. 344. — Lec. N. Sp. N.-Am. Col. 1866, p. 137. — Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 424. — Casey, Ann. N. York Ac. VI, 1891, p. 83. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 49.

Tabellen: Lec. New Spec. I, 1866, p. 135; Smithson. coll. p. 167. — Casey, Ann. N. York Ac. VI, 1891, p. 85.

americanus Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 438.	Mittel-Amerika
angustatus Champ. l. c. p. 436 u. 566.	Guatemala
apacheanus Casey, Ann. N. York Ac. VI, 1891, p. 99.	Arizona
Avajewi Semen. Rev. Ent. Russe I, 1901, p. 168.	Centr.-Russland
badius Champ. Biol. C.-Am. C.-Am. Col. IV, 1, 1888, pp. 433, 566, t. 20, f. 6.	Mexico
Baudii Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 52.	Cypern
rudis Baudi, Deutsche Ent. Zeitschr. XXI, 1877, p. 22.	„
brevicornis Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 426, t. 19, f. 18.	Mexico
brevipes Champ. l. c. p. 435, t. 20, f. 7.	„
canaliculatus Champ. l. c. p. 428.	„
castaneus Champ. l. c. p. 434.	„
colonoides Champ. l. c. p. 435, t. 20, f. 4.	Mittel-Amerika
communis Lec. N. Spec. Col. 1866, p. 135. — Casey, Ann. N. York Ac. VI, 1891, p. 88.	Nord-Carolina
confertus Lec. l. c. p. 136. — Casey, l. c. p. 116.	Kap S. Lucas
convexus Casey, l. c. p. 106.	Florida etc.
corticarioides Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 441.	Mexico
curticollis Casey, Ann. N. York Ac. VI, 1891, p. 95.	Jowa
densus Lec. New Sp. Col. 1866, p. 138. — Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 438. — Casey, l. c. p. 107.	Florida, Texas
deplanatus Champ. l. c. p. 440, t. 20, f. 11. — Casey, l. c. p. 120.	Mexico, Arizona
depressus Champ. l. c. p. 435.	„
difficilis Casey, l. c. p. 94.	Neuyork
discrepans Casey, Ann. N. York Ac. VI, 1891, p. 98.	Kalifornien
discretus Casey, l. c. p. 105.	Ver. Staaten
dissensus Casey, l. c. p. 109.	Texas
dorsalis Schwarz, Proc. Am. Phil. Soc. XVII, 1878, p. 370. — Casey, l. c. p. 105.	Florida
Doublieri Muls. Mém. Ac. Lyon I, 1851, p. 202; Opusc. Ent. I, 1852, p. 69 und 88; Col. Fr. Pect. 1856, p. 34. — Jacq. du Val, Gen. Col. Eur. III, 1863, p. 344, t. 80, f. 398. — Redtenb. Austr. ed. II, 1858, p. 622; ed. III, 1874, II, p. 128. — Seidl. Fauna Balt. 1875, p. 365; 1891, p. 523; Fauna Transsylv. 1891, p. 562; Nat. Ins. Deutschl. V, 2, 1896, p. 52. — Baudi, Deutsche Ent. Zeitschr. XXI, 1877, p. 23.	Frankreich, Central-Europa
rugicollis Muls. Opusc. Ent. VII, 1856, p. 20. (♀). ?	
Biologie: Muls. Mém. Ac. Lyon 1581, II, 1, p. 201; Opusc. Ent. I, 1852, p. 70. — Perris, Ann. Fr. (4) II, 1862, p. 221, t. 6, f. 588—592; Hist. Pin. mar. (1862) 1863, 1, p. 505, f. 588—572. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 54.	
durangoensis Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 426.	Mexico
emmenastoides Champ. l. c. p. 436.	Central-Amerika
exiguus Casey, Ann. N. York Ac. VI, 1891, p. 100.	Texas
Flohri Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 429, t. 19, f. 23.	Mexico
floridanus Casey, Ann. N. York Ac. VI, 1891, p. 116.	Florida
Forreri Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 431.	Mexico
foveiventris Champ. l. c. p. 432, t. 20, f. 2 u. 2a.	Guatemala

H. graminatus Blatchley, Canad Ent. 44. 1912 p. 331 Florida.

dichroous Blatchley ibid 51. 1919. p. 66 "

sabalensis Bl'ly. " 67 "

fusculus Casey, Ann. N. York Ac. VI, 1891, p. 117.	Californien
fusicornis Casey, l. c. p. 112.	S.-Californien
gemellus Casey, l. c. p. 121.	Arizona
grandicollis Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 429. — Casey, l. c. p. 98.	Vereinigte Staaten, Mexico
guatemalensis Champ. l. c. p. 439, t. 20, f. 9.	Guatemala
helvinus Casey, Ann. N. York Ac. VI, 1891, p. 101.	Texas
hispidulus Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 431, t. 20, f. 1.	Mexico
humeralis Lec. N. Spec. Col. 1866, p. 315. — Casey, Ann. N. York Ac. VI, 1891, p. 88.	Kentucky
igualensis Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 434, 566.	Mexico
inaequalis Casey, Ann. N. York Ac. VI, 1891, p. 114.	Arizona
indicus Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 58; Not. Leyd. Mus. XVIII, 1896, p. 235.	Indien (Chamba)
indutus Casey, Ann. N. York Ac. VI, 1891, p. 119.	Ver. Staaten
infuscatus Casey, l. c. p. 90.	Californien
inquilinus Casey, l. c. p. 112.	„
intermedius Casey, l. c. p. 102.	Texas
laticollis Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 429, 566.	Mexico
longicollis Champ. l. p. 434, 566, t. 20, f. 3.	„
macer Casey, Ann. N. York Ac. VI, 1891, p. 118.	Californien
maritimus Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 437.	Guatemala
Melsheimeri Casey, Ann. N. York Ac. VI, 1891, p. 92.	Michigan
niger Melsh. Proc. Ac. Phil. III, 1846, p. 59. — Casey, l. c. p. 89.	Canada, Florida
nitidipennis Casey, l. c. p. 113.	Arizona
obscurus Say, Journ. Ac. Phil. V, 1827, p. 242. — Casey, l. c. p. 96.	Texas
occidentalis Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 425, t. 19, f. 17 u. 17a. — Casey, l. c. p. 104.	Nord- u. Central-Amerika
oculatus Champ. l. c. p. 427, t. 19, f. 20 u. 20a.	Central-Amerika
pallidus Champ. l. c. p. 439.	Mexico
parvicollis Champ. l. c. p. 440.	„
perforatus Casey, Ann. N. York Ac. VI, 1891, p. 95.	Ver. Staaten
picipennis Casey, l. c. p. 90.	Michigan
pilosus Melsh. Proc. Ac. Phil. III, 1846, p. 58. — Casey, l. c. p. 93.	Massachusetts, Michigan, Virginia
obesus Casey, Ann. N. York Ac. VI, 1891, p. 93; VII, 1892, p. 598.	N. York
pini Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 428, t. 19, f. 21.	Guatemala
planulus Horn, Proc. Calif. Ac. (2) IV, 1894, p. 434.	Nieder-Californien
porosicornis Casey, Ann. N. York Ac. VI, 1891, p. 101.	Texas
prolixus Casey, l. c. p. 103.	Neu-Mexico
punctatissimus Lec. N. Spec. Col. 1866, p. 138. — Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 437. — Casey, l. c. p. 120.	Nord-Amerika
punctulatus Lec. Proc. Ac. Phil. 1859, p. 78. — Casey, l. c. p. 91.	Californien
rotundicollis Casey, l. c. p. 111.	Arizona
rufescens Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 433.	Mexico
ruficollis Champ. l. c. p. 438, t. 20, f. 8. — Casey, Ann. N. York Ac. VI, 1891, p. 108.	„ Arizona
scutellatus Pic, Bull. Soc. Ent. Fr. 1901, p. 254.	Griechenland
segnis Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 430.	Mexico

seriatus Casey, N. York Ac. VI, 1891, p. 109. Arizona
similis Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 432, t. 20, f. 5 u. 5a. Mexico
sobrinus Casey, Ann. N. York Ac. VI, 1891, p. 115. Florida
sordidus Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 427, t. 19, f. 22. Central-Amerika
spinifer Horn, Proc. Calif. Ac. (2) IV, 1894, p. 434. Californien
tarsalis Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 426, t. 19, f. 19. Guatemala
tenellus Casey, Ann. N. York Ac. VI, 1891, p. 115. Florida
testaceus Casey, l. c. p. 110. Arizona
tibialis Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 430, t. 19, f. 24 u. 24a. Guatemala
torridus Champ. l. c. p. 436. Mexico
uniseriatus Casey, Ann. N. York Ac. VI, 1891, p. 122. Californien
veterator Lewis, Ann. Mag. Nat. Hist. (6) XV, 1895, p. 252. Japan
villosus Champ. Biol. C.-Am. Col. IV, 1888, p. 440, t. 20, f. 10. Mexico

86

Diopoenus Champ.

Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 445.

compressicornis Champ. l. c. p. 445, t. 20, f. 16. Mexico

1

Theatetes Champ.

Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 420.

basicornis Champ. l. c. p. 420, t. 19, f. 11 u. 11a. Mexico

1

Menoeceus Champ.

Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 443. — Casey, Ann. N. York Ac. VI, 1891, p. 122.

aequalis Champ. l. c. p. 444, t. 20, f. 15, 15a, b, c. Mexico
crassicornis Champ. l. c. p. 444, t. 20, f. 14 u. 14a. Central-Amerika
texanus Champ. l. c. p. 444, nota. — Casey, Ann. N. York Ac. VI, 1891, p. 123. Texas

3

Polyidus Champ.

Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 441.

meridionalis Champ. l. c. p. 442, t. 20, f. 13, 13a u. b. Central-Amerika

1

Menes Champ.

Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 442.

meridanus Champ. l. c. p. 442, t. 20, f. 12. Yucatan
rotundatus Champ. l. c. p. 443. Mexico

2

Pitholaus Champ.

Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 446.

helopioides Champ. l. c. p. 446, t. 20, f. 17 u. 17a. Guatemala

1

Phedius Champ.

Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 447.

carbonarius Champ. l. c. p. 448, t. 20, f. 19. Mexico
Chevrolati Champ. l. c. p. 447, t. 20, f. 18. „
cylindricollis Champ. l. c. p. 449, t. 20, f. 20. „
funereus Schaeff. Bull. Mus. Brookl. I, 1905, p. 176. Arizona
funestus Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 450. Mexico
hidalgoensis Champ. l. c. p. 448. „
hirtus Champ. l. c. p. 568, t. 23, f. 26. „
lapidicola Champ. l. c. p. 568. „
mexicanus Champ. l. c. p. 450. „
obovatus Champ. l. c. p. 449. „
opaculus Horn. Proc. Calif. Ac. (2) IV, 1894, p. 431. Californien

11

Telesicles Champ.

Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 450. — Casey, Ann. N. York Ac. VI, 1891, p. 123.

cordatus Champ. l. c. p. 451, t. 20, f. 21. — Casey, l. c. p. 124. Mexico, Texas

1

Tedinus Casey.

Casey, Ann. N. York Ac. VI, 1891, p. 153.

angustatus Casey, l. c. p. 154. Georgia

1

Aeanes Champ.

Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 566.

angusticollis Champ. l. c. p. 567, t. 23, f. 20. Mexico

1

Amaropsis Champ.

Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 566.

annulicornis Champ. l. c. p. 567, t. 23, f. 18. Mexico

1

Cisteloida Fairm.

Fairm. Not. Leyd. Mus. IV, 1882, p. 256.

castanescens Fairm. l. c. p. 256. Sumatra

1

Prionychus Sol.

Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 232. — Muls. Col. Fr. Pectin. 1856, p. 63. — Jacq. du Val, Gen. Col. Eur. III, 1863, p. 345.

Eryx Steph. Ill. Brit. Ent. V, 1832, p. 24, 27. — Muls. Col. Fr. Pect. 1856, p. 61. — Jacq. du Val, Gen. Col. Eur. III, 1863, t. 80, f. 399. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 54 und 59—60.

Biologie: Schiödte, Naturh. Tidsskr. 1879, III, 11, p. 520. — Seidl. l. c. p. 57.

anthracinus Muls. Op. Ent. VII, 1856, p. 23. — Algier

asiaticus Fairm. Ann. Soc. Ent. Belg. XXXVI, 1892, p. 151 (*Eryx*). — Syrien

ater F. Syst. Ent. 1775, p. 258; Spec. Ins. I, 1781, p. 326; Mant. Ins. I, 1787, p. 214; Ent. Syst. I, 1792, p. 121; Syst. El. I, 1801, p. 161. — Ol. Encycl. méth. VII, 1791, p. 48; (♂) Entom. III, 1795, no. 58, p. 15, t. 2, f. 10. — Panz. Ent. Germ. 1795, p. 43; Fauna Germ. 50, 1798, no. 3. — Sturm, Verz. 1796, p. 36, t. 1, f. 1; Käfer II, 1807, p. 262. — Payk. Fauna Suec. I, 1798, p. 95. — Latr. Hist. Nat. X, 1804, p. 347; Gen. Crust et Ins. II, 1807, p. 190. — Gyllenh. Ins. Suec. II, 1810, p. 537. — Duftschm. Fauna Austr. II, 1812, p. 280. — Kyber, Germ. Mag. II, 1817, p. 20, t. 1, f. 11. — Sahlb. Ins. Fenn. I, 1834, p. 456. — Cast. Hist. Nat. II, 1840, p. 236. — Europa

Pimelia (Helops) atra Gmelin, Linn. Syst. nat. I, 1788, p. 2011.

Tenebrio ater Villers, Ent. Linn. IV, 1789, p. 359.

Cistela atra Ol. Ent. III, 1795, no. 54, p. 11, t. 2, f. 16. — Küst. Käf. Eur. X, 1847, no. 71. — Baudi, Deutsche Ent. Zeitschr. XXI, 1887, p. 385; Col. Eterom. 1877, p. 16.

Eryx ater Muls. Col. Fr. Pect. Fr. 1856, p. 62. — Seidl. Fauna Balt. 1875, p. 365; 1895, p. 523; Fauna Transs. 1891, p. 562.

Cistela (Prionychus) atra Thoms. Scand. Col. VI, 1864, p. 285.

Pyrochroa nigra Geer, Mem. V, 1775, p. 25, t. 1, f. 23, 24. — Übers. v. Hellwig V, 1781, p. 248, t. 1, f. 23, 24.

Crioceris nigra Marsham, Ent. Brit. 1820, p. 221.

? *Eryx niger* Steph. Ill. Brit. Ent. V, 1832, p. 27.

Cistela nigra Curtis, Brit. Ent. XIII, 1836, p. 594.

Biologie: Kyber, Germ. Mag. 1817, p. 16, t. 1, f. 8. — Bouché, Nat. Ins. 1834, p. 194, t. 9, f. 23. — Waterh. Trans. Ent. Soc. Lond. 1834, p. 27, t. 4, f. 1. — Candèze et Chapuis, Cat. d. Larves 1853, t. 6, f. 7. — Perris, Ann. Sc. Nat. 1840, II, 14, p. 83, t. 3 A, f. 6—10. — Kawall, Stett. Ent. Zeit. XXVIII, 1867, p. 124. — Schiödte, Metam. El. X, 1877, p. 581, t. XII, f. 19—25; Nat. Tidssk. 1879, p. 581—589, t. 12, f. 19—27. — Nördl. Nachtr. 1880, p. 13. — Rey, Essais d'Etud. sur cert. Col. 1887, p. 95; Ann. Soc. Linn. Lyon 1887, p. 225. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 57.

P. montandoni Reitt. Ent. Blatt. 9. 1913. p 26. Dobrudja.
Wient Ent. Zeitg. 32. 1913 p. 190

H. oscyopa Pic Echange. 25. 1909. p. 147. W. Afr.
minuta Pic. " 26. 1910. p. 14. Yunnan.
purkynei Obenb. Arch. Not. 82. A. 4. 1922. p. 38 Bulgaria.
obscuripes Pic. Ech. 41. 1925. p. 2 Athens
elongata Cephalonia.
pallidipennis Pic Mel. 47. 1926. p. 31 Yunnan.

bispilosus Desbr. Bull. Ac. d'Hipp. 1884, p. 169. — Seidl. l. c. p. 59. — Algier

cisteloides Seidl. l. c. p. 60. — Beirut u. Cypern

Delagrangei Fairm. Ann. Soc. Ent. Belg. XXXVI, 1892, p. 150. — Seidl. l. c. p. 60. — Akbès

Fairmairei Reiche, Ann. Soc. Ent. Fr. (3) X, 1860, p. 731. (*Eryx*). — Perris, Ann. Soc. Ent. Fr. (4) II, 1862, p. 221. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 69. — Frankreich

ater Perris Ann. Soc. Ent. Fr. (3) VII, 1857, p. 373.

laevis Seidl. Fauna Balt. 1891, p. 524; Fauna Transs. 1891, p. 563. (*Eryx*).

? laevis Küst. Käf. Eur. XX, 1850, no 69. — Seidl. Fauna Balt. 1891, p. 524. — Italien

? Eryx atra ♂ Muls. Col. Fr. Pect. 1856, p. 62.

Biologie: Perris, Ann. Sc. Nat. XIV, 1840, p. 83, t. 3A, f. 6—10; Ann. Soc. Ent. Fr. (3) VII, 1857, p. 370, t. 9, f. 466—472; l. c. (4) II, 1862, p. 221. — Fuss, Berl. Ent. Zeitschr. IX, 1865, p. 412. — Rey, Essais d'Etudes sur cert. Col. 1887, p. 95; Ann. Soc. Linn. Lyon 1887, p. 95, 225. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 57.

lugens Küst. Käf. Eur. 20, 70, 1850. — Seidl. l. c. p. 59. — Sicilien

Bellieri Reiche, Ann. Soc. Ent. Fr. (3) X, 1860, p. 730. — „

mauritanica Muls. Opusc. VII, 1856, p. 23. — Algier

melanarius Germ. Mag. Ent. I, 1813, p. 123. — Küst. Käf. Eur. XXI, no. 89. — Süd-Europa

Eryx melanarius Germ. in Heyd. Berl. Ent. Zeitschr. VIII, 1864, p. 325.

Prionychus ater Redtb. Fauna Austr. 1849, p. 602; ed. II, 1858, p. 624; ed. III, 1874, II, p. 131. — Bach, Käferf. Deutschl. III, 1856, p. 230. — Muls. Pectin. 1856, p. 65.

Eryx ater ♂ Seidl. Fauna Balt. II, 1891, p. 253; Fauna Transs. 1891, p. 562.

Cistela atra ♀ Baudi, Deutsch. Ent. Zeitschr. XXI, 1877, p. 385; Eterom. 1877, p. 16.

Cistela (Prionychus) nitidula Thoms. Skand. Col. VI, 1864, p. 286.

Cistela laevis Rosenh. Beitr. Ins. Eur. 1847, p. 122. — Küster, Käf. Eur. XX, 1850, no. 69.

Biologie: Perris, Hist. Pin. mar. 1857 (1863), I, p. 430—433, f. 466—473. — Rey, Essais d'Etudes 1887, p. 95.

nitidissimus Pic, Bull Soc. Ent. Fr. 1904, p. 228. — Tokat

10

Hymenalia Muls.

Muls. Col. Fr. Pectin. 1856, p. 48. — Lacord. Gen. Col. V, 1859, p. 505. — Jacq. du Val, Gen. Col. Eur. III, 1859—1863, p. 345. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 72.

badia Kiesw. Berl. Ent. Zeitschr. V, 1861, p. 234. — Seidl. l. c. p. 76. — Griechenland

basalis Faust, Hor. Ross. XII, 1877, p. 322. — Seidl. l. c. p. 76. — Kaukasus

castaneipennis Fairm. Ann. Soc. Ent. Fr. (6) IV, 1884, p. 172. — Akbes

crassicollis Fairm. Ann. Soc. Ent. Fr. (4) VI, 1866, p. 47. — Seidl. l. c. p. 76. — Marocco

graeca Seidl. l. c. p. 75, 80. — Griechenland
gravida Küst. Käf. Eur. XX, 1850, no. 77. — Seidl. l. c. p. 75, 81. — Baudi, Deutsche Ent. Zeitschr. XXI, 1877, p. 386; Eterom. 1877, p. 9. — Dalmatien
morio Redtb. Fauna Austr. 1849, p. 602, nota; ed. II, 1858, p. 623, nota; ed. III, 1874, II, p. 130, nota. — Seidl. l. c. p. 76, 82. — Ungarn
amplicollis Linder, Ann. Soc. Ent. Fr. (4) IV, 1864, p. 251.
obscuripennis Pic, Echange XXI, 1905, p. 162. — Adana
reticulata Seidl. Naturg. Ins. Deutschl. V, 2, 1896, p. 77. — Mesopotamien
rufipennis Mars. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 328. — Seidl. l. c. p. 76. — Japan, Sibirien
rufipes F. Ent. Syst. I, 2, 1792, p. 44; Syst. El. II, 1801, p. 19. — Panz. Ent. Germ. 1795, p. 184; Ind. ent. 1813, p. 134. — Latr. Hist. nat. XI. 1804, p. 21. — Gyllenh. Ins. Suec. III, 1813, p. 714. — Redtenb. Fauna Austr. 1849, p. 603. — Küst. Käf. Eur. X, 1847, no. 73. — Seidl. Fauna Balt. 1875, p. 366; 1891, p. 524. — Fauna Trans. 1891, p. 563; Nat. Ins. Deutschl. V, 2, 1896, p. 75, 77. — Baudi, Col. Eterom. 1877, p. 9. — West-Europa
Cistela rufipes: Bach, Käferf. Deutschl. III, 1856, p. 230. — Redtenb. Fauna Austr. ed. II, 1858, p. 624; ed. III, 1874, p. 130. — Thoms. Skand. Col. VI, 1864, p. 285. — Baudi, Deutsche Ent. Zeitschr. XXI, 1877, p. 386.
Cistela fusca Ill. Schneid. N. Mag. V, 1794, p. 610. — Panz. Fauna Germ. 25, 1796, no. 19; Ent. Germ. 1795, p. 186; Krit. Rev. 1805, p. 90.
Hymenalia fusca Muls. Col. Fr. Pect. 1856, p. 48.
Biologie: Muls. Col. Fr. Pect. 1856, p. 50. — Perris, Larves 1877, p. 298. — Seidl. Nat. Ins. Deutschl. V. 2, 1896, p. 73 u. 79.

11

Cistelampra Fairm.

Fairm. Ann. Soc. Ent. Belg. XLI, 1897, p. 386.

purpurina Fairm. l. c. p. 386. — Madagascar

1

Gonodera Muls.

Muls. Col. Fr. Pect. 1856, p. 41. — Lacord. Gen. Col. V, 1859, p. 506. — Jacq. du Val, Gen. Col. Ent. III, 1859—1863, p. 347. — Seidl. Naturg. Ins. Deutschl. V, 2, 1896, p. 90.

Cistela Syst. Ent. 1775, p. 116; Ent. Syst. 1792, p. 42; Syst. El. II, 1801, p. 16. — Latr. Hist. Nat. XI, 1804, p. 17. — Gyllenh. Ins. Suec. II, 1810, p. 622. — Redtenb. Gatt. 1845, p. 130; Fauna Austr. 1849, p. 602; ed. II, 1858, p. 622; ed. III, 1874, II, p. 129. — Lacord. Gen. Col. V, 1859, p. 504. — Thoms. Skand. Col. VI, 1864, p. 282. — Seidl. Fauna Balt. 1875, p. 99.
atronitens Fairm. Ann. Soc. Ent. Belg. XXXVI, 1892, p. 151. — Reitt. Wien. Ent. Zeit. XIV, 1895, p. 84. — Syrien

C. semiviridis Pic. Mél. 32. 1920. p 20 Madagascar.

majungana Pic - - p 21 "

semialutacea Pic Mel. 43. 1925. p. 14 "

Stenogena Fairm (ex Tenebrion.)

Microstenogena Pic. Mel. 41. 1926. p. 30

M. rufipennis Pic. l. c. Madag.

bicolor Reitt. Deutsche Ent. Zeitschr. XXVIII, 1884, p. 89. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 92, 97. — Griechenland

corinthia Fairm. Ann. Soc. Ent. Fr. (6) IV, 1884, p. 172. — Reitt. Wien. Ent. Zeit. XIV, 1895, p. 84. — Akbes

luperoides Reitt. Wien. Ent. Zeit. XIV, 1895, p. 83. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 93. — „

var. *fulvipennis* Reitt. l. c. p. 84. — „

Luperus Herbst. Fuessl. Arch. IV, 1783, p. 65, t. 23, f. 30. (*Cistela*) — Seidlitz Fauna Balt. ed. II, 1891, p. 525. — Fauna Transs. 1891, p. 564; Nat. Ins. Deutschl. V, 2, 1896, p. 92, 93. — West-Europa

Cistela Luperus Kiesw. Berl. Ent. Zeit. V, 1861, p. 234. — Baudi, Col. Eterom. 1877, p. 7.

Cryptocephalus (Cistela) Luperus Gmel. L. Syst. Nat. I, 1788, p. 1716.

Cistela (Gonodera) Luperus Seidl. Fauna Balt. 1875, p. 366.

Cistela fulvipes Ent. Syst. I, 2, 1792, p. 44; Syst. El. II, 1801, p. 19. — Panz. Ent. Germ. 1795, p. 184. — Payk. Fauna Suec. II, 1799, p. 122. — Latr. Hist. nat. XI, 1804, p. 21. — Illig. Mag. III, 1804, p. 161. — Gyllenh. Ins. Suec. II, 1810, p. 623. — Steph. Ill. Brit. Ent. V, 1832, p. 29. — Cast. Hist. Nat. II, 1840, p. 245. — Redtenb. Fauna Austr. 1849, p. 603. — Küst. Käf. Eur. X, 1847, no. 72.

Cistela (Gonodera) fulvipes Bach, Käfer Deutschl. III, 1856, p. 229. — Redtenb. Fauna Austr. ed. II, 1858, p. 623; ed. III, 1874, II, p. 130.

Gonodera fulvipes Muls. Col. Fr. Pect. 1856, p. 41.

Crioceris erythropa Marsh. Ent. Brit. 1802, p. 223. — v. obscuripes Pic Ech. 42. 1926. p. 9 Fr.

var. *ferruginea* F. Ent. syst. I, 2, 1792, p. 45; Syst. El. II, 1801, p. 22. — Seidl. Nat. Ins. Deutschl. V, 2, 1876, p. 94; Fauna Balt. ed. II, 1891, p. 525; Fauna Transs. 1891, p. 564.

fulvipes var. Muls. Col. Fr. Pect. 1856, p. 42.

var. *castanea* Marsh. Ent. Brit. 1802, p. 223. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 94.

macrophthalma Reitt. Deutsche Ent. Zeitschr. XXVIII, 1884, p. 89. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 93. — Kaukasus

metallica Küst. Käf. Eur. XX, 1850, no. 73. — Muls. Op. ent. VII, 1856, p. 20. — Jacq. du Val, Gen. Col. Eur. III, 1863, t. 81, f. 402 (♀) (*Cistela*). — Gredler, Käf. Tir. II, 1868, p. 273 (*Cistela*). — Baudi, Col. Eterom. 1877, p. 8 (*Cistela*). — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 97, 97. — Italien, Tirol

pulcherrima Fald. Fauna Transcauc. II, 1837, p. 103, t. 3, f. 4. — Kaukasus

Euboeus viridis All. Mitteil. Schweiz. Ent. Ges. V, 1877, p. 234; Pet. Nouv. Ent. II, 1879, p. 98. — Reitt. Wien. Ent. Zeit. I, 1882, p. 67.

rufoaenea Reitt. Bodemeyers Reise 1900, p. 159. — Kleinasien

subaenea Küst. Käf. Eur. XX, 1850, no. 72. — Griechenland

Cacoplesia Fairm.

Fairm. Ann. Ent. Belg. XLII, 1898, p. 237.

aenescens Fairm. Mém. Soc. Zool. Fr. XII, 1899, p. 22. Madagascar
bicolor Fairm. l. c. p. 22. „
caerulans Fairm. Ann. Soc. Ent. Belg. XLII, 1898, p. 238. „
caeruleovirens Fairm. l. c. p. 238. „
crassicornis Fairm. l. c. p. 237. „
crenatostriata Fairm. l. c. p. 237. „
cyanicollis Fairm. Mém. Soc. Zool. Fr. XII, 1899, p. 22. „

7

Gerandryus Rottenb.

Rottenb. Berl. Ent. Zeitschr. XVII, 1873, p. 217. — Seidl. Nat. Ins. Deutschr. V, 2, 1896, p. 85.

Parablops Rottenb. Berl. Ent. Zeitschr. XIV, 1870, p. 254, t. 2, f. 7a—c.

aetnensis Rottenb. Berl. Ent. Zeitschr. XIV, 1870, p. 256, t. 2, f. 7. Sizilien

1

Copistethus Seidl.

Seidl. Fauna Balt. ed. II, 1891, p. 524; Nat. Ins. Deutschl. V, 2, 1896, p. 85.

spadix Kiesw. Berl. Ent. Zeitschr. V, 1861, p. 235; VII, 1863, t. 2, f. 1. Nauplia

1

Viriathus Fairm.

Fairm. Ann. Soc. Ent. Fr. LXXI, 1902, p. 339.

alternans Fairm. Bull. Mus. Paris XII, 1906, p. 280. Madagascar
strigipennis Fairm. Ann. Soc. Ent. Fr. LXXI, 1902, p. 339. „

2

Pseudocistela Crotch.

Crotch, Check-List Col. N. Am. 1873, p. 108. — Har. Mitteil. Münch. Ent. Ver. 1877, p. 120; Deutsche Ent. Zeitschr. XXII, 1878, p. 80. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 86.

Cistela F. s. Literatur bei *Gonodera!* — Champ. Biol. C.-Am. Col. V, 1, 1888, p. 541.

Cistela (Pseudocistela) Seidl. Fauna Balt. ed. II, 1891, p. 524; Fauna Transs. 1891, p. 563.

adusta Fähr. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 324. Süd-Afrika
aereonitens Quedenf. Berl. Ent. Zeit. XXIX, 1885, p. 37. Quango
affinis Fähr. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 323. Süd-Afrika
alleculoides Fald. Faun. Transc. II, 1837, p. 102. Kaukasus
alternans Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 456, t. 21, f. 1. Mexico
alternata Fairm. Col. Nov. (Oberth.) I, 1884, p. 78. Madagascar

C. testaceitarsis Pic. Mél. 32. 1920. p. 21 Madagascar.

viridescens Pic. l.c. "

coeruleipennis Pic. l.c. "

suturalis Pic. Mel. 42. 1924. p. 8. "

nickerli Pic. Sborn. Narod. Mus. (2) 14. 1924. p. 88 "

P. ripithorax Pic, Mem. Soc. Ent. Ital. VI. 1927. p. 24 Somalie.

P. borchmanni Pic Ech. 25. 1909. p. 134.

subaenescens Pic (19

limbatipennis Pic. Ech. 25. 1909. p. 134 Tonkin.

bimpressa Pic, 26. 1910. p. 14. Abyssinia

semirubra Pic. f. c 75. Formosa.

duvivieri Pic. Ann. Soc. Ent. Belg. 55. 1911. p. 118 Congo.

viridimetallica Pic. Mel. 5. 1911 p. 13. Sumatra.

testaceithorax Pic. f. c 14. "

rufithorax Pic f.c. 9. 1914. p. 19. Tonkin.

luteopubens Pic. f. c. 20 "

bilineaticollis Pic. 12. 1915. p. 19. Madagascar.

lineata Pic f. c. "

rufescens Pic f. c. "

rufomaculata Pic. - 16. 1915. p. 14 Borneo

violacea Pic. f. c. "

lemoulti Pic. — p. 15. Afric.

subparallela Pic "

veilleti Pic 22. 1917. p. 19. Madagascar.

chatanayi Pic f. c. "

rohemarensis Pic f. c. "

atripennis Pic 32. 1920. p. 20. Abyssinia

pallidicolor Pic " "

Carnoti Pic " Madagascar.

unilineata Pic " "

notaticollis Pic " "

robusta Pic " "

rufimembris Pic Mel. 41. 1924 p. 30 "

mabirana Pic Mel. 43. 1925. p. 14 Uganda

angustior Pic Ann. Soc. Linn. Lyon 72. 1926. p. 75 Tonkin.

angustissima Pic, Bull. Soc. Ent. Fr. 1908, p. 304 (*Ectenostoma?*) — Dahomey

apicalis Perk. Faun. Haw. II, 1900, p. 744. — Oahu

brevis Say, Journ. Ac. Phil. III, 1823, p. 269. — Casey, Ann. N. York Ac. VI, 1891, p. 163. — Pennsylvanien

erythroptera Ziegl. Proc. Ac. Phil. II, 1844, p. 46. — „

brunnea Waterh. Mag. Nat. Hist. (4) XVIII, 1876, p. 118. — Rodriguez

caeruleonitens Pic, Échange XXIII, 1907, p. 119. — Dahomey

caffra Fåhr. Öfv. Vet. Ak. Förh. XXVII, 1870, 322. — Süd-Afrika

calida Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 453. — Panama

capitata Müll. Tijdschr. Ent. XXX, 1887, p. 307. — Sambesi

ceramboides L. Fauna Suec. ed. II, 1761, p. 173. — Europa

Chrysomela ceramboides L. l. c.; Syst. Nat. ed. XII, I, 1767, p. 602. — Schranck, Enum. 1781, p. 99. — Villers, Linn. Ent. I, 1789, p. 166.

Cistela ceramboides F. Syst. Ent. 1775, p. 116; Spec. Ins. I, 1781, p. 147; Mant. Ins. I, 1787, p. 85; Ent. Syst. I, 2, 1792, p. 42; Syst. El. II, 1801, p. 16. — Herbst, Füssl. Arch. 1783, p. 64, t. 23, f. 27. — Petagna, Specim. Col. 1786, p. 12. — Rossi, Fauna Etrusc. I, 1790, p. 101; ed. Hellwig I, 1795, p. 108. — Oliv. Encycl. meth. VI, 1791, p. 5; Entom. III, 1795, no. 54, p. 4, t. 1, f. 4a, b. — Panz. Ent. Germ. 1795, p. 183. — Payk. Fauna Suec. II, 1799, p. 121. — Latr. Hist. Nat. XI, 1804, p. 20; Gen. Crust. et Ins. II, 1807, p. 226; Règn. An. 1817, p. 306; ed. II, 2, 1729, p. 42. — Gyllenh. Ins. Suec. II, p. 622. — Steph. Ill. Brit. Ent. V, 1832, p. 29. — Sahlb. Ins. Fenn. I, 1834, p. 493. — Cast. Hist. Nat. II, 1840, p. 245. — Redtb. Fauna Austr. 1849, p. 602; ed. II, 1858, p. 624; ed. III, 1874, II, p. 130. — Küst. Käf. Eur. X, 1847, no. 70. — Muls. Col. Fr. Pect. 1856, p. 45. — Bach, Käferf. Deutschl. III, 1856, p. 230. — Thoms. Skand. Col. VI, 1864, p. 283. — Seidl. Fauna Balt. 1875, p. 366. — Baudi, Col. Eterom. 1877, p. 8.

Cistela (Pseudocistela) ceramboides Seidl. Fauna Balt. ed. II, 1891, p. 525; Fauna Transs. 1891, p. 564; Nat. Ins. Deutschl. V, 2, 1896, p. 87.

Cryptocephalus (Cistela) ceramboides Gmel. Linn. Syst. Nat. I, 1788, p. 1713.

Pyrochroa ceramboides Müll. Zool. Dan. Prodr. 1776, p. 80.

Crioceris ceramboides Marsh. Ent. Brit. I, 1802, p. 222.

Pyrochroa rufa Geer Mem. V, 1775, p. 23, t. 1, f. 20, 21, 22. Uebers. v. Goeze, V, 1781, p. 248, t. 1, f. 20, 21, 22.

Mordella striata Fourc. Ent. Par. I, 1785, p. 161.

var. *serrata* Chevr. Guér. Ic. Règne An. Ins. 1844, p. 125, f. 9. — Muls. Opusc. VII, 1856, p. 21. — Seidl. Fauna Balt. ed. II, 1891, p. 525; Fauna Transs. 1891, p. 564. — Baudi, Col. Eterom. 1877, p. 9.

var. *ruficollis* Schilsky, Deutsche Ent. Zeitschr. 1890, p. 190.

? *Cistela saperdoides* Küst. Käf. Eur. XX, 1850, no. 71.
Biologie: Oliv. Ent. 1789, III, p. 5. — Waterh. Trans. Ent. Soc. Lond. 1834, p. 28, t. 4, f. 2. — Westw. Introd. 1839, p. 310, f. 36, 7—10. — Heeger, Isis 1848, p. 982, t. 8. — Muls. Pectin. 1855, p. 47. — Seidl. Nat. Ins. Deutsche V, 2, 1896, p. 86

chiriquensis Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 454, t. 20, f. 24, 24a. — Panama

cinerascens Champ. l. c. p. 453. — Mexico

congrua Walker, Ann. Mag. Nat. Hist. (2) III, 1858, p. 286. — Ceylon

conicicollis Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 450. — Madagascar

convexa Macl. Trans. Ent. Soc. N. S. Wales II, 1872, p. 303. — Gayndah

crassicornis Sharp, Trans. R. Dubl. Soc. (2) III, 1885, p. 168, t. 4, f. 25. — Oahu.

decepta Champ. Biol. C. A. Col. IV, 1, 1888, p. 454, t. 20, f. 23. — Panama

delitescens Champ. l. c. p. 455, t. 20, f. 25, 25a. — Guatemala

densepunctata Fairm. Not. Leyd. Mus. V, 1883, p. 38. — Saleyer

elliptica Fairm. Compt. rend. Soc. Ent. Belg. 1891, p. 214. — Moupin

falsifica Walk. Ann. Mey. Nat. Hist. (3) III, 1859, p. 259. — Ceylon

flavida Fairm. Ann. Soc. Ent. Belg. XXXVI, 1892, p. 150. — Syrien

forticornis Fairm. l. c. p. 150. — „

fragilicornis Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 457, t. 21, f. 2. — Guatemala

funesta Fåhr. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 324. — Süd-Afrika

fusciventris Fairm. Rev. d'Ent. XI, 1892, p. 115. — Abessinien

fuscostrigata Fairm. Ann. Soc. Ent. Belg. XLII, 1898, p. 413. — Madagascar

geminata Fairm. l. c. p. 413. — „

Haagi Har. Deutsche Ent. Zeitschr. XXII, 1878, p. 80. — Lewis, Ann. Mag. Nat. Hist. (6) XV, 1895, p. 252. — Japan

impressicollis Chevr. Ann. Soc. Ent. Fr. (5) III, 1873, p. 205. — Syrien

impressiuscula Fairm. Natur. V, 1883, p. 206; Ann. Soc. Ent. Fr. (6) III, 1883, p. 103. — Abessinien

interrupta Fairm. Bull. Mus. Paris XII, 1906, p. 279. — Madagascar,

juquilae Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 456. — Mexico

kauaiensis Perk. Fauna Haw. II, 1900, p. 248, t. 10, f. 22. — Kauai

konae Perk. l. c. p. 250. — Hawaii

laevis Küst. Käf. Eur. XX, 1850, no. 69. (? = *Prionychus Fairmairei* Reiche, Ann. Soc. Ent. Fr. (3) X, 1860, p. 731.) — Italien
Biologie: siehe *Prionychus Fairmairei* Rch.

luteola Guér. Voy. Coquille 1830, p. 107, t. 5, f. 11. — Amboina

maculicornis Fairm. Ann. Soc. Ent. Fr. (5) VIII, 1878, p. 121. — Seidl. Ins. D. V, 2, 1896, p. 201. (*Cteniopinus.*) — Centr.-China

marginata Ziegl. Proc. Ac. Phil. II, 1844, p. 46. — Casey, Ann. N. York Ac. VI, 1891, p. 166. — Pennsylvanien

mauritiana Fairm. Ann. Soc. Ent. Fr. LXVIII, 1899, p. 540. — Mauritius

montana Perk. Fauna Haw. II, 1900, p. 249. — Kauai

nigricollis Perk. l. c. p. 248. — „

nigricornis Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 452, t. 20, f. 22, 22a. — Central-Amerika

occulta Champ. l. c. p. 455, t. 20, f. 26, 26a. — Guatemala

opaca Lec. Proc. Ac. Phil. 1859, p. 78. — Casey, Ann. N. York Ac. VI, 1891, p. 165. — Californien

orchesioides Fairm. Ann. Soc. Ent. Fr. LXII, 1893, p. 35. — Indo-China

ovata Macl. Trans. Ent. Soc. N. S. Wales II, 1872, p. 303. — Gayndah

ovipennis Champ. Biol. C. A. Col. IV, 1, 1888, p. 569, t. 23, f. 19. — Mexico

Pseudoc. atritarsis Pic Mel. 69. 1927. p. 15 Chota

Microcistelopsis Pic Mél. 37. 1922. p. 20.

M. obscura Pic Mél. 30. 1919. p. 6. New Guinea.

pachymorpha Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 449. — Madagascar
piceocastanea Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 31. — Schoa
pilosula Guér. Voy. Coquille 1830, p. 107, t. 5, f. 10. — Boisd. Voy. Astrol. II, 1832, p. 285. — Buru
pinguis Lec. List. Col. N. Am. 1866, p. 64; Smiths. Cont. Knowl. XI, 1859, p. 16. — Casey, Ann. N. York Ac. VI, 1891, p. 165. — Kansas
brevis Lec. Col. Kansas 1859, p. 16. — „
polita Macl. Trans. Ent. Soc. N. S. Wales II, 1872, p. 304. — Gayndah
pubens Fairm. Ann. Soc. Ent. Fr. (4) VIII, 1868, p. 815. — Madagascar
quinquelineata Fairm. Bull. Mus. Paris XII, 1906, p. 278. — „
Rollei Pic, Bull. Soc. Ent. Fr. 1908, p. 304. — Ghinda (Erythräa)
rubroflava Fairm. Ann. Soc. Ent. Fr. (5) VIII, 1878, p. 123. — Centr.-China
rufula Thoms. Arch. Ent. II, 1858, p. 104. — Gabun
scioana Gestro, Ann. Mus. Genova XVI, 1895. p. 204. — Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 30. — Schoa
securigera Macl. King's Surv. Austral. II, 1827, p. 443. — Australien
sericea Drapiez, Ann. Sc. phys. Brux. IV, 1828, p. 351, t. 68, f. 3. — Deutschland
sexvittata Fairm. Bull. Mus. Paris XII, 1906, p. 279. — Madagascar
splendida Thoms. Arch. Ent. II, 1858, p. 103. — Lacord. Gen. Col. V, 1859, p. 511, nota. — Quedenf. Berl. Ent. Zeitschr. XXIX, 1885, p. 38. — Gabun
subaenescens Perk. Fauna Haw. II, 1900, p. 249. — Oahu
subalpina Ménétr. Cat. rais. 1832, p. 204. — Kaukasus
subsulcata Fairm. Ann. Soc. Ent. Fr. (4) I, 1861, p. 583. — Sizilien
subvittata Fairm. Bull. Mus. Paris XII, 1906, p. 280. — Madagascar
Theveneti Horn, Trans. Amer. Ent. Soc. V, 1875, p. 156. — Casey, Ann. N. York Ac. VI, 1891, p. 164. — Californien
thoracica Cast. Hist. Nat. II, 1840, p. 246. — Fairm. Ann. Soc. Ent. Fr. (4) IX, 1869, p. 241. — Madagascar
ustiventris Fairm. Ann. Soc. Ent. Fr. (5) VIII, 1878, p. 122. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 201. — Central-China
vagevittata Fairm. Ann. Soc. Ent. Belg. XLII, 1898, p. 412. — Madagascar
varians F. Mant. Ins. I, 1787, p. 85. — Oliv. Ent. III, 54, 1795, p. 11, t. 2, f. 17. — Europa
vittata Fåhr. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 323. — Südafrika
vittula Fairm. Col. Nov. (Oberth.) I, 1884, p. 78. — Madagascar
zunilensis Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 452. — Guatemala

80

Microcistela Pic.*)

Pic, Echange XX, 1904, p. 26.

Rosinae Pic, l. c. p. 26. — Amurland
var. *infernalis* Pic, l. c. p. 26. — „

1

*) Die Stellung an diesem Orte ist unsicher.

Isomira Muls.

Muls. Col. Fr. Pect. 1856, p. 52. — Jacq. du Val, Gen. Col. Eur. III, 1859—1863, p. 348. — Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 245. — Casey, Ann. N. York Ac. 1891, p. 143. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 99.

Übersicht: Kiesenw. Berl. Ent. Zeitschr. VII, 1863, p. 424. — Reitter, Deutsche Ent. Zeitschr. 1889, p. 257; 1890, p. 393; in Radde, Fauna Cauc. 1886, p. 229; Wien. Ent. Zeit. XV. 1896, p. 75. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 99. – Wagner, Ent. Mitt. 6. 1917. p. 346.

Anatomie: Roger, Flügelgeäder der Käfer 1875, p. 64. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 100.

antennalis Reitt. Verh. Nat. Ver. Brünn XXII, 1884, p. 9; Deutsche Ent. Zeitschr. 1890, p. 394; in Radde, Faun. Cauc. 1886, p. 229. — Seidl. l. c. p. 103. — Kaukasus

antennata Panz. Fauna Germ. 57, 1798, no. 8. — Küst. Käf. Eur. XX, 1850, no. 79. — Baudi, Col. Eterom. 1877, p. 11. — Seidl. l. c. p. 103, 107. — Muls. Col. Fr. Pect. 1856, p. 52. — Jacq. du Val, Gen. Col. Eur. III, 1863, t. 81, f. 403 ♂. — Reitt. Deutsche Ent. Zeitschr. 1890, p. 393. — Süd-Europa

Cistela antennata Panz. l. c. — Küst. l. c. — Baudi l. c.

Cistela (Isomira) antennata Kiesw. Berl. Ent. Zeitschr. V, 1861, p. 236; 1863, p. 422. — Redtenb. Fauna Austr. ed. III, 1874, II, p. 130.

Gonodera (Isomira) antennata Seidl. Fauna Transs. 1891, p. 564. — Griechenland, Spanien

var. *tristicula* Reitt. Deutsche Ent. Zeitschr. 1890, p. 393. — Seidl. l. c. p. 107.

arenaria Gerh. Deutsche Ent. Zeitschr. 1904, p. 366; Zeitschr. Ent. Breslau XXIX, 1904, p. 79. — Deutschland

atriceps Reitt. Wien. Ent. Zeit. XV, 1896, p. 75. — Kaukasus

avula Seidl. Naturg. Ins. Deutschl. V, 2, 1896, p. 102, 107. — Preussen (a. d. Bernstein)

Bodemeyeri Reitt. Wien. Ent. Zeit. XXII, 1903, p. 45. — Kleinasien

brevicollis Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 459. — Mexico

caucasica Reitt. Deutsche Ent. Zeitschr. 1890, p. 394. — Seidl. l. c. p. 103. — Kaukasus

Costessii Bertol. Verh. zool.-bot. Ver. Wien XVIII, 1866, p. 119; Bull. Soc. Ent. Ital. IV, 1872, p. 115. — Redtenb. Fauna Austr. ed. III, 1874, II, p. 131 (*Cistela*). — Seidl. l. c. p. 106, 122 (*Isomira*). — Süd-Tirol

murina var. *Costessii* Baudi, Col. Eterom. 1877, p. 13.

discolor Casey, Ann. N. York Ac. VI, 1891, p. 145. — Californien

estrellana Kiesw. Berl. Ent. Zeitschr. XIV, 1870, Beiheft, p. 144. — Sierra Estrella

euboica Pic, Echange XIX, 1903, p. 146. — Euböa

evanescens Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 458. — Guademala

ferruginea Küst. Käf. Eur. XX, 1850, no. 78. — Kiesw. Berl. Ent. Zeitschr. VII, 1863, p. 425. — Sardinien

corsica Muls. Opusc. VII, 1856, p. 22.

melanophthalma Luc. Expl. Algier 1849, p. 356, t. 31, f. 8. — Kiesw. l. c. p. 425. — Algier

funerea Kiesw. Berl. Ent. Zeitschr. V, 1861, p. 236; VII, 1863, t. 2, f. 3. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 103. — Griechenland

I. viridimetallicus Pic Ech. 20 1909. p. 142.

Martini Pic Ann. Soc. Ent Belg. 54 p. 197 Natal.

similis Blatchly Bull. Dept. Geol. Not. p. 1278. Indiana.

sanguinicollis Reitt. Faun. Germ. III. 1911 p. 354 Syria.

pilosicollis Escal. Trab. Mus. Madrid 8. 1913. p. 51. Marocco.

atlantis Escal. l. c. 11. 1914 p. 359. "

ignora Blatchley. Canad. Ent. 46. p. 144. N. Amer.

atricolor Pic. Mel. 12. p. 19. Madagascar.

bounneosuturalis Pic Mél. 22. 1917. p. 19. Khasia Hills.

formosana Pic. l. c. 20 Formosa.

discithorax Pic l. c. Darjeeling

tonkinea Pic. " 23. 1917. p. 19. Tonkin.

subelongata Pic. l. c 20 Formosa.

thibetana Pic. l. c. Thibet.

latipennis Pic l. c. Bombay.

madurensis Pic l. c Madura.

gracilicornis Roubal. D. E. Z. 1919, p. 63 Kislovodsk

marginata Pic Bull. Soc Zool Fr. 1922. p. 270 Tonkin.

Borneocistela Pic

pallidicolor Pic.

diversicornis Pic Mél. 37. 1922. p. 18. Cochin China

genistae Rottb. Berl. Ent. Zeitschr. XIV, 1870, p. 256, t. 2, f. 4 (? = *murina* L. var.). — Sizilien

granifera Kiesw. Verh. Nat. Ver. Brünn XVI, 1878, p. 245. — Seidl. l. c. p. 105.

hispanica Kiesw. Berl. Ent. Zeitschr. XIV, 1870, Beiheft, p. 143. — Seidl. l. c. p. 104. — Andalusien

hungarica Csiki, Term. Füzetek XXIV, 1901, p. 488. — Ungarn

impressithorax Pic, Echange 1903, p. 146. — Tokat

intrusa Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 105, 107. — Kaukasus

murina var.? Kiesw. Schneid. u. Leder, Beitr. Kauk. Käf. 1878, p. 246.

iowensis Casey, Ann. N. York Ac. VI, 1891, p. 145. — Iowa

luscitiosa Casey, l. c. p. 148. — Californien

marcida Kiesw. Berl. Ent. Zeitschr. VII, 1863, p. 425 (*Cistela*). — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 107, 119. — Süd-Tirol

monticola Casey, Ann. N. York Ac. VI, 1891, p. 150. — Californien

morosa Fairm. Ann. Soc. Ent. Belg. XLI, 1897, p. 385. — Madagascar

murina L. Syst. Nat. ed. X, 1758, I, p. 377. — Muls. Col. Fr. Pect. 1856, p. 55. — Europa

Chrysomela murina L. Syst. Nat. ed. X, 1758, I, p. 377; ed. XII, 1767, p. 602; Fauna Suec. ed. II, 1761, p. 173.

Cistela murina F. Syst. Ent. 1775, p. 117; Spec. Ins. I, 1781, p. 147; Mant. Ins. I, 1787, p. 85; Ent. Syst. I, 2, 1792, p. 44; Syst. El. II, 1801, p. 19. — Rossi, Fauna Etrusc. I, 1790, p. 102; ed. Hellwig I, 1795, p. 109. — Oliv. Encycl. meth. VI, 1791, p. 5; Entom. III, 1795, no. 54, p. 7, t. 1, f. 13a. — Panz. Ent. Germ. 1795, p. 185. — Thunb. Descr. Ins. Suec. Act. Ups. V, 1792, p. 94. — Payk. Fauna Suec. II, 1799, p. 126. — Schranck, Fauna Boica, I, 1798, p. 566. — Ill. Mag. III, 1804, p. 161. — Latr. Hist. Nat. XI, 1804, p. 20. — Gyllh. Ins. Suec. II, 1810, p. 626. — Steph. Ill. Brit. Ent. V, 1832, p. 30. — Sahlb. Ins. Fenn. I, 1834, p. 493. — Cast. Hist. Nat. II, 1840, p. 246. — Redtenb. Fauna Austr. 1849, p. 603. — Küst. Käf. Eur. XXI, 1850, no. 19. — Kiesw. Berl. Ent. Zeitschr. VII, 1863, p. 424, t. 2, f. 4. — Baudi, Col. Eterom. 1877, p. 11.

Anaspis murina Müll. Zool. Dan. Prodr. 1776, p. 58.

Crioceris murina Marsh. Ent. Brit. 1802, p. 222.

Cistela (Isomira) murina Bach, Käferf. Deutschl. III, 1856, p. 229. — Redtenb. Fauna Austr. ed. II, 1858, p. 623; ed. III, 1874, II, p. 130. — Thoms. Skand. Col. VI, 1864, p. 284. — Kiesw. Berl. Ent. Zeitschr. VII, 1863, p. 424. — Seidl. Fauna Balt. 1875, p. 366. — Baudi, Deutsche Ent. Zeitschr. XXI, 1877, p. 387.

Gonioctena (Isomira) murina Seidl. Fauna Balt. ed. II, 1891, p. 525; Fauna Transs. 1891, p. 564.

Cistela reppensis Herbst, Füssl. Arch. 1783, p. 65, t. 23, f. 32.

Cryptocephalus reppensis Gmel. Linn. Syst. nat. I, 1788, p. 1716.

Mordella fulva Fourc. Ent. Par. I, 1785, p. 162.

Chrysomela galii Brahm, Ins.-Kal. I, 1790, p. 100.

var. *Aemiliae* Bedel, Bull. Fr. 1904, p. 211.
var. *Evonymi* F. Ent. Syst. I, 2, 1792, p. 45. — Seidl. Fauna Balt. ed. II, 1891, p. 525; Fauna Transs. 1891, p. 564; Nat. Ins. Deutschl. V, 2, 1896, p. 112. — Baudi, Col. Eterom. 1877, p. 387.
Cistela Evonymi F. Ent. Syst. I, 2, 1792, p. 45; Syst. El. II, 1801, p. 20. — Panz. Ent. Germ. 1795, p. 185; Fauna Germ. 34, 1796, no. 7.
Cistela rufa Townson, Travels in Hongrie 1797, t. 2, f. 3; Übers. Cantwell. III, 1803, p. 171, t. 2, f. 3.
Cistela murina var. *γ* Küst. Käf. Eur. l. c.
Cistela murina var. *Evonymi* Redtenb. Fauna Austr. 1849, p. 603.
Isomira murina var. *α* (*Evonymi*) Muls. Col. Fr. Pect. 1856, p. 97.
Cistela (Isomira) murina Evonymi Bach, Käferf. Deutschl. III, 1856, p. 229. — Redtenb. Fauna Austr. ed. II, 1858, p. 623; ed. III, 1874, II, p. 130.
Cistela var. c (*Evonymi*) Kiesw. l. c. 1863, p. 424.
var. *maura* F. Ent. Syst. I, 2, 1792, p. 45. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 112.
Cistela maura F. Ent. Syst. I, 2, 1792, p. 45; Syst. El. II, 1801, p. 20. — Panz. Ent. Germ. 1795, p. 186.
Crioceris fusca Marsh. Ent. Brit. 1802, p. 223.
Cistela fusca Steph. Ill. Brit. Ent. V, 1832, p. 30.
Cistela murina var. b Gyllh. l. c.
Cistela murina var. *α* (*maura*) Küst. Käf. Eur. l. c.
Isomira murina var. *ε* (*maura*) Muls. Pectin. 1856, p. 58.
Cistela (Isomira) var. b (*maura*) Kiesw. l. c. p. 426.
Gonodera (Isomira) murina var. *maura* Seidl. Fauna Balt. ed. II, 1891, p. 525; Fauna Transs. 1891, p. 564.
var. *thoracica* F. Ent. Syst. I, 2, 1792, p. 45. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 112; Fauna Balt. ed. II, 1891, p. 525; Fauna Transs. 1891, p. 564. — Baudi, Col. Eterom. 1877, p. 13.
Cistela thoracica F. Ent. Syst. I, 2, 1792, p. 45; Syst. El. II, 1801, p. 19. — Panz. Ent. Germ. 1795, p. 185; Fauna Germ. ed. II, Heft 34, 1796, no. 9.
Cistela rubricollis Panz. Fauna Germ. 1796, Heft 34, no. 9. — (Ill. Mag. III, 1804, p. 162); Krit. Rev. I, 1813, p. 90.
Cistela murina var. *β* Küst. Käf. Eur. l. c.
Cistela murina var. *thoracica* Redtenb. Fauna Austr. 1849, p. 603.
Isomira murina var. *β* (*thoracica*) Muls. Pectin. 1856, p. 57.
Cistela (Isomira) murina var. *thoracica* Bach, Käferf. Deutschl. III, 1856, p. 229. — Redtenb. Fauna Austr. ed. II, 1858, p. 623; ed. III, 1874, II, p. 130.

nitida Reitt. Deutsche Ent. Zeitschr. 1890, p. 394. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 103. — Kreta

polonica Jemenb. Bull. ac. Polon. Class. Sci. Math. Ser B. 1921. p. 32 Poland.

nitidula Kiesw. Berl. Ent. Zeitschr. V, 1861, p. 237; 1863, t. 2, f. 2. — Seidl. l. c. p. 103. — Griechenland
oblongula Casey, Ann. N. York Ac. VI, 1891, p. 151. — N. York
obsoleta Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 457, t. 21, f. 3. — Central-Amerika
ochropus Küst. Käf. Eur. XXI, 1850, no. 92 (*Cistela*). — Dalmatien
Cistela murina var.? e („*oblonga*") Kiesw. Berl. Ent. Zeitschr. VII, 1863, p. 424.
Cistela (Isomira) parvula Rottb. Berl. Ent. Zeitschr. XIV, 1870, p. 257, t. 2, f. 5. — Heyd. Berl. Ent. Zeitschr. VIII, 1864, p. 324.
Isomira ochropus Seidl. Nat. Ins. Deutschl. V, 2, p. 104, 114.
oculata Mars. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 327 (*Cistela*). — Seidl. l. c. p. 101. — Japan
Oertzeni Reitt. Deutsche Ent. Zeitschr. 1889, p. 257. — Seidl. l. c. p. 103. — Griechenland
ophthalmica Seidl. l. c. p. 103, 107. — Central-Asien
ovulum Kiesw. Berl. Ent. Zeitschr. VII, 1863, p. 427, t. 2, f. 6; 1870, Beih. p. 143. — Heyd. l. c. p. 144. — Seidl. l. c. p. 106. — Andalusien
acuminata Fairm. Ann. Soc. Ent. Fr. (4) VI, 1866, p. 46. — Tanger
paupercula Baudi, Nat. Sicil. III, 1883, p. 3. — Sizilien
pulla Melsh. Proc. Ac. Phil. III, 1846, p. 60. — Casey, Ann. N. York Ac. VI, 1891, p. 149. — Nord-Amerika
quadristriata Couper, The Canad. Nat. 1865, p. 62. — Casey, l. c. p. 149. — Canada, Nord-Carolina
velutina Lec. New Spec. Col. 1866, p. 139. — Casey, l. c. — N. York
ruficollis Hamilt. Canad. Ent. XXV, 1893, p. 308. — Alleghany
scutellaris Baudi, Deutsche Ent. Zeitschr. XXI, 1877, p. 388; Atti Ac. Tor. XII, 1877, p. 582 (*Cistela*). — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 106. — Piemont
semiflava Küst. Käf. Eur. XXV, 1852, no. 71. — Baudi, Col. Eterom. 1877, p. 14. — Seidl. l. c. p. 105, 115. — Schweiz
Cistela (Isomira) semiflava Kiesw. Berl. Ent. Zeitschr. VII, 1863, p. 426. — Redtenb. Fauna Austr. ed. III, 1874, II, p. 131.
Gonodera (Isomira) semiflava Seidl. Fauna Transs. 1891, p. 565.
Isomira hypocrita Muls. Col. Fr. Pect. 1856, p. 60. — Frankreich
Cistela icteropa Küst. l. c. no. 72. — Savoyen
? Cistela oblonga Küst. Käf. Eur. XX, 1850, no. 76. — Frankreich
Cistela semiflava var. *Ecchelii* Bertol. Fauna Trentina 1899?, p. 225.
sericea Say, Journ. Ac. Phil. III, 1823, p. 270. — Casey, Ann. N. York Ac. VI, 1891, p. 146. — Nord-Amerika
subaenea Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 458, t. 21, f. 4. — Guatemala
tenebrosa Casey, l. c. p. 146. — N. York
testacea Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 106, 121. — Dalmatien
testaceicornis Pic, Echange XX, 1904, p. 26. — Wladiwostock
texana Casey, Ann. N. York Ac. VI, 1891, p. 153. — Texas
umbellatarum Kiesw. Berl. Ent. Zeitschr. VII, 1863, p. 426, t. 2, f. 5.

Gonodera (Isomira) umbellatarum Seidl. Fauna Transs. 1891, p. 565.
Isomira umbellatarum Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 105, 118. — Gerh. Zeit. f. Ent. Bresl. XX, 1895, p. 10. — Süd-Krain

valida Schwarz, Proc. Am. Phil. Soc. XVII, 1878, p. 370. — Casey, Ann. N. York Ac. VI, 1891, p. 152. — Florida

variabilis Horn, Trans. Amer. Ent. Soc. V, 1875, p. 156. — Casey, l. c. p. 147. — Californien, Washington

51

Erxias Champ.

Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 460. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 304.

bicolor Champ. l. c. p. 460. — Panama
violaceipennis Champ. l. c. t. 21, f. 5, 5a und b. — Nicaragua

2

Chromatia Lec.

Lec. Smiths. Misc. Coll. III, 1862, p. 244.

amoena Say, Journ. Ac. Phil. III, 1823, p. 268. — Casey, Ann. N. York Ac. VI, 1891, p. 167. — N. York, Kentucky, Indiana

1

Capnochroa Lec.

Lec. Class. N. Am. Col. 1862, p. 244. — Casey, l. c. p. 160.

fuliginosa Melsh. Proc. Ac. Phil. III, 1846, p. 59. — Casey, l. c. p. 160. — N. York, Virginia

1

Cistelopsis Fairm.

Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 39.

rufina Fairm. l. c. p. 39. — Belgaum
validicornis Fairm. l. c. p. 40. — „

2

Caulostena Fairm. *)

Fairm. Ann. Soc. Ent. Belg. LX, 1896, p. 355.

foveicollis Fairm. l. c. p. 355. — Diego-Suarez

1

Homoropsis Fairm.

Fairm. Ann. Soc. Ent. Fr. (6) V, 1885, p. 450 (ohne Beschreibung).

ustulata Fairm. l. c. p. 450. — Obock

*) Fairmaire vergleicht die Gattung mit *Mycetochares*, sagt aber nicht, dass sie zu den Alleculiden gehört.

C. phungi Pic Bull. Soc. Zool. Fr. 48. 1923. p. 270. Tonkin.

C. doherty Pic Mel. 37. 1922. p. 20: Malacca.

C. malaccana Pic Echge. 30. 1914. p. 44 Inde.

quadrimaculata Pic. l. c.. "

aborensis Borchm. Rec Ind. Mus. 11. 1915. p. 187 Abor.

rufa Borchm. f.c. Ceylon.

Vitalisi Pic. Mel. 18. 1916. p. 19. Cambodia.

rufescens Pic. l. c. 20. Bangney.

C. testaincea Pic Mel. 37. 1922. p. 18 Tonkin.

punctata Pic l. c. p. 19.

striatipennis Pic. l c Laos

testaceicornis Pic. l. c Indes

piceolateralis Pic. l. c Mahé

superficialis Pic. c. c. Laos

lateralis Pic Sumatra

mahéensis Pic l. c Mahé

doherty Pic Malacca.

Cistelopsis

maculata Borch. Treubia. 6. 1925. p. 343 — Java

pusio — Sumatra.

ingens — Ceylon.

denselineata — Java, Sumatra

M. netolitzkyi Penecke, Wien. Ent. Ztg. 31. p. 240. — Turkey.

M. (Ernoch.) myrmecophila Obenb. Arch. Nat. 82. A. 4. 1922. p. 37. Pl. 2 f. 13 — Greece.

ionica Obenb. — Ionian Is.

ruficornis Pic. Ech. 41. 1925. p. 1 — Taurus

impressa Pic. — Algeria

abschasica Pic. p. 6. — Caucasus.

nigripes Petri, Mitt. siebenb. Ver. Naturw. 75-76. 1926. p. 193 — Roumania

p. 74

Mycetochara Berth.

Berthold, Latreille's natürl. Fam. 1827 (1826) p. 371. — Cast. Hist. Nat. II, 1840, p. 244. — Seidl. Fauna Balt. ed. II, u. Transs. 1891, p. 136; Nat. Ins. Deutschl. V, 2, 1896, p. 124.

Mycetophila Gyll. Ins. Suec. II, 1810, p. 541. — Zetterst. Fauna Ins. Lapp. 1828, p. 282. — Reitt. Deutsche Ent. Zeitschr. XXVIII, 1884, p. 242, 244.

Mycetocharis Gyll. Ins. Suec. IV, 1827, p. 510. — Sahlb. Ins. Fenn. I, 1834, p. 456. — Zetterst. Ins. Lapp. 1840, p. 162. — Redtenb. Fauna Austr. 1849, p. 603.

Mycetochares Latr. Règn. Anim. ed. II, 1829, p. 42. — Redtenb. Gatt. 1845, p. 130; Fauna Austr. ed. II, 1858, p. 620; ed. III, 1874, II, p. 131. — Bach, Käferf. III, 1856, p. 225. — Lacord. Gen. Col. V, 1856, p. 507. — Jacq. du Val, Gen. Col. Eur. III, 1863, p. 349. — Seidl. Fauna Balt. 1875, p. 99. — Reitt. Deutsche Ent. Zeitschr. XXVIII, 1884, p. 241.

Mycetocharus Steph. Syst. Cat. Brit. Ins. 1829, p. 245; Ill. Brit. Ins. V, 1832, p. 28.

Übersichten: Redtenb. Fauna Austr. 1849, p. 605, 606. — Küst. Käf. Eur. XXI, 1850. — Muls. Pectin. 1856, p. 17. — Thoms. Skand. Col. I, 1859, p. 118. — Lec. Class. Col. N. Am. 1862, p. 244. — Reitt. Deutsche Ent. Zeitschr. XXVIII, 1884, p. 241; Wien. Ent. Zeit. XV, 1896, p. 75. — Casey, Ann. N York Ac. 1891, p. 124. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 124.

Biologie: Schiödte, Nat. Tidsskr. 1879, 11, p. 520, 521.

Subgen. **Ernocharis** Thoms. Skand. Col. I, 1859, p. 118. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 147. — Reitt. Deutsche Ent. Zeitschr. XXVIII, 1884, p. 242, 245.

Stigmatoma Lec. Class. Col. N. Am. 1862, p. 244.

Subgen. **Pterna** Seidl. l. c. p. 137 (132).

analis Lec. Proc. Am. Phil. Soc. XVII, 1878, p. 618. — Casey, Ann. N. York Ac. VI, 1891, p. 137. — Detroit, New Jersey, Michigan

angustifrons Reitt. Ent. Nachr. XXV, 1899, p. 155. — Circassien

auricoma Reitt. Deutsche Ent. Zeitschr. XXVIII, 1884, p. 249 (*Ernocharis*). — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 137 (*Pterna*). — Sarepta

gracilis Baudi, Seidl. l. c.

axillaris Payk. Fn. Suec. II, 1799, p. 123. — Cast. Hist. Nat. II, 1840, p. 24. — Seidl. Fn. Balt. 1891, p. 526; Fn. Transs. 1891, p. 565; Nat. Ins. Deutschl. V, 2, 1896, p. 132, 142. — Frankreich, Deutschland, Steiermark, Russland, Schweden, Ungarn

Mycetophila axillaris Gyll. Ins. Suec. II, 1810, p. 542. — Zetterst. Fn. Lapp. 1828, p. 282. — Reitt. Üb. 1884, p. 242, 244.

Mycetocharis axillaris Sahlb. Ins. Fenn. I, 1834, p. 546. — Zetterst. op. cit. 1840, p. 162. — Muls. Pectin. 1856, p. 32.

Mycetochares axillaris Küst. Käf. Eur. XXI, 1850, no. 99. — Bach, Käferf. III, 1856, p. 225. — Muls. Pect. 1856, p. 32. — Thoms. Skand. Col. VI, 1864, p. 278. — Seidl. Fn. Balt. 1875, p. 367.

Mycetochares (Mycetophila) axillaris Reitt. Deutsche Ent. Zeitschr. XXVIII, 1884, p. 242 u. 244.

var. *morio* Seidl. Fn. Balt. 1891, p. 526; Fn. Transs. p. 565.
♂ *Mycetophila linearis* Gyll. Ins. Suec. II, 1810, p. 541.
♂ *Mycetophila linearis* Gyll. op. c. IV, 1827, p. 510. — Sahlb. Ins. Fenn. I, 1834, p. 456. — Redtenb. Austr. 1849, p. 605.
♀ *Mycetocharis morio* Redtenb. l. c.
♀ *Mycetochares morio* Redtenb. Fn. Austr. 1858, p. 621. — Bach, Käferf. III, 1856, p. 266.
♂ *Mycetochares linearis* Muls. Pectin. 1856, p. 32. — Redtenb. Fn. Austr. 1858, p. 621. — Bach, Käferf. III, 1856, p. 226.
♀ *Mycetochares maurina* Muls. Pectin. 1856, p. 33. — Heyd. Berl. Ent. Zeitschr. VIII, 1864, p. 324.
♂♀ *Mycetochares axillaris* Redtenb. Fn. Austr. 1874, II, p. 132.
♂ *Mycetochares fuscicornis* Muls. Pectin. 1856, p. 20.
Biologie: Bouché, Nat. Ins. 1834, p. 196, t. 10, f. 1—11. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 144.

basilaris Say, Journ. Ac. Phil. III, 1823, p. 269. — Casey, Ann. N. York Ac. VI, 1891, p. 130. — Pennsylvanien
bicolor Coup. The Canad. Nat. 1865, p. 62. — Casey, l. c. p. 136. — Kanada
binotata Say, Long's Exp. II, 1824, p. 285. — Casey, l. c. p. 135. — Michigan N. York
Brenskei Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 136 (*Ernocharis*). — Griechenland
rudis Reitt. (nec Küst.) Deutsche Ent. Zeitschr. XXVIII, 1884, p. 248.
collina Lewis, Ann. Mag. Nat. Hist. (6) XV, 1895, p. 253. — Japan
crassulipes Casey, Ann. N. York Ac. VI, 1891, p. 142. — Californien
excelsa Reitt. Deutsche Ent. Zeitschr. 1884, p. 246. (*Ernocharis*). — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 135. — Kaukasus
flavicornis Mill. Verh. zool.-bot. Ges. Wien XXXIII, 1883, p. 265. (*Ernocharis*). — Seidl. l. c. p. 137. — Reitt. Übers. p. 243, 248. — Parnass
Biologie: Seidl. l. c.
flavipes F. Ent. Syst. I, 2, 1792, p. 45; Syst. El. II, 1801, p. 19. — Payk. Fn. Suec. II, 1799, p. 125. — Cast. Hist. Nat. II, 1840, p. 24. — Seidl. Fn. Balt. 1891, p. 526; Fn. Transs. 1891, p. 565; Nat. Ins. Deutschl. V, 2, 1896, p. 132, 138. — Deutschland Schweden, Ostpreussen bis Tirol
Mycetophila flavipes Gyll. Ins. Suec. II, 1810, p. 546. — Reitt. Übers. p. 242, 244.
Mycetochares flavipes Küst. Käf. Eur. XXI, 1850, no. 93. — Bach, Käferf. III, 1856, p. 226. — Muls. Pectin. 1856, p. 29. — Redtenb. Fn. Austr. 1858, p. 621; 1874, p. 132. — Thoms. Skand. Col. VI, 1854, p. 279. — Seidl. Fn. Balt. 1875, p. 367. — Baudi, Col. Eterom. 1877, p. 20.
Mycetocharis flavipes Sahlb. Ins. Fenn. I, 1834, p. 458. — Zetterstr. Ins. Lapp. 1840, p. 162. — Redtenb. Fn. Austr. 1849, p. 605.

Mycetochares (Mycetophila) flavipes Reitt. Deutsche Ent. Zeitschr. XXVIII, 1884, p. 242 u. 244.
Cistela humeralis Ill. Schneid. N. Mag. V, 1794, p. 607. — Panz. Fn. Germ. XXV, 1796, no. 14.
? Cistela scapularis Ill. Panz. Krit. Rev. I, 1805, p. 90, nota.
? Leptura bipustulata Thunb. Nov. Act. Ups. IV, 1784, p. 17. — Gmel. Linn. Syst. Nat. I, 1788, p. 1874.
♀ *bimaculata* Mannh. Bull. Mosc. XVII, 1844, p. 197. — Gebl. Bull. Mosc. XX, 1847, II, p. 486. — Finnland
foveata Lec. N. Spec. Col. 1866, p. 140. — Casey, Ann. N. York Ac. VI, 1891, p. 131. — Michigan, Jowa, Indiana
fraterna Say, Journ. Ac. Phil. III, 1823, p. 270. — Lec. N. Spec. Col. 1866, p. 139. — Casey, l. c. p. 128. — Pennsylvanien, N. York, Canada
laticollis Lec. Proc. Ann. Phil. Soc. XVII, 1878, p. 617. — Casey, l. c.
gilvipes Casey, l. c. p. 131. — Nord-Carolina
graciliformis Reitt. Ent. Nachr. XXV, 1899, p. 156. — Kroatien
gracilis Fald. Fn. Transc. II, 1837, p. 98. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 135. (*Ernocharis*). — Reitt. Übers. 1884, p. 242, 246. — Kaukasus
croceipes Weise, Verh. zool.-bot. Ges. Wien. XXIX, 1879, p. 478. — „
grandicollis Fairm. Ann. Soc. Ent. Belg. XXXVI, 1892, p. 149. — Syrien
Haldemani Lec. N. Spec. Col. 1866, p. 140. — Casey, Ann. N. York Ac. VI, p. 127. — N.-Amerika
hirta Sahlb. Öfo. Finsk. V. Förh. L, 1907—1908, p. 89. (*Ernocharis*). — Bulghar Dagh
humeralis F. (*Ernocharis*). — Europa
Cistela humeralis F. Mant. Ins. I, 1787, p. 85; Ent. Syst. I, 2, 1792, p. 45; Syst. El. II, 1801, p. 19. — Ill. Mag. III, 1804, p. 162. — Panz. Fn. Germ. XXV, 1796, no. 14.
Mycetochara humeralis Cast. Hist. Nat. II, 1840, p. 244. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 134, 156.
♀ *Cistela bipustulata* Ill. Schneid. N. Mag. V, 1794, p. 606. — Panz. Ent. Germ. 1795, p. 185; Fn. Germ. XXV, 1796, no. 15. — Payk. Fn. Suec. II, 1799, p. 124.
♀ *Mycetophila bipustulata* Gyll. Ins. Suec. II, 1810, p. 544.
♀ *Mycetocharis bipustulata* Sahlb. Ins. Fenn. I, 1834, p. 457. — Redtenb. Fn. Austr. 1849, p. 606.
Mycetochares bipustulata Küst. Käf. Eur. XXI, 1850, no. 94. — Muls. Pectin. 1856, p. 22. — Bach, Käferf. III, 1856, p. 227. — Redtenb. Fn. Austr. 1858, p. 621; 1874, II, p. 132.
Ernocharis bipustulata Thoms. Skand. Col. VI, 1864, p. 280.
Mycetochares (Ernocharis) bipustulata Seidl. Fn. Balt. 1875, p. 367. — Reitt. Deutsche Ent. Zeitschr. XXVIII, 1884, p. 245.
Mycetochara (Ernocharis) bipustulata

Seidl. Fn. Balt. 1891, p. 526; Fn. Transs. 1891, p. 565.

? *Cistela scapularis* Ill. Panz. Krit. Rev. I, 1805, p. 90, nota.

♂ *Mycetophila scapularis* Gyll. Ins. Suec. II, 1810, p. 545.

♂ *Mycetocharus scapularis* Steph. Ill. Brit. Ent. V, 1832, p. 28.

♂ *Mycetocharis scapularis* Sahlb. Ins. Fenn. I, 1834, p. 457. — Redtenb. Fn. Austr. 1849, p. 606. — Muls. Pectin. 1856, p. 23.

♂ *Mycetochares scapularis* Küst. Käf. Eur. XXI, 1850, no. 96. — Bach, Käferf. III, 1856, p. 227. — Redtb. Fn. Austr. 1858, p. 621; 1874, p. 132.

Biologie: Waterh. Trans. Ent. Soc. Lond. 1834, 1, p. 29, t. 5, f. 3. — Kawall, Stett. Ent. Zeit. XI, 1867, p. 124. — Will, Ent. Nachr. XII, 1886, p. 264. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 158.

Koltzei Reitt. Wien. Ent. Zeit. XV, 1896, p. 75. (*Ernocharis*). — Seidl. l. c. p. 134. — Ost-Sibirien

laticornis Reitt. Deutsche Ent. Zeitschr. XXVIII, 1884, p. 249. (*Ernocharis*). — Seidl. l. c. p. 136. — Libanon

Lecontei Borchm. Deutsche Ent. Zeitschr. 1909, p. 714. — Michigan

gracilis Lec. Proc. Am. Phil. Soc. XVII, 1878, p. 615. — Casey, Ann. N. York Ac. VI, 1891, p. 133.

linearis Ill. Seidl. Fn. Balt. 1891, p. 526; Faun. Transs. 1891, p. 565; Nat. Ins. Deutschl. V, 2, 1896, p. 135, 161 (*Ernocharis*). — Deutschland

♂ *Cistela linearis* Ill. Schneid. N. Mag. V, 1794, p. 607. — Panz. Ent. Germ. 1795, p. 186; Fn. Germ. 25, 1796, no. 16.

♂♀ *Cistela linearis* Panz. Index 1813, p. 135.

Mycetochares linearis Küst. Käf. Eur. XXI, 1850, no. 95. — Bach, Käferf. III, 1856, p. 226. — Muls. Pectin. 1856, p. 32.

Mycetochares (Ernocharis) linearis Reitt. Deutsche Ent. Zeitschr. XXVIII, 1884, p. 247.

♀ *Cistela brevis* Ill. Schneid. N. Mag. V, 1794, p. 608. — Panz. Ent. Germ. 1795, p. 186.

♀ *Mycetophila brevis* Gyll. Ins. Suec. II, 1810, p. 543.

♀ *Mycetocharis brevis* Sahlb. Ins. Fenn. I, 1834, p. 457. — Redtenb. Fn. Austr. 1849, p. 605.

♀ *Mycetochares brevis* Bach, Käferf. III, 1856, p. 227. — Redtenb. ibid. 1858, p. 621; ed. III, 1874, II, p. 132.

Cistela maura Payk. Act. Holm. 1801, p. 121. — Ill. Mag. III, 1804, p. 162.

Helops barbatus Latr. Hist. Nat. X, 1804, p. 348; Gen. Crust. et Ins. II, 1810, p. 189.

Mycetochara barbata Cast. Hist. Nat. II, 1840, p. 244.

Mycetochares barbata Muls. Pectin. 1856, p. 17.

Ernocharis barbata Thoms. Skand. Col. VI, 1864, p. 280.

Mycetochares (Ernocharis) barbata Seidl. Fn. Balt. 1875, p. 367.

v. rufipennis Pic. Ech. 41. 1925. p. 1 — France Caucasus.

v. hirsuta Pic.

var. *pygmaea* Redtenb. Fn. Austr. 1874, p. 133. — Seidl. Fn. Balt. 1891, p. 625; Fn. Transs. 1891, p. 565; Nat. Ins. D. V, 2, 1896, p. 161 u. 163.

Mycetochares (Ernocharis) linearis var. *pygmaea* Reitt. Deutsche Ent. Zeitschr. XXVIII, 1884, p. 247; Ent. Nachr. XXV, 1899, p. 157. — Balkanhalbinsel

Biologie: Perris, Ann. Linn. Lyon XXIII, 1876, p. 134; Larves d. Col. 1877, p. 294, t. 9, f. 311—316. — Schiödte, Metam. El. X, 1877, p. 578, t. 12, f. 14—18. — Nat. Tidsskr. 1879, p. 578—581; 588, t. 11, f. 23—24; t. 12, f. 14—18. — ? Muls. Pectin. 1856, p. 21. — ? Cussac, Ann. Fr. 1855, p. 243, t. 13, f. 11—18. — Seidl. Nat. Ins. D. V, 2, 1896, p. 128.

longior Fairm. Ann. Soc. Ent. Belg. XXXVI, 1892, p. 149. — Syrien

longipennis Casey, Ann. N. York Ac. VI, 1891, p. 139. — Californien

longula Lec. Proc. Am. Phil. Soc. XVII, 1878, p. 618. — Casey, l. c. p. 136. — Michigan

lugubris Lec. l. c. p. 618. — Casey, l. c. p. 13. — „

maculipes Reitt. Ent. Nachr. XXV, 1899, p. 158. — Kleinasien

marginata Lec. l. c. p. 618. — Casey, l. c. p. 134. — Michigan

megalops Casey, l. c. p. 129. — Indiana?

mimica Lewis, Ann. Mag. Nat. Hist. (6) XV, 1895, p. 253. — Japan

nevadensis Casey, Ann. N. York Ac. VI, 1891, p. 142. — Nevada.

nigerrima Casey, l. c. p. 132. — N. York

obscura Zett. Ins. Lapp. 1840, p. 162 (*Mycetocharis*). — Lappland,

Ernocharis obscura Thoms. Skand. Col. VI, 1864, p. 281. — Finnland, Kurland,

Mycetochares (Ernocharis) obscura Reitt. Deusche Ent. Zeitschr. XXVIII, 1884, p. 248. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 134, 155. — Ostpreufsen

obtusicollis Reitt. Ent. Nachr. XXV, 1899, p. 157. — Russ.-armenisches Gebirge

ocularis Reitt. Deutsche Ent. Zeitschr. XXVIII, 1884, p. 245 (*Ernocharis*). — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 134. — Kaukasus

pacifica Casey, Ann. N. York Ac. VI, 1891, p. 139. — Californien

procera Casey, l. c. p. 140. — Idaho, Californien

pubipennis Lec. Proc. Am. Phil. Soc. XVII, 1878, p. 617. — Casey, l. c. p. 141. — Californien

pygmaea Redt. s. *linearis*. — Reitt. Ent. Nachr. XXV, 1899, p. 157. — Balkan

quadrimaculata Latr. Hist. Nat. X, 1804, p. 349. — S.-Frankreich

Mycetochares quadrimaculata Küst. Käf. Eur. XXI, 1850, no. 100. — Muls. Pectin. 1856, p. 27. — Baudi, Col. Eterom. 1877, p. 21. — Pic, Echange VII, 1891, p. 73. — Triest, Tirol, Italien, Banat

Mycetochares (Ernocharis) quadrimaculata Reitt. Deutsche Ent. Zeitschr. XXVIII, 1884, p. 247.

Mycetochara (Ernocharis) Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 134, 149.

Schwarzi Reitt. Deutsche Ent. Zeitschr. 1888, p. 431. — Korfu

Retowskyi Reitt. Deutsche Ent. Zeitschr. 1889, p. 373 (*Ernocharis*). — Seidl. l. c. p. 137 (*Pterna*). — Krim

rudis Küst. Käf. Eur. XXI, 1850, no. 97. — Reitt. Übers. p. 243, 248. — Seidl. l. c. p. 136 (*Ernocharis*). — Baudi, Col. Eterom. 1877, p. 22. — Türkei, Griechenland, Cypern

ruficollis Baudi, Deutsche Ent. Zeitschr. XXI, 1877, p. 391; Atti Ac. Tor. XII, 1877, p. 589. — Reitt. Deutsche Ent. Zeitschr. XXVIII, 1884, p. 250. — Seidl. l. c. p. 136 (*Ernocharis*).

rufipes Lec. Bost. Journ. I, 1866, p. 170. — Casey, Ann. N. York Ac. VI, 1891, p. 133. — N. York

satanula Reitt. Ent. Nachr. XXV, 1899, p. 155. — Kamtschatka

Seidlitzi Reitt. l. c. p. 156. — Circassien

Straussi Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 135, 166. ♀ (*Ernocharis*). — Koralp

striatipennis Pic, Echange XX, 1904, p. 74 (*Ernocharis*). — Amanus

sulcipennis Reitt. Wien. Ent. Zeit. XV, 1896, p. 76, nota (*Ernocharis*). — Seidl. Nat. Ins. Deutschl. V. 2, 1896, p. 133, 147 (nicht *Ernocharis*, sondern *Mycetochara* i. sp.). — Ungarn

tenuis Lec. N. Spec. Col. 1866, p. 140. — Casey, Ann. N. York Ac. VI, 1891, p. 130. — N. York, Ohio, Michigan

thoracica Gredl. Käf. Passeier 1854, p. 15. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 134, 152 (*Ernocharis*). — Tirol

Mycetochares (Ernocharis) thoracica Reitt. Deutsche Ent. Zeitschr. XXVIII, 1884, p. 247 (243).

Mycetochares fasciata Muls. Op. ent. VI, 1855, p. 155; Ann. Soc. Linn. Lyon 1858, p. 255; Pectin. 1856, p. 25. — Baudi, Eteromeri 1877, p. 21. — Pic, Echange 1891, p. 73.

Zolotareffi Reitt. Wien. Ent. Zeit. XV, 1896, p. 76 (*Ernocharis*). — Seidl. l. c. p. 136 (*Ernocharis*). — Kleinasien

56

Andrimus Casey.

Casey, Ann. N. York Ac. VI, 1896, p. 155. — Seidl. l. c. p. 176 (zu den *Omophlinae*).

Cteniopus Lec. N. Spec. Col. 1866, p. 64.

brunneus Casey, l. c. p. 157. — Florida

concolor Casey, l. c. p. 158. — Georgia

convergens Casey, l. c. p. 159. — N. York

Murrayi Lec. N. Spec. Col. 1866, p. 141. — Casey, l. c. p. 156. — Florida

nigrescens Casey, l. c. p. 159.

5

Cistelomorpha Redt.

Redtenb. Reise Novara II, 1868, p. 134. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 173, nota.

alternans Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 40. — Kurseong

Andrewesi Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 58. — Chamba

annuligera Fairm. Not. Leyd. Mus. XVIII, 1896—1897, p. 118. — Simlah (Nord-Indien)

A. confusus Blatchley. Canad. Ent. 44. 1912. p. 331. Florida.
parvulus " ibid 51. 1919. p. 67. "

C. obscuriceps Pic. Natural. 31. 1909 p. 17 Yunnan.
bisbinotata Pic Echange 25 1909. p. 134. Himalaya
celebensis Pic " " 28. 1913. p. 53 Celebes.
martini Pic. l. c Boeroe.
semilineata Pic. l. c. Walardi (India)
semipellita Bowhm Phil. Jnl. Sci. D. 8. 1913. p. 57 Phil. Ids.
cinematica Bowhm l. c. 59 "
rufiventris Bowhm l. c 60 "

C. bisbimaculata Pic Mel. 7. 1913. p. 11. Sumbawa
minahassana Pic l. c. Celebes.
atriceps Pic Echange 31. 1915. p. 20 Cochin China.
carinata Pic. Mel. 9. 1914. p. 16. Tonkin.
luteicolor Pic. " 13. 1915. p. 7 Thibet.
- congrua Walk (Cistela) p. 30. Ceylon.
thibetana Pic Mel. 13. 1915. p. 7 Thibet
opacicollis Pic. l. c. Tonkin.
luteiceps Pic. l. c. Key.
semirubra Pic. l. p. 8. Indes.
joloensis Pic Mel. 32. 1920. p. 23. Jolo Ids.
pallidiventris Pic " Sumbawa.
geniculata Pic l. c. Tonkin.
lata Pic Java.
brunneiensis Pic l. c. 24 Borneo.
atropyga Pic. l. c. Sumatra.
- lutea Stoll, Grays Zool. Miscell. 1831. p. Nepal. (
fossulata Pic, Ech. 29. 1913. p. 142. India

vitalisi Pic, Bull. Fr. 1922. p. 210 Laos.
rubrotincta Pic l. c. Laos.
atricollis Pic " 1924. p. 230 P. I.

apicipalpis Fairm. Ann. Soc. Ent. Fr. (6) IX, 1889, p. 47; Compt. rend. Soc. Ent. Belg. 1891, p. XXI (*Cteniopus*); Ann. Soc. Ent. Belg. XXXVII, 1893, p. 323. — Moupin (China)
atripes Fairm. Ann. Soc. Ent. Fr. LXVIII, 1899, p. 631. — China
axillaris Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 28. — Barway (Bengalen)
var. *fuscolineata* Fairm. l. c. p. 29.
„ *nigrolineata* All. Natural. 1894, p. 153. — Madura
bina Fairm. Ann. Soc. Ent. Fr. LXVIII, 1899, p. 631. — Formosa
calida All. Natural. XVI, 1894, p. 153. — Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 40. — Madura
var. *nigromaculata* All. l. c. p. 153.
„ *nigropicta* All. l. c. p. 153.
densestriata Fairm. Not. Leyd. Mus. XVIII, 1896—1897, p. 119. — Sikkim
flavovirens Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 29. — Konbir (Bengalen)
haematica Redt. Reise Nov. II, 1868, p. 135, t. 4, f. 9. — Ceylon
holoxantha Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 40, Anmerk. zu *alternans* Fairm. (ob beschrieben?). — ?
humeralis All. Natural. XVI, 1894, p. 153. — Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 40. — Madura
infranigera Fairm. Ann. Soc. Ent. Fr. LXVIII, 1899, p. 632. — China
irregularis Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 44. — Java
melanopyga Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 322. — Tonkin
nigrosparsa Fairm. Ann. Soc. Ent. Fr. LXVIII, 1899, p. 630. — Yünnan
nigrotibialis Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 301. — Lang-song
piceiventris Fairm. l. c. p. 301. — „
Renardi Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 29. — Bengalen
rufina Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 322. — Tonkin
sanguinosa Fairm. l. c. p. 322. — „
simillima Fairm. Compt. rend. Soc. Ent. Belg. 1891, p. XXI (*Cteniopus*); Ann. Soc. Ent. Belg. XXXVII, 1893, p. 323. — Chang-Yang (China)
spurcaticornis Fairm. Compt. rend. Soc. Ent. Belg. 1891, p. XXI (*Cteniopus*); Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 30 (*Cistelomorpha*). — China
straminea Redt. Reise Novara II, 1868, p. 135, t. 4, f. 10. — China
subcostulata Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 40. — Bengalen
trabeata Fairm. l. c. p. 29.

27

Labetis Waterh.

Waterh. Ent. Monthly Mag. XV, 1879, p. 267.

comitans Perk. Fn. Haw. II, 1900, p. 251, t. 10, f. 21. — Kauai
hawaiiensis Perk. l. c. p. 250. — Hawaii
tibialis Waterh. Ent. Monthly Mag. XV, 1879, p. 267. — Blackb. Trans. R. Dubl. Soc. (2) III, 1885, p. 167. — Perk. Fn. Haw. II, 1900, p. 251. — Honolulu

3

Cylindrothorus Sol.

Sol. Mem. Ac. Torino VI, 1844, p. 262. — Lacord. Gen. Col. V, 1859, p. 495.

Othelecta Pascoe, Journ. Ent. II, 1866, p. 488. — Haag. Rutenb. Journ. Mus. Godeff. XIV, 1879, p. 134; Deutsche Ent. Zeitschr. XXIII, 1879, p. 412.

Bohemani Fairm. Ann. Soc. Ent. Fr. (6) VIII, 1888, p. 196.	N'Gami
pilosus Sol. Mem. Ac. Tor. VI, 1844, p. 263, t. 2, f. 24—27. — Fairm. l. c. p. 197.	Cap
vestita Bates, Trans. Ent. Soc. Lond. 1868, p. 269.	
rufulus Fairm. Not. Leyd. Mus. X, 1888, p. 267.	Benguela
torrida Pasc. l. c. t. XIX f. 5.	N'Gami.

Prostenus Latr.

Latr. Fam. Nat. 1825, p. 377. — Lacord. Gen. Col. V, 1859, p. 513 u. 517. — Lec. Class. Col. N. Am. ed. II, 1883, p. 390. — Casey, Ann. N. York Ac. 1891, p. 74.

Mecocerus Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 241.

amplicollis Fairm. Compt. rend. Soc. Ent. Belg. 1889, p. 47.	Minas Geraes
angusticornis Fairm. l. c. p. 47.	„ „
brevicornis Fairm. l. c. p. 47.	Brasilien
californicus Horn, Trans. Amer. Ent. Soc. 1867, p. 138. — Champ. Biol. C.-A. Col. IV, 1, 1888, p. 464. — Casey, Ann. N. York Ac. VI, 1891, p. 74.	Californien
cyaneus Fairm. Compt. rend. Soc. Ent. Belg. 1889, p. 47.	Brasilien
Dejeani Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 242 (*Mecocerus*). — Cast. Hist. Nat. II, 1840, p. 244.	„
femoralis Cast. l. c. p. 244.	„
hirsutus Curtis, Trans. Linn. Soc. XIX, 1845, p. 471. — Mäkl. Act. Soc. Fenn. X, 1875, p. 674 (524).	Brasilien
iocerus Pasc. Ann. Mag. Nat. Hist. (5) IX, 1882, p. 36.	Amazonas
laminicornis Fairm. Compt. rend. Soc. Ent. Belg. 1889, p. 45.	Cayenne
laticornis Saund. Trans. ent. Soc. Lond. I, 3, 1836, p. 154.	Montevideo
lugubris Pasc. Ann. Mag. Nat. Hist. (5) IX, 1882, p. 37.	„
militaris Pasc. l. c. p. 35. — Waterh. Aid. ident. Ins. II, t. 129, f. 7.	Amazonas
nitens Pasc. l. c. p. 36.	„
nodicornis Fairm. Compt. rend. Soc. Ent. Belg. 1889, p. 46.	Brasilien
panamensis Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 461, t. 21, f. 6.	Panama
parilis Pasc. Ann. Mag. Nat. Hist. (5) IX, 1882, p. 36.	Amazonas
periscelis Perty, Del. anim. 1830, p. 60, t. 12, f. 13.	Brasilien
Sipolisii Fairm. Compt. rend. Soc. Ent. Belg. 1889, p. 44.	„
Sladeni Gahan, Proc. Zool. Soc. Lond. 1903, II, p. 253, t. 28, f. 6.	„
splendens Cast. Hist. Nat. II, 1840, p. 244.	„
violaceipennis Fairm. Compt. rend. Soc. Ent. Belg. 1889, p. 44.	„

P. goyasensis Pic. Ech. 26. 1910. p. 36.
latissimus Pic l. c.
viridipennis Pic. Mél. 3. 1912. p. 17. Brazil.
brevipennis Pic. l. c. 16. Paraguay.

Microprostemus Pic Mél. 34. 1921. p. 14.
longicornis Pic l. c. Brazil

S. trimaculatus Pic. Bull. Soc. Ent. Fr. 1910. p. 114.
rubronotatus Pic. l.c. 115.
vicinus Pic. Le Naturel. 32. 1911. p. 151.
gouvellei Pic. "
obscuripes Pic. "
impressipennis Borchm. L. E. Z. 1912 p. 388 Argentine.
nigronotatus Pic. Mél. 3. 1912. p. 14. Brazil
punctovelutinus Pic. l. c. "
inaequalis Pic l. c. "
minasensis Pic. -- 16. 19 p. 15. "
undulatus Pic Mél. 34. 1921. p. 13. Colombia.
santiagonus Pic. l. c. Argentine
depressipennis Pic l. c. do.
nitidipennis Pic. l. c Bolivia
argentinus Pic l. c. Argentine.
wagneri Pic. l. c do
testaceipes Pic l. c. Brazil.
semicyaneus Pic Mel. 42. 1924. p. 9 "

X. multigittatus Pic. Mél. 3. 1912. p. 17. Colombia.
lezeleuci Pic l. c. "
inhirsutus Pic Mél. 34. 1921. p. 14. Brazil.
armitagei Pic l. c. "
major Pic l. c. p. 15. Paraguay
bicoloripes Pic l. c. Brazil.
granulosus Pic Mel 42. 1924. p. 9. "
angustalisi Pic "

Lystronychus Latr.

Latr. Regne Anim. ed. 2, V, 1829, p. 41. — Cast. Hist. Nat. II, 1840, p. 244. — Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 240. — Lacord. Gen. Col. V, 1859, p. 514. — Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 462. — Casey, Ann. N. York Ac. VI, 1891, p. 74.

Xystronia Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 238.

Championi Horn, Proc. Calif. Ac. (2) IV, 1894, p. 443.	Californien
coeruleus Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 239. (*Xystronia.*) — Cast. Hist. Nat. II, 1840, p. 244. — Lacord. Gen. Col. V, 1859, p. 515, nota 3.	Brasilien
columbinus Germ. Ins. Spec. nov. 1824, p. 157. — Lacord. Gen. Col. V, 1859, p. 515, nota 1.	„
cupripennis Luc. Casteln. Voy. 1859, p. 141.	„
Delauneyi Fleut. et Sallé, Ann. Soc. Ent. Fr. (6) IX, 1889, p. 428.	Guadeloupe
denticollis Mäkl. Act. Soc. Fenn. X, 1875, p. 675 (525).	Columbien
equestris F. Syst. Ent. II, 1775, p. 257. — Oliv. Ins. p. 58, t. 2, f. 7. — Perty, Del. an. 1830—1834, p. 63, t. 13, f. 5. — Cast. Hist. Nat. II, 1840, p. 244. — Lacord. Gen. Col. V, 1859, p. 515.	Brasilien
Guerini Mäkl. Act. Soc. Fenn. X, 1875, p. 670 (520).	Bolivia
hirsutus Mäkl. l. c. p. 674 (524).	Brasilien
? *Prostenus hirsutus* Curt. Trans. Linn. Soc. XIX, 1845, p. 471.	
hirtellus Mäkl. l. c. p. 673 (523).	„
humeralis Fairm. Ann. Soc. Ent. Fr. LXXIV, 1905, p. 302.	Argentinien
latipennis Mäkl. l. c. p. 675 (525).	Brasilien
metallicus Mäkl. l. c. p. 672 (522). — Gemm. u. Har. VII, 1870, p. 2056.	„
piliferus Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 462, t. 21, f. 7. — Casey, Ann. N. York Ac. VI, 1891, p. 75.	Central-Amerika
pulchellus Saund. Trans. Ent. Soc. Lond. I, 3, 1836, p. 153, t. 14, f. 5.	Brasilien
purpureipennis Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 463, t. 21, f. 8.	Guatemala
rufonotatus Champ. Trans. Ent. Soc. Lond. 1896, p. 35.	St. Vincent
scalaris Mäkl. Act. Soc. Fenn. X, 1875, p. 670 (520).	Columbia
scapularis Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 463, t. 21, f. 9. — Schaeff. Bull. Mus. Brookl. I, 1905, p. 177.	Central-Amerika, Arizona
sexsignatus Mäkl. Act. Soc. Fenn. X, 1875, p. 671 (521).	? Venezuela
tuberculifer Champ. Trans. Ent. Soc. Lond. 1896, p. 34.	Ins. Grenada

Xystropus Sol.

Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 241. — Cast. Hist. Nat. II, 1840, p. 244. — Lacord. Gen. Col. V, 1859, p. 515. — Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 464. — Casey, Ann. N. York Ac. VI, 1891, p. 73.

aeneus Cast. Hist. Nat. II, 1840, p. 244.	Brasilien
albovittatus Fairm. Ann. Soc. Ent. Fr. LXI, 1892, p. 95.	Venezuela
blandus Er. Wiegm. Arch. Naturgesch. XIII, 1847, I, p. 122.	Peru
breviusculus Mäkl. Act. Soc. Fenn. X, 1875, p. 678 (528).	Brasilien
cyanipes Luc. Casteln. Voy. 1859, p. 141.	„
fallax Mäkl. l. c. p. 677 (527). — Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 464, t. 21, f. 11.	Columbia

fascicularis Fairm. Ann. Soc. Ent. Fr. LXI, 1892, p. 94. — Venezuela
fulgidus Mäkl. Act. Soc. Fenn. X, 1875, p. 680 (530). — Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 464, t. 21, f. 10. — Casey, Ann. N. York Ac. VI, 1891, p. 74. — Columbia
gossypiatus Fairm. Ann. Soc. Ent. Fr. LXI, 1892, p. 95. — Venezuela
griseostriatus Fairm. Compt. rend. Soc. Ent. Belg. 1889, p. 48. — Brasilien
griseovittatus Fairm. l. c. p. 48. — „
laniger Mäkl. Act. Soc. Fenn. X, 1875, p. 680 (530). — „
Lebasi Mäkl. l. c. p. 679 (529). — Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 465, t. 21, f. 12. — Columbia, Panama
nigropictus Kirsch, Berl. Ent. Zeitschr. XXX, 1886, p. 339. — Columbia
pilosus Kirsch, Berl. Ent. Zeitschr. XVII, 1873, p. 408. — Mäkl. l. c. p. 676 (526). — Cayenne, Peru
Solieri Luc. Casteln. Voy. 1859, p. 140. — Brasilien
violaceus Blanch. Voy. d'Orb. 1843, p. 199, t. 15, f. 4. — Bolivia

17

Eucaliga Fairm.

Fairm. et Germ. Ann. Soc. Ent. Fr. (4) III, 1863, p. 225.

pallidicollis Fairm. Ann. Soc. Ent. Fr. (5) V, 1875, p. 200; (5) VI, 1876, p. 383. — Chile
sanguinicollis Fairm. Ann. Soc. Ent. Fr. (4) III, 1863, p. 226; Col. Chile II, 1863, p. 5. — „
cruentata Philipp. Stett. Ent. Zeit. XXIV, 1863, p. 132, t. 3, f. 1a—g.

2

Cteisa Sol.

Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 242. — Cast. Hist. Nat. II, 1840, p. 245. — Lacord. Gen. Col. V, 1859, p. 516. — Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 465.

hirta Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 243. — Cast. l. c. p. 245. — Brasilien
pedinoides Mäkl. Act. Soc. Fenn. X, 1875, p. 681 (531). — Champ. Biol. C.-Am. Col. IV, 1, 1888, p. 465, t. 21, f. 13. — Columbia

2

II. Omophlinae.

Seidlitz, Naturg. Ins. Deutschl. V, 2, 1896, p. 28, 173. — Reitt. Verh. Nat. Ver. Brünn XLV, 1906, p. 116.

Omophliens Muls. Pectin. 1856, p. 65.
Cteniopites Jacq. du Val, Gen. Col. Eur. III, 1863, p. 350.

Androchirus Lec.

Lec. List. Col. N. Am. 1866, p. 64. — Casey, Ann. N. York Ac. VI, 1891, p. 168. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 298.

erythropus Kirby, Fn. Bor. Am. IV, 1837, p. 239. — Lec. l. c. p. 64, nota 1. — Casey, l. c. p. 169.
fuscipes Melsh. Proc. Ac. Phil. III, 1846, p. 60.
luteipes Lec. Smiths. Misc. Coll. VI, p. 64. — N.-Amerika, Kanada, Nord-Carolina, Indiana

P. nigrita Vasil. Sadovod Rusl. Don. 17. 1916. p. 109-11. t. Kuban.

femoralis Oliv. Ent. III, 1795, 54, p. 12, t. 2, f. 19. — Casey, Ann. N. York Ac. VI, 1891, p. 168. — Süd-Carolina, Georgia, Florida

2

Podonta Muls.

Muls. Pectin. 1856, p. 66; Opusc. VII, 1856, p. 25. — Lacord. Gen. Col. V, 1859, p. 509. — Jacq. du Val, Gen. Col. Eur. III, 1859—1863, p. 351.

Megischia Redtb. Gatt. 1845, p. 130; Fn. Austr. 1849, p. 604; 1858, p. 624; 1874, p. 133.

Umfassende Arbeiten: Kiesw. Revision: Berl. Ent. Zeitschr. XVII, 1873, p. 9 (Tab. p. 10). — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 179. — Reitt. Verh. Nat. Ver. Brünn XLV, 1906, p. 118. (Bestimmungstabelle.)

ambigua Kiesw. Rev. p. 11. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 184. — Reitt. Best. p. 120. — Magnesia

atrata Kiesw. Rev. p. 15. — Seidl. l. c. p. 189. — Reitt. Best. p. 120. — Türkei

Aubei Muls. Op. VII, 1856, p. 29. — Kiesw. Rev. p. 17. — Seidl. l. c. p. 188. — Reitt. Best. p. 125. — Griechenland

biformis Reitt. Deutsche Ent. Zeitschr. 1889, p. 374. — Seidl. l. c. p. 189. — Reitt. Best. p. 119. — Kleinasien

Bodemeyeri Reitt. Best. p. 123.

brevicornis Seidl. l. c. p. 184, 189. — Reitt. Best. p. 120. — Gallipoli

carbonaria Kiesw. Rev. p. 16. — Seidl. l. c. p. 189. — Reitt. Best. p. 119. — Mesopotamien

? podontoides Reitt. Deutsche Ent. Zeitschr. 1890, p. 35; Best. p. 119. — Seidl. l. c. p. 189. — Persien

convexicollis Küst. Käf. Eur. XX, 1850, no. 81. — Türkei

corvina Kiesw. Rev. p. 21. — Seidl. l. c. p. 188. — Reitt. Best. p. 125. — Salonica

daghestanica Reitt. Deutsche Ent. Zeitschr. XXIX, 1885, p. 383; Best. p. 121. — Kaukasus

dalmatina Baudi, Deutsche Ent. Zeitschr. XXI, 1877, p. 395; Col. Eterom. 1877, p. 31; Atti Ac. Tor. XII, 1877, p. 597. — Seidl. l. c. p. 187, 194. — Reitt. Best. p. 124. — Dalmatien

elongata Ménétr. Cat. rais. 1832, p. 205. — Faust. Hor. Ross. XII, 1877, p. 317 (*Megischia*). — Seidl. l. c. p. 187. — Reitt. Best. p. 124. — Kaukasus

Flecki Reitt. Best. p. 122. — Dobrudscha

frater Seidl. l. c. p. 185, 190. — Reitt. Best. p. 122. — Kleinasien

graeca Seidl. l. c. p. 185, 190. — Reitt. Best. p. 122. — Griechenland

Heydeni Kiesw. Rev. p. 19. — Seidl. l. c. p. 188. — Reitt. Best. p. 125. — Kleinasien

italica Baudi, Deutsche Ent. Zeitschr. XXI, 1877, p. 397; Atti Ac. Tor. XII, 1877, p. 599. — Seidl. l. c. p. 185. — Reitt. Best. p. 122. — Italien

Korbi Seidl. l. c. p. 187, 190. — Tarsus

lugubris Küst. Käf. Eur. XX, 1850, no. 80. — Muls. Opusc. 1856, p. 26. — Kiesw. Rev. p. 18. — Seidl. l. c. p. 188. — Reitt. Best. p. 120. — Türkei

Milleri Kiesw. Rev. 1873, p. 19. — Seidl. l. c. p. 186. — Reitt. Best. p. 123. — Cephallonia

(= *? convexicollis* Küst. s. d.!)

oblongata Mill. Wien. Ent. Monatschr. VI, 1862, p. 374. — Seidl. l. c. — Reitt. l. c.

morio Kiesw. l. c. p. 21. — Seidl. l. c. p. 188. — Reitt. Best. p. 124. Olymp
(= ? *convexicollis* Küst. Seidl. l. c.)

nigrita F. Ent. Syst. IV, 1794, p. 447. — Muls. Col. Fr. Pect. 1856, p. 67; Op. VII, 1856, p. 27. — Kiesw. Rev. p. 13. — Baudi, Deutsche Ent. Zeitschr. XXI, 1877, p. 397; Col. Eterom. 1877, p. 30. — Seidl. Fn. Balt. 1891, p. 527; Fn. Transs. 1891, p. 566; Nat. Ins. Deutschl. V, 2, 1896, p. 184, 190. — Reitt. l. c. p. 121. Süd-Europa
Cistela nigrita F. Ent. Syst. IV, 1794, p. 447; Syst. El. II, 1801, p. 20. — Panz. Ent. Germ. 1795, p. 187. — Küst. Käf. Eur. X, 1847, no. 74.
Megischia nigrita Redtenb. Fn. Austr. 1849, p. 604; 1858, p. 625; 1874, II, p. 133. — Bach, Käferf. III, 1856, p. 231.
Cistela oblonga Ol. Enc. meth. 1791, VI, p. 6; Ent. III, 1795, no. 54, p. 13, t. 2, f. 20. — Küst. Käf. Eur. XX, 1850, no. 76. — Muls. Pect. 1856, p. 60. — Miller, Wien. ent. Monatschr. VI, 1862, p. 347.

patagiata Seidl. l. c. p. 186, 190. — Reitt. Best. p. 123. Kleinasien

podontoides Reitt. Deutsche Ent. Zeitschr. 1890, p. 35; Best. p. 119. — S. auch *carbonaria* Kiesw.! Persien

rotundangula Reitt. Best. p. 120. Kleinasien

simplex Seidl. l. c. p. 185, 190. — Reitt. Best. p. 123. Euboea

soror Seidl. l. c. p. 185, 189. — Reitt. Best. p. 121. Angora

turcica Kiesw. Rev. p. 14. — Seidl. l. c. p. 187. — Reitt. Best. p. 125. Asiat. Türkei

28

Cistelina Seidl.

Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 195.

Davidi Fairm. Ann. Soc. Ent. Fr. (5) VIII, 1878, p. 123. — Seidl. l. c. p. 196. Centr.-China

sulphurea Seidl. l. c. p. 196. China

2

Holdhausia Reitt.

Reitt. Verh. Nat. Ver. Brünn XLV, 1906, p. 116, 125.

crassus Fairm. Ann. Soc. Ent. Belg. XXXVI, 1892, p. 152. — Reitt. l. c. p. 125. Kleinasien, Syrien

1

Podontinus Seidl.

Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 197. — Reitt. l. c. p. 126.

punctatissimus Kiesw. Berl. Ent. Zeitschr. V, 1861, p. 238, nota 1. — Seidl. l. c. p. 198. — Reitt. Verh. Nat. Ver. Brünn. XLV, 1906, p. 126. Syrien

1

C. tricolor Bowh. Arch. Nat. 82. A. 5. 1922. p. 107. fig. 1 Formosa

crassicornis Bowh. 2 "

C. subobscurus Pic. Le Natur. 32. 1911. p. 271

" impressithorax Pic. l. c. 272.

" ruber Pic. Ann. Soc. Linn. Lyon. 69. 1922 p. 76 Yunnan.

" semirufus Pic. l. c. Thibet.

semisoccineus Blv. Ann. Mag. Nat. Hist. (9) 9. 1922. p. 560 Everest.

sulcatus Pic. Ech. 41. 1925. p. 2 Caucasus

Omophlina Reitt.

Reitt. Deutsche Ent. Zeitschr. 1890, p. 34; Verh. Nat. Ver. Brünn XLV, 1906, p. 116, 126. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 198.

alpina Muls. Opusc. VII, 1856, p. 30. — Kiesw. Berl. Ent. Zeitschr. XVII, 1873, p. 12 (*Podonta*). — Seidl. l. c. p. 199. — Reitt. l. c. p. 127. — Kleinasien

arcuata Gebl. Ledeb. Reis. II, 3, 1830, p. 129; Bull. Mosc. XX, 1847, p. 486. — Baudi, Deutsche Ent. Zeitschr. XXI, 1877, p. 404; Col. Eterom. 1877, p. 25. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 200. — Reitt. Verh. Nat. Ver. Brünn XLV, 1906, p. 127. — Sibirien

Heydeni Reitt. Deutsche Ent. Zeitschr. 1890, p. 35. — Seidl. l. c. p. 200. — Namangan

corva Ersch. Troudy Ent. Ross. XII, p. 253. — Seidl. l. c. p. 200. — Reitt. Deutsche Ent. Zeitschr. 1890, p. 36; Verh. Nat. Ver. Brünn XLV, 1906, p. 127. — Sarafschan

Heydeni Reitt. Deutsche Ent. Zeitschr. 1890, p. 35; Verh. Nat. Ver. Brünn XLV, 1906, p. 127. — Seidl. l. c. p. 200. — Turkestan

hirtipennis Ersch. Troudy Ent. Ross. XII, p. 251. — Seidl. l. c. p. 200. — Reitt. l. c. p. 128; Wien. Ent. Zeit. IX, 1890, p. 256. — Kisil-Kum

pubifer Reitt. Deutsche Ent. Zeitschr. 1890, p. 35. — Seidl. l. c. p. 200. — Reitt. Verh. Nat. Ver. Brünn XLV, 1906, p. 128. — Turkestan

tenuis Kraatz, Deutsche Ent. Zeitschr. XXVI, 1882, p. 114. — Seidl. l. c. — Reitt. l. c. p. 128.

Matthiesseni Reitt. Wien. Ent. Zeit. XXVI, 1907, p. 207. — „

Pentheri Ganglb. Ann. Wien. Hofm. XX, 1905, p. 279. — Kleinasien

rubricollis Reitt. Wien. Ent. Zeit. XVII, 1898, p. 14; Verh. Nat. Ver. Brünn XLV, 1906, p. 128. — Buchara

Seidlitzii Reitt. l. c. p. 15; l. c. p. 128. — Taschkent

Willbergi Reitt. Wien. Ent. Zeit. XI, 1892, p. 135. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 200. — Reitt. Verh. Nat. Ver. Brünn XLV, 1906, p. 128. — Turkestan

var. *bicolorata* Reitt. l. c. p. 128. — „

10

Cteniopinus Seidl.

Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 200. — Reitt. Verh. Nat. Ver. Brünn XLV, 1906, p. 116, 129.

altaicus Gebl. Ledeb. Reise II, 2, 1830, p. 128; Verz. Kolywan 1848, p. 196. — Küst. Käf. Eur. XXI, 1850, no. 90 (*Cteniopus*). — Muls. Opusc. 1856, p. 32. — Seidl. l. c. p. 202. — Reitt. l. c. p. 129. — Sibirien, Altai, Orenburg

hypocrita Mars. Ann. Fr. 1876, p. 329. — Seidl. l. c. p. 202. — Reitt. l. c. p. 129. — Japan, China

? Potanini Heyd. Hor. Ross. XXIII, 1889, p. 677. — Seidl. l. c. p. 202. — Reitt. Verh. Nat. Ver. Brünn XLV, 1906, p. 129. — China, Thibet

Koltzei Heyd. Deutsche Ent. Zeitschr. XXVIII, 1884, p. 295. — Seidl. l. c. p. 202. — Reitt. l. c. p. 129. — Amur

koreanus Seidl. l. c. p. 202, 203. — Reitt. Verh. Nat. Ver. Brünn XLV, 1906, p. 129. — Korea

varicolor Heyd. Hor. Ross. XXIII, 1889, p. 676 (675). — Reitt. l. c. p. 129. — China

6

Steneryx Reitt.

Reitt. Wien. Ent. Zeit. IX, 1890, p. 256; Verh. Nat. Ver. Brünn XLV, 1906, p. 117, 129. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 204.

Dejeani Fald. Bull. Mosc. IX, 1836, p. 391, t. 8, f. 3. — Seidl. l. c. p. 205. — Reitt. l. c. p. 130. — Turkestan, Transcaspien

Hauseri Seidl. l. c. p. 204, 205. — Reitt. l. c. p. 130. — Centr.-Asien, Kuldscha

2

Steneraphlina Reitt.

Reitt. Verh. Nat. Ver. Brünn XLV, 1906, p. 117, 130.

Hauseri Reitt. Deutsche Ent. Zeitschr. 1894, p. 50; l. c. p. 130. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 200. — Turkestan, Buchara

1

Proctenius Reitt.

Reitt. Wien. Ent. Zeit. IX, 1890, p. 256; Verh. Nat. Ver. Brünn XLV, 1906, p. 117, 130. — Seidl. l. c. p. 203.

Chamaeleon Reitt. Wien. Ent. Zeit. XIII, 1894, p. 305. — Seidl. l. c. p. 204. — Reitt. Verh. Nat. Ver. Brünn XLV, 1906, p. 130. — Spanien

granatensis Rosh. Thier. And. 1856, p. 221. — Seidl. l. c. — Reitt. l. c. p. 130. — Andalusien

luteus Küst. Käf. Eur. XII, 1848, no. 82. — Muls. Op. VII, 1856, p. 33. — Jacq. du Val, Gen. Col. Eur. III, 1859—1863, t. 82, f. 406. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 204. — Reitt. Verh. Nat. Ver. Brünn XLV, 1906, p. 131; Wien. Ent. Zeit. IX, 1890, p. 256. — Südspanien

var. *obscurithorax* Pic, Bull. Soc. Ent. Fr. 1899, p. 300. — Act. Soc. Esp. 1900, p. 189. — Reitt. l. c. p. 131. — Central-Spanien

3

Hypocistela F. Bates.

F. Bates, Cist. Ent. II, 1872, p. 482; Sec. Yark. Miss. Col. 1890, p. 76. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 204.

tenuipes F. Bates, l. c. p. 483; l. c. p. 77, t. 21, f. 20. — Seidl. l. c. p. 204 (? *Steneryx*). — Kogyar

1

S. angustatum Pic 1918 Bull. S. E. Fr. 221. China

~~sochara~~ Rtt. D.E.Z. 1913 p. 610

petriiformis Rtt. l. c. c. Asia

C. turcicus Pic Ech. 1913. p. 121

expulsus Obenb. Arch. Nat. 82. A. 6 1922. p. 67. Caucasus.

Balassogloa Semen.

Semen. Hor. Ross. XXV, 1891, p. 372; Rev. Russ. Ent. V, 1905, p. 56. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 24. — Reitt. Wien. Ent. Zeit. IX, 1890, p. 252 u. 256.

minor Semen. l. c. p. 373. — Transcaspia
sphenarioides Semen. l. c. p. 372. — Seidl. l. c. p. 24, nota. — Turkestan

2

Cteniopus Sol.

Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 246. — Muls. Pectin. 1856, p. 69; Opusc. VII, 1856, p. 31. — Lacord. Gen. Col. V, 1859, p. 511. — Jacq. du Val, Gen. Col. Eur. III, 1859—1863, p. 351. — Seidl. Nat. Ins. Deutschl. 2, 1896, p. 205. — Reitt. Verh. Nat. Ver. Brünn, XLV, 1906, p. 117, 131; Bestimmungstabelle: Wien. Ent. Zeit. IX, 1890, p. 256.

Subgen. *Ctenioposomus* Reitt. Verh. Nat. Ver. Brünn XLV, 1906, p. 131.
Subgen. *Rhinobarus* Reitt. l. c. p. 131.

anatolicus Pic, Echange XIX, 1903, p. 123. — Reitt. l. c. p. 134. — Smyrna

angustatus Pic, Echange XXI, 1905, p. 177. — Mesopotamien

Bodemeyeri Reitt. Wien. Ent. Zeit. XXII, 1903, p. 257; Verh. Nat. Ver. Brünn XLV, 1906, p. 136 (*Ctenioposomus*). — Kleinasien

elegans Fald. Fn. Transc. II, 1837, p. 104. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 211. — Reitt. Verh. Nat. Ver. Brünn XLV, 1906, p. 132 (*Rhinobarus*). — Kaukasus, Armenien

flavus Scop. Ent. carn. 1763, p. 84. — Europa, Asien
Chrysomela sulphurea L. Syst. Nat. ed. XII, 1767, p. 602. — Müll. Zool. Dan. Prodr. 1776, p. 83. — Schranck, Enum. 1781, p. 98. — Villers, Linn. Ent. I, 1789, p. 166.
Cistela sulphurea F. Syst. Ent. 1775, p. 117; Spec. Ins. I, 1781, p. 147; Mant. Ins. I, 1787, p. 85; Ent. Syst. I, 2, 1792, p. 43; Syst. El. II, 1801, p. 18. — Herbst, Füessl. Arch. 1783, p. 64, t. 23, f. 28. — Rossi, Fn. Etr. I, 1790, p. 103; Ed. Hellw. I, 1795, p. 109. — Oliv. Encycl. meth. VI, 1791, p. 6; Ent. III, 1795, no. 57, p. 6, t. 1, f. 6. — Panz. Ent. Germ. 1795, p. 184; Fn. Germ. 106, 1809, no. 8. — Schrank, Fn. Boica I, 1798, p. 566. — Payk. Fn. Suec. II, 1799, p. 125. — Walkenaer, Fn. Par. I, 1802, p. 147. — Latr. Hist. Nat. XI, 1804, p. 19; Gen. Crust. et Ins. II, 1810, p. 226; Règn. Anim. III, 1817, p. 307; ed. II, 1829, p. 42. — Gyllh. Ins. Suec. II, 1810, p. 624. — Cast. Hist. Nat. II, 1840, p. 246. — Küst. Käf. Eur. XVIII, 1849, no. 56.
Cryptocephalus (Cistela) sulphureus Gmel. Linn. Syst. Nat. I, 1788, p. 1714.
Crioceris sulphurea Marsh. Ent. Brit. I, 1802, p. 219.
Cteniopus sulphureus Redt. Fn. Austr. 1849, p. 603; p. 1858, p. 625; 1874, II, p. 133. — Bach, Käferf. III, 1856, p. 231. — Thoms. Skand.

Col. VI, 1864, p. 287. — Seidl. Fn. Balt. 1875, p. 367; 1891, p. 526; Fn. Transs. 1891, p. 566; Nat. Ins. Deutschl. V, 2, 1896, p. 210, 211. — Reitt. Wien. Ent. Zeit. IX, 1890, p. 257; Verh. Nat. Ver. Brünn XLV, 1906, p. 133.

Cteniopus sulfureus Muls. Col. Pect. 1856, p. 70.

Tenebrio lutea Fourc. Ent. Par. I, 1785, p. 159.

var. *altaicus* Reitt. Verh. Nat. Ver. Brünn XLV, 1906, p. 133.

♂ var. *analis* Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 212. — Reitt. l. c. p. 133.

♀ var. *gilvus* Seidl. l. c. — Reitt. l. c.

♂ var. *murinus* Herbst. Füssl. Arch. 1783, p. 64, t. 23, f. 29. — Seidl. l. c. p. 212. — Reitt. l. c. p. 133.

Cistela bicolor var. β Küst. Käf. Eur. XVIII, 1849, no. 57.

Cteniopus var. *bicolor* Seidl. Fn. Balt. 1875, p. 367; 1891, p. 526; Fn. Transs. 1891, p. 566.

? *Cistela varians* F. Ent. Syst. I, 2, 1792, p. 44.

? *Allecula varians* F. Syst. El. II, 1801, p. 22.

♂ var. *palpalis* Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 212. — Reitt. Verh. Nat. Ver. Brünn XLV, 1906, p. 133.

Cistela bicolor var. ♂ Er. Arch. Naturgesch. 1841, II, p. 180. — Seidl. Naturg. Ins. Deutschl. V, 2, 1896, p. 219.

Cistela bicolor Küst. Käf. Eur. XVIII, 1849, no. 57.

♂ var. *sulphuratus* Gmel. — Seidl. l. c. p. 212. — Reitt. l. c. p. 133.

Cistela no. 388 Zschach, Muls. Lesk. 1788, p. 17.

Cryptocephalus (Cistela) sulphuratus Gmel. Linn. Syst. Nat. IV, 1788, p. 1717.

? *Cistela murina* F. Ent. Syst. I, 2, 1792, p. 44; Syst. El. 1801, p. 19.

Cistela bicolor F. Ent. Syst. 1794, p. 447; Syst. El. II, 1801, p. 18. — Panz. Ent. Germ. 1795, p. 184; Fn. Germ. 34, 1796, no. 6. — Latr. Hist. Nat. XI, 1804, p. 19. — Er. Arch. Naturgesch. 1841, II, p. 180. — Seidl. l. c. p. 219.

Cistela bicolor var. α Küst. Käf. Eur. XVIII, 1849, no. 57.

Cistela sulphurea var. *bicolor* Ill. Mag. III, 1804, p. 161. — Panz. Ind. 1813, p. 134. — Gyll. Ins. Suec. II, 1810, p. 625. — Schmidt, Stett. Ent. Zeit. I, 1840, p. 132.

Cteniopus sulphureus var. *bicolor* Redt. Fn. Austr. 1849, p. 603; 1858, p. 625; 1874, II, p. 133.

Cteniopus sulfureus var. γ Muls. Pect. 1856, p. 70, 72.

Cteniopus flavus var. *bicolor* Reitt. Wien. Ent. Zeit. IX, 1890, p. 257.

Anatomie: Roger, Flügelgeäder d. Käfer 1875, p. 64.

frater Reitt. Wien. Ent. Zeit. XXII, 1903, p. 258; Verh. Nat. Ver. Brünn XLV, 1906, p. 135 (*Ctenioposomus.*) — Kleinasien

gibbosus Baudi, Deutsche Ent. Zeitschr. XXI, 1877, p. 394; Atti Ac. Tor. XII, 1877, p. 594. — Seidl. Nat. Ins. Deutschl. p. 210. — Reitt. Wien. Ent. Zeit. — Syrien

IX, 1890, p. 258; Verh. Nat. Ver. Brünn XLV, 1906, p. 136. (*Cteniopsomus.*)

gracillimus Fairm. Not. Leyd. Mus. X, 1888, p. 268. — Kongo

impressicollis Fairm. Ann. Soc. Ent. Belg. XXXVI, 1892, p. 152. — Reitt. Verh. Nat. Ver. Brünn XLV, 1906, p. 133. — Kleinasien, Syrien

var. ♂ *trifossus* Pic, Echange, XIX, 1903, p. 123. — Reitt. Wien. Ent. Zeit. XXII, 1903, p. 258. — Italien

intermedius Fairm. Bull. Soc. Ent. Fr. 1895, p. 110. — Reitt. Verh. Nat. Ver. Brünn XLV, 1906, p. 135. (*Rhinobarus.*) — Syrien

intrusus Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 210. — Cypern

pallidus Baudi (nec Küst.), Seidl. l. c.

melanocera Fairm. Not. Leyd. Mus. IV, 1882, p. 255. — Sumatra

neapolitanus Baudi, Deutsche Ent. Zeitschr. XXI, 1877, p. 393; Atti Ac. Tor. XII, 1877, p. 592. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 209. — Reitt. Wien. Ent. Zeit. IX, 1890, p. 258; Verh. Nat. Ver. Brünn XLV, 1906, p. 134. — Italien

var. *trifossus* Pic, Echange XIX, 1903, p. 123. — Reitt. l. c. p. 134.

nigrifrons Fairm. Bull. Soc. Ent. Fr. 1895, p. 111. — Reitt. l. c. p. 134. — Hochsyrien

pallidus Küst. Käf. Eur. XX, 1850, p. 82. — Muls. Opusc. VII, 1856, p. 33. — Seidl. l. c. p. 209. — Reitt. l. c. p. 135. — Mesopotamien

intrusus Seidl. Reitt. l. c. p. 135.

persimilis Reitt. Wien. Ent. Zeit. XI, 1892, p. 258; Verh. Nat. Ver. Brünn XLV, 1906, p. 134. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 209. — Araxestal, Ordubad

punctatissimus Baudi, Deutsche Ent. Zeitschr. XXI, 1877, p. 395; Atti Ac. Tor. XII, 1877, p. 595. — Seidl. l. c. p. 211. — Reitt. Wien. Ent. Zeit. IX, 1890, p. 258; Verh. Nat. Ver. Brünn XLV, 1906, p. 132. (*Rhinobarus.*) — Griechenland

graecus Heyd. Deutsche Ent. Zeitschr. XXVII, 1883, p. 312. — Reitt. Wien. Ent. Zeit. IV, 1885, p. 273; Verh. Nat. Ver. Brünn XLV, 1906, p. 132. (*Rhinobarus.*) — Seidl. l. c. p. 211. — „

pygialis Fairm. Not. Leyd. Mus. IV, 1882, p. 255. — Sumatra

sulphuripes Germ. Ins. Spec. nov. 1824, p. 162. ♂. — Charp. Hor. ent. 1825, p. 221. — Küst. Käf. Eur. XX, 1850, no. 74. — Ungarn, Tirol, Wien, Mähren, Schlesien, Süd-Russland, Griechenland

♀ *Cistela collaris* Küst. Käf. Eur. XX, 1850, no. 75.

Cistela sulfuripes Redtb. Quaed. gen. et spec. Col. 1842, p. 18.

Cteniopus sulphuripes Redtb. Fn. Austr. 1849, p. 603; 1858, p. 625; 1874, II, p. 133. — Bach, Käferf. III, 1856, p. 232. — Muls. Opusc. VII, 1856, p. 34. — Baudi, Col. Eterom. 1877, p. 27. — Seidl. Fn. Balt. 1891, p. 527; Fn. Transs. 1891, p. 566; Nat. Ins. Deutschl. V, 2, 1896, p. 210, 221. — Reitt. Übers. 1890, p. 258; Verh. Nat. Ver. Brünn XLV, 1906, p. 132. (*Rhinobarus.*)

tokatensis Pic, Echange XX, 1904, p. 26. — Tokat

Gastrhaema Duv.

Jacq. du Val, Gen. Col. Eur. III, 1859—1863, p. 353. — Fairm. Ann. Soc. Ent. Fr. (4) VI, 1866, p. 48. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 226. — Reitt. Deutsche Ent. Zeitschr. 1890, p. 33; Verh. Nat. Ver. Brünn XLV, 1909, p. 118, 136. — Bedel, Abeille XXVIII, 1894, p. 157.

abdominalis F. Cast. Hist. Nat. II, 1840, p. 247. — Küst. Käf. Eur. XX, 1850, no. 68. — Muls. Op. VII, 1856, p. 39. — Fairm. Ann. Soc. Ent. Fr. (4) VI, 1866, p. 49. — Seidl. l. c. p. 227. — Reitt. Deutsche Ent. Zeitschr. 1890, p. 35; Verh. Nat. Ver. Brünn XLV, 1906, p. 137. — Bedel, Ab. 1894, p. 160, 164. — Spanien, Marocco

haemorrhoidalis Fairm. Ann. Soc. Ent. Fr. (4) VI, 1866, p. 50. — Reitt. Deutsche Ent. Zeitschr. 1890, p. 35; Verh. Nat. Ver. Brünn XLV, 1906, p. 137. — Bedel, Ab. XXVIII, 1894, p. 160, 164. — Seidl. l. c. p. 227. — Algier

Martinii Bedel, l. c. p. 160, 164. — Seidl. l. c. p. 227. — Reitt. Nat. Ver. Brünn XLV, 1906, p. 137. — Algier, Tunis

nigripennis F. Ent. Syst. I, 2, 1792, p. 44; Syst. El. II, 1801, p. 18. — Luc. Expl. Alg. 1849, p. 359, t. 31, f. 11. — Muls. Pect. 1856, p. 74; Op. VII, 1856, p. 37. — Fairm. Ann. Soc. Ent. Fr. (6) VI, 1866, p. 48. — Kirsch, Berl. Ent. Zeitschr. XIII, 1869, p. 98. — Reitt. Deutsche Ent. Zeitschr. 1890, p. 34; Verh. Nat. Ver. Brünn XLV, 1906, p. 136. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 227. — Bedel, Ab. XXVIII, 1894, p. 159, 163. — „

crassicornis Desbr. Bull. Ac. Hipp. 1881, p. 135. — Reitt. l. c. p. 136. — „

erythrogaster Kirsch, Seidl. l. c. p. 227. — Bedel, l. c. p. 161, 163. — „

var. *discipennis* Reitt. Verh. Nat. Ver. Brünn XLV, 1906, p. 136. — „

var. *erythrocephalus* Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 248. — Luc. Expl. Alg. 1849, p. 359, t. 31, f. 12. — Bedel, l. c. — Reitt. l. c. p. 136. — „

var. *nigrocephala* Reitt. l. c. p. 137. — „

var. *subrubica* Reitt. l. c. p. 137. — „

crassicornis Seidl. non Desbr., Reitt. l. c. — Bedel, Ab. XXVIII, 1894, p. 159, 163. — „

ovalis Cast. Hist. Nat. II, 1840, p. 247. — Muls. Opusc. VII, 1856, p. 40. — Fairm. Ann. Soc. Ent. Fr. (6) VI, 1866, p. 49. — Kirsch, Berl. Ent. Zeitschr. XIII, 1869, p. 97. — Reitt. Deutsche Ent. Zeitschr. 1890, p. 45; Verh. Nat. Ver. Brünn XLV, 1906, p. 137. — Bedel, Ab. XXVIII, 1894, p. 160, 164. — Seidl. l. c. p. 227. — „

rufiventris Waltl, Reise Span. II, 1835, p. 75. — Küst. Käf. Eur. XX, 1850, no. 67. — Muls. Opusc. VII, 1856, p. 42. — Jacq. du Val, Gen. Col. Eur. III, 1859—1863, t. 82, f. 408. — Fairm. Ann. Soc. Ent. Fr. (6) VI, 1866, p. 48. — Reitt. Deutsche Ent. Zeitschr. 1890, p. 35; Verh. Nat. Ver. Brünn XLV, 1906, p. 137. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 227. — Bedel, Ab. XXVIII, 1894, p. 160, 164. — Andalusien, Marocco

Gharlensis Théry 1933 Bull Soc. Sci Nat. Maroc. p. 133. f. 6. (1), 7.

Lingitana Théry l.c. 135. f. 8 (4), 9.

H. Powelli Thév. 1933. Bull. Soc. Sci nat Maroc. 13. f. 16. E. Maroc.

H. griseolineatus Escal. Bol. Soc. Españ. 11. 1911. p. 303 Marocco.
barbii Escal. l. c. 304 "
nagelpunctatus Escal. Trab. Mus. Madrid. 8. 1913. p. 58 "
turicus Escal. " 52 "
aestivalis Escal. l. c. 11. 1914. p 363 "

gestroi Peyer. Bull. S. E. Fr. 1918 (1919) p. 257 Algeria.
theryi Escal. Bol. R. Soc. esp. Hist. nat. 26. 1926. p. 184 Morocco.

var. *anceps* Muls. Pect. 1856, p. 41; Opusc. VII, 1856, p. 41. — Kirsch, Berl. Ent. Zeitschr. XIII, 1869, p. 127. — Reitt. l. c. p. 35; l. c. p. 137. — Seidl. l. c. p. 227. — Bedel, l. c.

6

Heliostrhaema Reitt.

Reitt. Deutsche Ent. Zeitschr. 1890, p. 34; Verh. Nat. Ver. Brünn XLV, 1906, p. 117, 138. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 223.

griseolineatus Reitt. l. c. p. 36; l. c. p. 138. — Seidl. l. c. p. 224. — Bedel, Ab. XXVIII, 1894, p. 159, 163. — Marocco

Rolphi Fairm. Ann. Soc. Ent. Fr. (6) VII, 1867, p. 408. — Reitt. Deutsche Ent. Zeitschr. 1890, p. 36; Verh. Nat. Ver. Brünn XLV, 1906, p. 138. — Seidl. l. c. p. 224. — Bedel, l. c. p. 159, 163. — „

2

Heliotaurus Muls.

Muls. Col. Fr. Pectin. 1856, p. 73. — Lacord. Gen. Col. V, 1859, p. 511; Opusc. VII, 1859, p. 37—59. — Jacq. du Val, Gen. Col. Eur. III, 1863, p. 352. — Kirsch, Berl. Ent. Zeitschr. XIII, 1869, p. 36 (Revision). — Reitt. Deutsche Ent. Zeitschr. 1890, p. 34, 36; Verh. Nat. Ver. Brünn XLV, 1906, p. 118, 138 (Bestimmungstabelle). — Bedel, Ab. XXVIII, 1894, p. 157—174. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 224.

Subg. *Julogenius* Reitt. Verh. Nat. Ver. Brünn XLV, 1906, p. 138.
Subg. *Pleuromophlus* Reitt. l. c. p. 138, 146.

analis Desbr. Bull. Ac. Hipp. 1881, p. 137. — Reitt. Deutsche Ent. Zeitschr. 1890, p. 37; Verh. Nat. Ver. Brünn XLV, 1906, p. 146. — Bedel, Ab. XXVIII, 1894, p. 162, 170. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 231. — Algier
tuniseus Baudi, Deutsche Ent. Zeitschr. XXI, 1877, p. 404; Col. Eterom. 1877, p. 38.

angusticollis Muls. Pect. 1856, p. 49; Opusc. VII, 1856, p. 48. — Fairm. Ann. Soc. Ent. Fr. (6) VI, 1866, p. 53. — Kirsch, Berl. Ent. Zeitschr. XIII, 1869, p. 97. — Reitt. Deutsche Ent. Zeitschr. 1890, p. 38; Verh. Nat. Ver. Brünn XLV, 1906, p. 144. — Bedel, l. c. p. 162, 170. — Seidl. l. c. p. 230. — Aegypten
Oberthüri Reitt. Deutsche Ent. Zeitschr. 1890, p. 38. — Seidl. l. c. p. 230. — Reitt. Verh. Nat. Ver. Brünn XLV, 1906, p. 144. — Bedel, l. c. p. 170.

Baudueri Baudi, Deutsche Ent. Zeitschr. XXI, 1877, p. 401; Atti Ac. Tor. XII, 1877, p. 606. — Reitt. Deutsche Ent. Zeitschr. 1890, p. 41; Verh. Nat. Ver. Brünn XLV, 1906, p. 247. (*Pleuromophlus.*) — Seidl. l. c. p. 242. — Syrien

Brisouti Bedel, Ann. Mus. Genova XXX, 1891, p. 794; Abeille XXVIII, 1894, p. 161, 166. — Reitt. Best. 1906, p. 144. — Seidl. l. p. c. 231. — Algier

chalybaeus Kirsch, Rev. 1869, p. 97, 103. — Reitt. Deutsche Ent. Zeitschr. 1890, p. 38; Best. 1906, p. 144. — Seidl. l. c. p. 230. — Aegypten

Chobauti Bedel, Ab. XXVIII, 1894, p. 161, 169. — Seidl. l. c. p. 231. — Reitt. Best. p. 144. — Nord-Afrika

coeruleus F. Mant. Ins. I, 1787, p. 85. — Coquebert, Ill. 1814, p. 127, t. 29, f. 2. — Muls. Opusc. VII, 1856, p. 43. — Fairm. Ann. Soc. Ent. Fr. (6) VI, 1866, p. 53 (153). — Kirsch, Rev. p. 97. — Reitt. Deutsche Ent. Zeitschr. 1890, p. 39; Best. 1906, p. 145. — Bedel, Ab. XXVIII, 1894, p. 162, 171. — Seidl. l. c. p. 231. „

coerulescens Ol. Ent. III, 1795, p. 54, p. 12. t. 17, f. 18a, b. — Bedel, l. c.

confusus Reitt. Deutsche Ent. Zeitschr. 1890, p. 40; Best. p. 145. — Bedel, Ab. XXVIII, 1894, p. 163, 171. — Seidl. l. c. p. 232. — Algier

corallinus Reitt. l. c. p. 51; l. c. p. 141. — Bedel l. c. p. 168. — Seidl. l. c. p. 229. — Tripolis

crassidactylus Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 228. — Reitt. Best. p. 140. — Spanien, Portugal

var. *stenodactylus* Reitt. Best. 140. — SierraLorenzo

distinctus Cast. Hist. Nat. II, 1840, p. 246. — Muls. Col. Fr. Pect. 1856, p. 74; Opusc. VII, 1856, p. 45. — Jacq. du Val, Gen. Col. Eur. III, t. 82, f. 407 ♂. — Fairm. Ann. Soc. Ent. Fr. (6) VI, 1866, p. 52. — Kirsch, Rev. 1869, p. 98. — Reitt. Deutsche Ent. Zeitschr. 1890, p. 37; Best. 1906, p. 141. — Bedel, Ab. 1894, p. 161, 167. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 229. — Pic, Bull. Soc. Ent. Fr. 1906, p. 186. — Algier

variiventris Desbr. Bull. Ac. Hipp. 1881, p. 136. — Bedel, l. c. p. 167. — Seidl. l. c. — Reitt. Best. p. 142.

var. *kabylianus* Pic, Misc. Ent. IV, 1896, p. 93; Bull. Soc. Ent. Fr. 1906, p. 187. — Reitt. Best. 1906, p. 142.

var. *Perroudi* Muls. Pect. 1856, p. 45; Opusc. VII, 1856, p. 45. — Fairm. Ann. Soc. Ent. Fr. (6) VI, 1866, p. 52. — Bedel, Ab. XXVIII, 1894, p. 161, 167. — Reitt. Best. p. 142. „

var. *plenifrons* Fairm. Ann. Soc. Ent. Fr. (6) VI, 1866, p. 51. — Desbr. Bull. Ac. Hipp. 1881, p. 91. — Reitt. Deutsche Ent. Zeitschr. 1890, p. 36; Best. p. 141. — Seidl. l. c. p. 229. — Bedel, Ab. 1894, p. 161, 167. — Pic, Bull. Soc. Ent. Fr. 1906, p. 187.

Doriae Bedel, Ann. Mus. Genova (2) X, 1891, p. 795; Ab. XXVIII, 1894, p. 161, 168. — Seidl. Nat. 1896, p. 231. — Reitt. Best. 1906, p. 144. — Tunis

erythrogaster Luc. Expl. Alg. 1849, p. 358, t. 31, f. 10. — Muls. Pect. 1856, p. 42; Opusc. VII, 1856, p. 42. — Kirsch, Rev. 1869, p. 98. — Reitt. Deutsche Ent. Zeitschr. 1890, p. 37; Best. p. 146. — Bedel, Ab. XXVIII, 1894, p. 161, 166. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 232. — Algier

nigripennis Kirsch, l. c. — Bedel, Ab. XXVIII, 1894, p. 166. — Reitt. Deutsche Ent. Zeitschr. 1890, p. 37; Best. 1906, p. 146.

testaceus Cast. Hist. Nat. II, 1840, p. 246. — Fairm. Ann. Soc. Ent. Fr. (6) VI, 1866, p. 50.

— Bedel, l. c. p. 166. — Reitt. Best. p. 146. — Seidl. l. c. p. 232.

forficula Seidl. l. c. p. 242, 263 (*Odontomophlus*). — Reitt. Best. p. 147 (*Pleuromophlus*). — Kleinasien, Syrien

gastrhaemoides Reitt. Deutsche Ent. Zeitschr. 1890, p. 52; Best. p. 146. — Bedel, Ab. XXVIII, 1894, p. 162, 165. — Seidl. l. c. p. 232. — Marocco

Goedeli Reitt. Deutsche Ent. Zeitschr. 1890, p. 38; Best. p. 144. — Bedel, Ab. XXVIII, 1894, p. 170. — Seidl. l. c. p. 230. — Syrien

gracilior Fairm. Ann. Soc. Ent. Fr. (6) X, 1870, p. 394. — Algier, Géryville

longipilus Fairm. Ann. Soc. Ent. Fr. (6) VI, 1866, p. 54. — Reitt. Deutsche Ent. Zeitschr. 1890, p. 40; Best. p. 139 (*Julogenius*). — Bedel, Ab. XXVIII, 1894, p. 172. — Seidl. Nat. p. 232. — Algier, Oran

maroccanus Luc. Expl. Alg. 1849, p. 357. — Muls. Opusc. 1856, p. 52. — Kirsch, Rev. 1869, p. 127. — Reitt. Deutsche Ent. Zeitschr. 1890, p. 37; Best. p. 144. — Bedel, Ab. XXVIII, 1894, p. 161, 168. — Seidl. Nat. p. 230. — Marocco

janthinus Raffr. Rev. Mag. Zool. 1873, p. 378. — Pic, Bull. Soc. Ent. Fr. 1897, p. 297. — Reitt. Best. p. 144.

menticornis Reitt. Berl. Ent. Zeitschr. 1872, p. 172; Deutsche Ent. Zeitschr. 1890, p. 40; Best. p. 145. — Bedel, Ab. XXVIII, 1894, p. 163, 171. — Seidl. l. c. p. 232. — Desbr. Bull. Ac. Hipp. 1881, p. 91. — Oran

anthracinus Fairm. Ann. Mus. Genova VII, 1875, p. 530 (58), nota. — Bedel, Ab. XXVIII, 1894, p. 163, 171. — Reitt. Best. p. 145. — Seidl. l. c. p. 232.

var. *ciliatus* Reitt. Deutsche Ent. Zeitschr. 1890, p. 37; Best. p. 145. — Seidl. Nat. p. 232.

parvicollis Reitt. l. c. p. 52; l. c. p. 144. — Bedel, Ab. XXVIII, 1894, p. 162, 172. — Seidl. l. c. p. 231. — Marocco

productus Rosh. Thier. And. 1856, p. 220. — Kirsch, Rev. p. 102. — Reitt. Deutsche Ent. Zeitschr. 1890, p. 39; Best. p. 143. — Bedel, l. c. p. 160. — Seidl. Nat. 1896, p. 228. — „

Quedenfeldti Reitt. Deutsche Ent. Zeitschr. 1890, p. 52; Best. 1906, p. 139 (*Julogenius*). — Bedel, Ab. XXVIII, 1894, p. 159, 165. — Seidl. l. c. p. 227. — „

Reichei Muls. Pect. 1856, p. 50; Opusc. VII, 1856, p. 50. — Kirsch, Rev. 1869, p. 97. — Reitt. Deutsche Ent. Zeitschr. 1890, p. 38; Best. 1906, p. 139 (*Julogenius*). — Bedel, l. c. p. 162, 172. — Seidl. l. c. p. 230. — Algier

Grilati Muls. et Godart, Ann. Soc. Linn. Lyon XXII, 1875, p. 255. — Reitt. Deutsche Ent. Zeitschr. 1890, p. 38; Best. 1906, p. 139. — Seidl. Nat. 1896, p. 230. — „

oranensis Reitt. l. c. p. 38; l. c. p. 139. — Seidl. l. c. p. 230.

ruficollis F. Spec. Ins. I, 1781, p. 147. — Oliv. Ent. III, 1795, 54, p. 6, t. 1, f. 5a. — Küst. Käf. Eur. XII, 1848, no. 81. — Muls. Opusc. VII, 1856, p. 47. — Fairm. Ann. Soc. Ent. Fr. (4) VI, — Spanien

v. ~ jerianus Escal.

1866, p. 51. — Desbr. Bull. Ac. Hipp. 1881, p. 89. — Kirsch, Rev. 1869, p. 98. — Reitt. Deutsche Ent. Zeitschr. 1890, p. 36; Best. 1906, p. 142. — Seidl. l. c. p. 230.

var. *incertus* Muls. Opusc. VII, 1856, p. 48. — Reitt. Deutsche Ent. Zeitschr. 1890, p. 38; Best. 1906, p. 142. — Bedel, l. c. p. 160, 167. — Seidl. l. c. p. 229.

var. *punctatosulcatus* Fairm. Ann. Soc. Ent. Fr. (5) IX, 1879, p. 242. — Reitt. Best. 1906, p. 142. — Bedel, l. c. — Seidl. l. c. p. 229.

maculicornis Desbr. Bull. Ac. Hipp. 1881, p. 90. — Reitt. Best. 1906, p. 142. — Seidl. l. c. p. 229. — Portugal

rufithorax Reitt. l. c. p. 36; l. c. p. 139. — Bedel, Ab. XXVIII, 1894, p. 161, 168. — Seidl. Nat. 1896, p. 228. — Andalusien, Marocco

sanguinicollis Reitt. Best. 1906, p. 143. — Spanien

var. *nigricollis* Reitt. l. c. — „

var. *rubronotatus* Fuente, Bol. Soc. Esp. VII, 1907, p. 319. — „

Seidlitzi Reitt. Best. 1906, p. 141. — Pic, Bull. Soc. Ent. Fr. 1906, p. 186. — Algier, Sicilien

subpilosus Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 232, 305. — Reitt. Best. 1906, p. 143. — Tunis

tenuipes Seidl. l. c. p. 229. — Reitt. l. c. p. 140. — Pic, Bull. Soc. Ent. Fr. 1897, p. 297. — Andalusien

Tournieri Pic, Echange XII, 1896, p. 61; Bull. Soc. Ent. Fr. 1897, p. 297. — Seidl. Nat. 1896, p. 228. — Reitt. Best. 1906, p. 140 (= *crassidactylus* Seidl.). — Tanger

tuniseus Fairm. Ann. Mus. Genova VII, 1875, p. 529 (57). — Reitt. Deutsche Ent. Zeitschr. 1890, p. 40; Best. 1906, p. 146. — Bedel, Ab. XXVIII, 1894, p. 163, 172. — Seidl. Nat. 1896, p. 232. — Tunis

32

Heliomophlus Reitt.

Reitt. Bestimmungstab. 1906, p. 118, 147.

dasytoides Fairm. Ann. Soc. Ent. Fr. (4) X, 1870, p. 395. — Reitt. Deutsche Ent. Zeitschr. 1890, p. 43; Verh. Nat. Ver. Brünn XLV, 1906, p. 147. — Bedel, Ab. XXVIII, 1894, p. 173. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 246. — Algier

scabriusculus Fairm. Ann. Soc. Ent. Fr. (4) VI, 1866, p. 54. — Reitt. Deutsche Ent. Zeitschr. 1890, p. 39; Best. 1906, p. 147. — Bedel, Ab. XXVIII, 1894, p. 159, 172. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 246. — „

gracilior Fairm. Ann. Soc. Ent. Fr. (4) X, 1870, p. 394. — Reitt. Best. 1906, p. 147. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 246.

Kirschi Reitt. Deutsche Ent. Zeitschr. 1890, p. 43; Best. 1906, p. 147. — Bedel, Ab. XXVIII, 1894, p. 173. — Seidl. l. c. p. 246.

2

O. nigricolor Reitt. Ent Blätt. 9. 1913. h 290. Persia

O. (Odontom.) glamocensis Obenb. Arch Nat. 82 A 4. 1922 h. 39 Bosnia

O. (Om.) candiota Obenb. Candia

Omophlus Sol.

Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 246. — Curtis, Brit. Ent. XIII, 1836, fasc. 622. — Muls. Col. Fr. Pectin. 1856, p. 74; Opusc. VII, 1856, p. 17. — Lacord. Gen. Col. V, 1859, p. 511. — Jacq. du Val, Gen. Col. Eur. III, 1863, p. 354 (ex parte). — Kirsch, Berl. Ent. Zeitschr. XIII, 1869, p. 97. — Marseul, Ab. VII, 1870, p. 43. — Reitt. Deutsche Ent. Zeitschr. 1890, p. 33; Bestimmungstabelle [Verh. Nat. Ver. Brünn XLIV 1905 (1906)] p. 147. — Bedel, Ab. XXVIII, 1894, p. 158. — Seidl. Naturg. Ins. Deutschl. V, 2, 1896, p. 233—291.

Subg. *Odontomophlus* Seidl. l. c. p. 240. — Reitt. Best. 1906, p. 147.

Anatomie: Stein, Vergl. Anat. u. Phys. d. Ins. 1847, t. 6, f. 12.

Biologie: Seidl. l. c. p. 237.

Agrapha Reitt. Deutsche Ent. Zeitschr. 1890, p. 42; Best. 1906, p. 169. — Seidl. Nat. 1896, p. 260.	Griechenland, Araxestal
anatolicus Reitt. Best. 1906, p. 155 (*Odontomophlus*).	Kleinasien
atticus Reitt. l. c. p. 153 (*Odontomophlus*).	Attica, Euboea
basicornis Reitt. Deutsche Ent. Zeitschr. 1890, p. 48. — Seidl. Nat. p. 247 (*Odontomophlus*).	Syrien
? **Betulae** Herbst, Füssl. Arch. 1783, p. 65, t. 23, f. 31. — Küst. Käf. Eur. XX, 1850, no. 63.	Deutschland
Bodemeyeri Reitt. Best. 1906, p. 154 (*Odontomophlus*).	Kleinasien
Brullei Kirsch, Rev. 1869, p. 100, 109. — Reitt. Best. 1906, p. 162. — Seidl. Nat. 1896, p. 258.	Griechenland
hirtellus Kirsch, Rev. 1869, p. 100, 111. — Reitt. l. c.; Seidl. l. c.	
caucasicus Kirsch, Rev. 1869, p. 102, 123. — Reitt. Deutsche Ent. Zeitschr. 1890, p. 50; Best. 1906, p. 159. — Seidl. Nat. 1896, p. 255.	Kaukasus, Russ. Armenien,
? *dilatatus* Falderm. Fn. ent. Transcauc. II, 1837, p. 99. — Seidl. Nat. p. 255.	Transcaspien
compressus Seidl. l. c. p. 245, 263. — Reitt. Best. p. 151 (*Odontomophlus*).	Griechenland
conicicollis Reitt. l. c. p. 163, nota.	Persien
coriaceus Seidl. Nat. p. 254, 264. — Reitt. Best. p. 158.	Kaspisch. Meer
cribricollis Fairm. Ann. Soc. Ent. Belg. XXXVI, 1892, p. 153. — Reitt. Best. p. 170.	Syrien
crinifer Seidl. Nat. p. 243, 263. — Reitt. Best. p. 149. (*Odontomophlus*).	Central-Asien
curtellus Seidl. l. c. p. 261, 265. — Reitt. l. c. p. 170.	Syrien
curtulus Reitt. Deutsche Ent. Zeitschr. 1890, p. 42; Best. p. 170. — Seidl. l. c. p. 262.	Kaukasus, Armenisches Gebirge
curtus Küst. Käf. Eur. XX, 1850, no. 60. — Kirsch, Rev. p. 100, 113. — Reitt. Deutsche Ent. Zeitschr. 1890, p. 42; Best. p. 170. — Seidl. l. c. p. 261.	Türkei, Griechenland
densepunctatus Fairm. Ann. Soc. Ent. Belg. XXXVI, 1892, p. 153. — Reitt. Best. p. 168.	Syrien
deserticola Kirsch, Rev. p. 102, 125. — Reitt. Deutsche Ent. Zeitschr. 1890, p. 51; Best. p. 162. — Seidl. Nat. p. 257.	Kirgisensteppe, Orenburg
dilatatus Fald. Fn. ent. Transcauc. II, 1837, p. 99. — Reitt. Best. 159.	Armenien, Angora
pallitarsis Reitt. Deutsche Ent. Zeitschr. 1890, p. 50; Best. p. 159. — Seidl. l. c. p. 255.	

dispar Costa, Ann. Acc. Aspir. 1847, p. 154 (Separat. p. 72). — Kiesw. Berl. Ent. Zeitschr. V, 1861, p. 240. — Kirsch, Rev. p. 101, 116. — Reitt. Deutsche Ent. Zeitschr. 1890, p. 47; Best. p. 153. — Seidl. l. c. p. 248 (*Odontomophlus*). — Italien

dubitatus Reitt. Best. p. 164. — Russ. Armenien

Emgei Reitt. Wien. Ent. Zeit. X, 1891, p. 199; Best. p. 149. — Seidl. l. c. p. 244 (*Odontomophlus*). — Solonica

excavatus Seidl. Nat. p. 260, 265. — Reitt. Best. p. 168. — Persien

fallaciosus Rottb. Berl. Ent. Zeitschr. XIV, 1870, p. 258. — Reitt. Deutsche Ent. Zeitschr. 1890, p. 49; Best. p. 156. — Seidl. l. c. p. 250. — Ragusa, Bull. Soc. Ent. Ital. V, 1873, p. 236; Rottb. Berl. Ent. Zeitschr. XVIII, 1874, p. 331 (*Odontomophlus*). — Sicilien

falsarius Kirsch, Rev. p. 100, 109. — Reitt. Deutsche Ent. Zeitschr. 1890, p. 45; Best. p. 156. — Seidl. l. c. p. 249 (*Odontomophlus*). — Syrien

flavipennis Küst. Käf. Eur. XIX, 1850, no. 57. — Kirsch, Rev. p. 101, 118. — Reitt. Deutsche Ent. Zeitschr. 1890, p. 48; Best. p. 153. — Seidl. Nat. p. 247 (*Odontomophlus*). — Volhynien

atripes Küst. Käf. Eur. XX, 1850, no. 61. — Kirsch, Rev. p. 118.

basicormis Reitt. Deutsche Ent. Zeitschr. 1890, p. 48; Best. p. 153. — Seidl. l. c. p. 247. — Syrien

dalmatinus Kirsch, l. c. p. 116. — Reitt. Best. p. 153. — Seidl. l. c. p. 247.

quadricollis Brullé, Exp. Mor. III, 1832, p. 224, t. 41, f. 1. — Cast. Hist. Nat. II, 1840, p. 246. — Kiesw. Berl. Ent. Zeitschr. V, 1861, p. 240. — Kirsch, Rev. p. 118. — Reitt. Deutsche Ent. Zeitschr. 1890, p. 44. — Griechenland

Biologie: Sugurow, Obšč. selísk. choz. Juzw. Ross. 1905, p. 87—94.

foveicollis Fairm. Ann. Soc. Ent. Belg. XXXVI, 1892, p. 153. — Reitt. Best. p. 157 (*Odontomophlus*). — Syrien

furca Seidl. Nat. p. 245, 264. — Reitt. Best. p. 151 (*Odontomophlus*). — „

furcula Seidl. l. c. p. 245, 264. — Reitt. Best. p. 151 (*Odontomophlus*). — Kleinasien

Ganglbaueri Reitt. Deutsche Ent. Zeitschr. 1890, p. 51; Best. p. 163. — Seidl. l. c. p. 259. — Persien

gracilipes Kirsch, Rev. p. 100, 108. — Reitt. Deutsche Ent. Zeitschr. 1890, p. 44; Best. p. 165. — Seidl. Nat. p. 258. — Syrien, Palästina

hirsutus Seidl. l. c. p. 251, 264. — Reitt. Best. p. 158 (*Odontomophlus*). — Aintab

? *foveicollis* Fairm. s. ds.! — Reitt. Best. p. 157.

? *syriacus* Kirsch, s. ds.! — Seidl. Nat. p. 252.

? *terminatus* Fairm. s. ds.! — Reitt. Best. p. 157.

hirtipennis Seidl. l. c. p. 259, 265. — Reitt. Best. 161, 167. — Taurus

var. *politipennis* Reitt. Best. p. 161. — Hochsyrien

hirtus Seidl. Nat. p. 263, 265. — Reitt. Best. p. 171. — Kreta u. Sicilien

infirmus Kirsch, Rev. p. 101, 119. — Reitt. Deutsche Ent. Zeitschr. 1890, p. 48; Best. p. 150. — Seidl. l. c. p. 244 (*Odontomophlus*). — Griechenland, Kreta

irrasus Seidl. l. c. p. 260, 265. — Reitt. Best. p. 169. — Kleinasien

irregularis Reitt. Best. p. 170. — Hochsyrien

laciniatus Seidl. Nat. p. 244, 263. — Reitt. Best. p. 150 (*Odontomophlus*). — Kleinasien

laevigatus Seidl. l. c. p. 257, 265. — Armenien

latipleuris Reitt. Deutsche Ent. Zeitschr. 1890, p. 47; Best. p. 149. — Seidl. l. c. p. 243 (*Odontomophlus*). — Erzerum

lepidus Reitt. Best. p. 166. — Kleinasien

lepturoides F. Mant. Ins. I, 1787, p. 85. — Cast. Hist. Nat. II, 1840, p. 246. — ?Redtenb. Fauna Austr. 1849, p. 604 (pro parte); 1858, p. 626; 1874, II, p. 135. — Küst. Käf. Eur. XIX, 1849, no. 56. — Muls. Pect. 1856, p. 88. — Kirsch, Rev. 1869, p. 120. — Seidl. Fn. Balt. 1875, p. 367; 1891, p. 257; Fn. Transs. 1891, p. 567; Nat. p. 246, 266. — Reitt. Best. p. 151 (*Odontomophlus*). — Süd-Europa

Cistela lepheroides (Druckfehler!) F. Mant. Ins. I, 1787, p. 85. — Rossi, Fn. Etr. I, 1790, p. 103. — Oliv. Ent. III, 1795, no. 54, t. 1, f. 3; Enc. méth. VI, 1795, p. 5.

Cistela lepturoides F. Ent. Syst. I, 2, 1792, p. 43. — Syst. El. II, 1801, p. 17. — Hellw. Fn. Etr. Rossii I, 1795, p. 109. — Panz. Fn. Germ. V, 1793, no. 11; Ent. Germ. 1795, p. 184. — Latr. Hist. Nat. XI, 1804, p. 19. — Brullé, Exp. Morée 1832, p. 224.

Chrysomela lepturoides Villers, Ent. Linn. IV, 1789, p. 263.

Omophlus Betulae Küst. Käf. Eur. XX, 1850, no. 63. — Baudi, Deutsche Ent. Zeitschr. XXI, 1877, p. 398; Col. Eter. 1877, p. 44. — Reitt. Deutsche Ent. Zeitschr. 1890, p. 49 (pro parte).

Omophlus elongatus Küst. l. c. no. 59.

Omophlus alpinus Mill. Verh. zool.-bot. Ver. Wien I, 1851, p. 112.

Biologie: Xambeu, Moeurs et Métam. d'Ins. II, Rev. Lyon 1892, p. 35. — Seidl. l. c. p. 269. — Künstler, Verh. zool.-bot. Ges. Wien XVII, 1867, p. 928.

lividipes Muls. Pect. 1856, p. 87. — Seidl. l. c. p. 262, 288. — Reitt. Best. 1906, p. 171. — Süd-Europa

Amerinae var. *lividipes* Kirsch, Rev. 1869, p. 107. — Baudi, Col. Eter. 1877, p. 40.

picipes Redt. Faun. Austr. 1849, p. 604; 1858, p. 626; 1874, II, p. 135. — Küst. Käf. Eur. XX, 1850, no. 66. — Bach, Käferf. III, 1856, p. 233.

Amerinae var. *picipes* Reitt. Deutsche Ent. Zeitschr. 1890, p. 42.

longicornis Bertol. Verh. zool.-bot. Ges. Wien XVIII, 1868, p. 120. — Kirsch, Rev. 1869, p. 121. — Baudi, Col. Eter. 1877, p. 46. — Redt. Fn. Austr. 1874, II, p. 135. — Reitt. Deutsche Ent. Zeitschr. 1890, p. 50; Best. 1906, p. 160. — Seidl. Nat. 1896, p. 256, 278. — Süd-Tirol, Ungarn, Dalmatien

lucidus Kirsch, Rev. 1869, p. 102, 125. — Baudi, Deutsche Ent. Zeitschr. XXV, 1881, p. 294. — Reitt. Deutsche Ent. Zeitschr. 1890, p. 48; Best. p. 155. — Seidl. l. c. p. 250 (*Odontomophlus*). — Palästina, Syrien

luciolus Seidl. l. c. p. 250, 264. — Reitt. Best. p. 154 (*Odontomophlus*). — West-Kaukasus

marginatus Kirsch, Rev. p. 100, 110. — Baudi, Deutsche Ent. Zeitschr. XXI, 1877, p. 403. — Seidl. l. c. p. 200, 252. — Reitt. Deutsche Ent. Zeitschr. 1890, p. 43; Best. p. 157. — Kaukasus, Sibirien

arcuatus Reitt. Deutsche Ent. Zeitschr. 1890, p. 43. — Seidl. Nat. p. 200, 252.

melitensis Baudi, Deutsche Ent. Zeitschr. XXI, 1877, p. 400; Atti Ac. Tor. XII, 1877, p. 607. — Reitt. Best. p. 157. — Seidl. l. c. p. 249. — Malta

Championis Reitt. Wien. Ent. Zeit. X, 1891, p. 260; Deutsche Ent. Zeitschr. 1890, p. 46; Best. p. 157. — Seidl. l. c. p. 249 (*Odontomophlus*).

mitis Reitt. Best. p. 165. — Kaukasus, Samarkand

Nasreddini Reitt. Deutsche Ent. Zeitschr. 1890, p. 51; Best. p. 163. — Seidl. l. c. p. 257. — Persien

var. *conicicollis* Reitt. Best. p. 164. — Kurdistan

nigrinus Reitt. Deutsche Ent. Zeitschr. 1889, p. 257; l. c. 1890, p. 46; Best. p. 158. — Seidl. Nat. p. 252. — Sporaden

nigripes Küst. Käf. Eur. XX, 1850, no. 65. — Kirsch, Rev. p. 100, 114. — Reitt. Deutsche Ent. Zeitschr. 1890, p. 42; Best. p. 170. — Seidl. l. c. p. 261. — Mesopotamien, Klein-

nitidicollis Seidl. l. c. p. 261, 265. — Reitt. Best. p. 169. — Persien

obscurus Reitt. Deutsche Ent. Zeitschr. 1890, p. 46; Best. p. 152. — Seidl. Nat. p. 251 (*Odontomophlus*). — Araxestal

ochraceipennis Fald. Fn. transc. II, 1837, p. 100. — Kirsch, Rev. p. 124. — Reitt. Best. p. 148. — Seidl. l. c. p. 242 (*Odontomophlus*). — Türkei, Kaukasus, Russ.-Armenien

Küsteri Kirsch, Rev. p. 105 (♀). — Seidl. l. c. — Reitt. Best. p. 148.

tarsalis Kirsch, l. c. p. 115 (♂). — Seidl. l. c. — Reitt. l. c.

var. *latitarsis* Reitt. Deutsche Ent. Zeitschr. 1890, p. 41; Best. p. 148.

ocularis Kirsch, Rev. p. 128. — Reitt. Deutsche Ent. Zeitschr. 1890, p. 50; Best. p. 168. — Seidl. Nat. p. 259. — Jericho

orientalis Muls. Pect. 1856, p. 53; Opusc. VII, 1856, p. 53. — Kirsch, Rev. p. 102, 124. — Reitt. Deutsche Ent. Zeitschr. 1890, p. 51; Best. p. 162. — Seidl. l. c. p. 257. — S.-Russland, Lenkoran, Araxestal

picipes F. Ent. Syst. I, 2, 1792, p. 43. — Muls. Pect. 1856, p. 78. — Kiesw. Berl. Ent. Zeit. V, 1861, p. 239. — Kirsch, Rev. p. 97, 106. — Baudi, Deutsche Ent. Zeitschr. XXI, 1877, p. 403; Col. Eterom. 1877, p. 40. — Reitt. Deutsche Ent. Zeitschr. 1890, p. 42; Best. p. 171. — Seidl. l. c. p. 263, 289. — Süd-Europa

Cistela picipes F. Ent. Syst. I, 2, 1792, p. 43; Syst. El. II, 1801, p. 17. — Coqueb. Ill. Ent. III, 1804, p. 127, t. 29, f. 3.

Omophlus tibialis Costa, Ann. Acc. Aspir. Nat. (2) I, 1847, p. 156; Mem. Ent. 1847, p. 74.

Omophlus sericeicollis Küst. Käf. Eur. XX, 1850, no. 64.

pilicollis Ménétr. Cat. rais. 1832, p. 204. — Fald. Fn. transc. II, 1837, p. 101. — Kirsch, Rev. p. 110. — Reitt. Deutsche Ent. Zeitschr. 1890, p. 44; Best. p. 167. — Baudi, Deutsche Ent. Zeitschr. XXI, 1877, p. 398, 403. — Kaukasus, S.-Russland

subtilis Solsky-Erschoff, Reitt. Best. p. 167.

volgensis Kirsch, Rev. p. 100, 115. — Baudi, Deutsche Ent. Zeit. XXI, 1877, p. 399. — Reitt. Deutsche Ent. Zeitschr. 1890, p. 90; Best. p. 165.

var. *filitarsis* Reitt. Deutsche Ent. Zeitschr. 1890, p. 45; Best. p. 167. — Erzerum

var. *fortipes* Reitt. Best. p. 168. — Margelan

var. *longipilis* Reitt. l. c. — Alexandergeb. Samarkand

var. *Zolotarewi* Reitt. l. c. — Margelan, Samarkand etc.

pilifer Seidl. Nat. p. 249, 264 (*Odontomophlus*). — Amasia

propagatus Kirsch, Rev. 102, 123. — Baudi, Deutsche Ent. Zeitschr. XXI, 1877, p. 399. — Reitt. Deutsche Ent. Zeitschr. 1890, p. 44; Best. p. 165. — Seidl. l. c. p. 249 (*Odontomophlus*). — Cypern

Proteus Kirsch, Rev. 1869, p. 102, 123. — Baudi, Col. Eterom. 1877, p. 47. — Reitt. Deutsche Ent. Zeitschr. 1890, p. 50; Best. 1906, p. 160. — Seidl. l. c. p. 256, 274. — Südost-Europa, Kleinasien

Omophlus dilatatus var. *longicornis* Reitt. Deutsche Ent. Zeitschr. 1890, p. 50.

? *Omophlus lepturoides* Redt. Fn. Austr. 1849, p. 604; 1858, p. 626; 1874, II, p. 135.

var. *flavitarsis* Seidl. Nat. 1896, p. 274.

var. *Prometheus* Reitt. Best. p. 160. — Kleinasien

pruinosus Reitt. Deutsche Ent. Zeitschr. 1890, p. 45; Best. p. 159. — Seidl. l. c. p. 254. — Kaukasus

Reitteri König, Wien. Ent. Zeit. XXV, 1906, p. 25. — „

rufitarsis Leske, Reise Sachsen 1785, p. 15, t. A, f. 4. — Mittel-u. Süd-Europa

Omophlus Armeriae Curtis, Brit. Ent. XIII, 1836, fasc. 622, t. 622, f. 1—6.

Omophlus Amerinae Kirsch, Rev. 1869, p. 107. — Redtb. Fn. Austr. 1874, II, p. 134. — Seidl. Fn. Balt. 1875, p. 567; 1891, p. 527; Fn. Transs. 1891, p. 567. — Baudi, Col. Eterom. 1877, p. 40. — Reitt. Deutsche Ent. Zeitschr. 1890, p. 42.

Omophlus pinicola Redtb. l. c. 1849, p. 604; 1858, p. 626. — Küst. Käf. Eur. XIX, 1849, no. 59. — Bach, Käferf. III, 1856, p. 232.

Omophlus pubescens Muls. Pect. 1856, p. 84.

? *Cistela Betulae* Herbst, Arch. IV, 1783, p. 65. — Reitt. Deutsche Ent. Zeitschr. 1890, p. 49.

Omophlus betulae Bach, Käferf. III, 1856, p. 233.

Omophlus rufitarsis Leske, Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 262, 282. — Reitt. Best. 1906, p. 171.

var. *frigidus* Muls. Pect. 1856, p. 81. — Kirsch, Rev. 1869, p. 107. — Baudi, Col. Eterom. 1877, p. 40. — Reitt. Deutsche Ent. Zeitschr. 1890, p. 42; Best. p. 171. — Seidl. l. c. p. 283.

Biologie: Xambeu, Moeurs et Métam. d'Ins. II, Lyon Rev. Linn. 1894, p. 30. — Seidl. l. c. p. 237, 284.

rugipennis Seidl. Nat. Ins. Deutschl. p. 254, 265. — Reitt. Best. p. 158. — Kaukasus

pruinosus Reitt. Deutsche Ent. Zeitschr. 1890, p. 45 (ex p). — Seidl. l. c. p. 254.

rugosicollis Brullé, Exp. Mor. 1832, p. 225. — Cast. Hist. Nat. II, 1840, p. 246. — Kirsch, Rev. p. 122. — Redtenb. Fn. Austr. 1874, p. 135. — Baudi, Deutsche Ent. Zeitschr. 1877, p. 401; Col. Eterom. 1877, p. 46. — Reitt. Deutsche Ent. Zeitschr. 1890, p. 49; Best. p. 161. — Seidl. l. c. p. 256, 280. — Griechenland, Deutschland, Frankreich, Österreich, Ungarn, Italien

brevicollis Muls. Pect. 1856, p. 91. — Seidl. l. c. — Reitt. Best. p. 161.

rugicollis Küst. Käf. Eur. XIX, 1849, no. 60. — Seidl. l. c. — Reitt. l. c.

Biologie: Baudi, Col. Eterom. 1877, p. 47; Deutsche Ent. Zeitschr. XXI, 1877, p. 401.

Salbachi Reitt. Best. 1906, p. 163. — Hochsyrien

Sandneri Reitt. Best. 1906, p. 157 (*Odontomophlus.*) — Kleinasien, Kurdistan

scutellaris Muls. Pect. 1856, p. 56; Opusc. VII, 1856, p. 56. — Kirsch, Rev. p. 102, 126. — Deutsche Ent. Zeitschr. 1890, p. 51; Best. p. 168. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 253. — Aegypten

? tenellus Kirsch, Rev. 1869, p. 102, 126. — Reitt. Best. p. 166.

somcheticus Seidl. l. c. p. 257, 265. — Kaukassus

splendidus Bedel, Bull. Soc. Ent. Fr. 1905, p. 272. — Marocco

subalpinus Ménét. Cat. rais. 1832, p. 204. — Baudi, Deutsche Ent. Zeitschr. XXI, 1877, p. 402. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 260. — Reitt. Best. p. 169. — Süd-Russland, Kaukasus

subcostatus Reitt. Wien. Ent. Zeit. XXVII, 1908, p. 56. — Tokat

sulcipleuris Seidl. l. c. p. 244, 263. — Reitt. Best. p. 150. (*Odontomophlus.*) — Kreta

? = *infirmus* Kirsch, apud Reitt. l. c. p. 150.

syriacus Muls. Opusc. VII, 1856, p. 57. ♀. — Kirsch, Rev. p. 100, 113. — Baudi, Deutsche Ent. Zeitschr. XXI, 1877, p. 403. — Reitt. Deutsche Ent. Zeitschr. 1890, p. 43; Best. p. 157. — Seidl. l. c. p. 252 (*Odontomophlus*).

var. *varicolor* Kirsch, Rev. p. 100, 112. — Seidl. l. c. p. 251. — Reitt. Best. p. 157.

tachyschensis Reitt. Best. p. 160. — Kaspi-See

tenellus Kirsch, Rev. p. 102, 126. — Reitt. Deutsche Ent. Zeitschr. 1890, p. 45; Best. p. 166. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 259. — Aegypten

terminatus Fairm. Ann. Soc. Ent. Fr. (6) IV, 1884, p. 171. — Reitt. Deutsche Ent. Zeitschr. 1890, p. 46; Best. p. 157. — Seidl. l. c. p. 252 (*Odontomophlus*). — Hochsyrien, Akbes

? var. von *syriacus* Muls. ap. Seidl. l. c. p. 252.

tibialis Reitt. Deutsche Ent. Zeitschr. 1890, p. 46; Best. p. 152. — Seidl. l. c. p. 247 (*Odontomophlus*). — Syrien

tumidipes Reitt. (Kirsch?) Deutsche Ent. Zeitschr. 1890, p. 47; Best. 1906, p. 150. — Seidl. l. c. p. 244 (*Odontomophlus*). — Kaukasus

Falsomophlus Pic Ind. III. 1925. p. 11

niger Pic l. c. Himalaya.

N. atricornis Pic Mel. Hb. 1928. p. 31 Madag.

turanicus Reitt. Best. 1906, p. 167. — Transcaspien
turcicus Kirsch, Rev. 1869, p. 101, 117. — Seidl. l. c. p. 248. — Reitt. Best. 1906, p. 154 (*Odontomophlus*). — Türkei, Griechenland
flavipennis Reitt. ex p. ap. Seidl. l. c. p. 248.
foveola Seidl. l. c. p. 248, 264. — Reitt. Best. p. 154.

83

Nesotaurus Fairm.

Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 354.

dermestoides Fairm. Rev. d'Ent. XX, 1903, p. 193. — Madagascar
fuscimembris Fairm. Ann. Soc. Ent. Belg. XLI, 1897, p. 385. — „
sericans Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 355. — „

3

Diastanus Fairm.

Fairm. Ann. Soc. Ent. Fr. LXXI, 1902, p. 338.

nitidiventris Fairm. l. c. — Madagascar

1

Megischina Reitt.

Reitt. Verh. Nat. Ver. Brünn XLV, 1906 (Bestimmungstabelle), p. 118, 171.

Adaliae Reitt. Deutsche Ent. Zeitschr. 1890, p. 41; Best. 1906, p. 173. — Kleinasien
armillata Brullé, Exp. Mor. III, 1832, p. 225, t. 41, f. 2. — Küst. Käf. Eur. XX, 1850, no. 62. — Muls. Opusc. VII, 1856, p. 52. — Kiesw. Berl. Ent. Zeitschr. V, 1861, p. 239. — Kirsch, Rev. 1869, p. 97, 104. — Baudi, Deutsche Ent. Zeitschr. XXI, 1877, p. 401. — Reitt. Deutsche Ent. Zeitschr. 1890, p. 41; Best. p. 172. — Seidl. Nat. Ins. Deutschl. V, 2, 1896, p. 241. — Ungarn, Griechenland, Kleinasien, Italien
var. *epipleuralis* Seidl. l. c. p. 241. — Reitt. Best. p. 172. — Dalmatien, Italien
var. *interstialis* Reitt. Best. 172. — Dalmatien
var. *Merthae* Reitt. Deutsche Ent. Zeitschr. 1898, p. 349; Best. p. 172. — Banat
Rosinae Seidl. Nat. p. 241. — Reitt. Best. p. 173. — Spanien

3

Megischia Sol.

Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 247. — Reitt. Deutsche Ent. Zeitschr. 1890, p. 34, 40; Best. p. 118, 173. — Seidl. Nat. Ins. Deutschl. V, 2. 1896, p. 292.

curvimana Reitt. Deutsche Ent. Zeitschr. 1890, p. 40; Best. p. 173. — Seidl. l. c. p. 293. — Syrien, Cypern
curvipes Brullé, Exp. Mor. III, 1832, p. 226, t. 41, f. 3. — Cast. Hist. Nat. II, 1840, p. 527. — Küst. Käf. Eur. XIX, 1849, no. 58. — Jacq. du Val, Gen. Col. III, 1863, t. 82, f. 409 ♂. — Muls. Pectin. 1856, p. 75. — Kiesw. Berl. Ent. Zeitschr. V, 1861, p. 239. — Kirsch, Rev. 1869, p. 97, 105. — Westl. Mittelmeergebiet: Italien, Frankreich, Spanien

Baudi, Deutsche Ent. Zeitschr. XXI, 1877, p. 403. — Reitt. Deutsche Ent. Zeitschr. 1890, p. 40; Best. p. 173. — Seidl. l. c. p. 293.

var. *prosternalis* Reitt. l. c. 1890, p. 40; Best. p. 173. — Seidl. l. c. p. 293.

galbanata Kiesw. Berl. Ent. Zeitschr. V, 1861, p. 238. — Kirsch, Rev. 1869, p. 105. — Baudi, Deutsche Ent. Zeitschr. XXI, 1877, p. 403. — Reitt. Deutsche Ent. Zeitschr. 1890, p. 40; Best. p. 173. — Seidl. l. c. p. 293. — Dalmatien, Griechenland, Kleinasien

curvipes Reitt. Deutsche Ent. Zeitschr. 1890, p. 40; Best. p. 173. — Seidl. Nat. p. 293.

3

Tripolicryptus Strand 1929

Brachycryptus Quedenf. nec Thoms. 1873

Quedenf. Ent. Nachr. XVII, 1891, p. 129. — Bedel, Ab. XXVIII, 1894, p. 173.

tripolitanus Quedenf. l. c p. 130. — Bedel l. c. — Tripolis

1

1075

Atrichus Cart 4

Ercistela Cart. 17.

Borneocistela 33.

Falsomophlus Pic 64.

Falsopilonycha Pic 6.

Novaecula Jarrin. (Tenebr.)

Caulostena Jarrin. (Tenebr.)

Compsocula Jarrin (")

Cnecosochara Rtt. 51.

Idatuis Jarrin (Tenebr.)

Ragiallecula Pic 9.

Index.

Subfamiliae, Genera, Subgenera.

Aeanes Champ. 23
Aethyssius Pasc. 1
Alcmeonis Bates 2
Alethia Champ. 16
Allecula F. 9
Alleculinae 1
Alleculopsis Semen. 14
Alogista Fåhr. 6
Amaropsis Champ. 23
Amorphopoda Fåhr. 5
Anaxo Bates 2
Andrimus Casey 42
Androchirus Lec. 46
Anthracula Fairm. 16
Apalmia Fairm. 9
Apellatus Pasc. 4
Asticostena Fairm. 14
Atractus Lac. 1

Balassogloa Semen. 51
Barycistela Blackb. 17
Blepusa Westw. 6
Bolbostetha Fairm. 16
Borboresthes Fairm. 14
Brachycryptus Quedenf. 66
Brachycula Fairm. 14
Bratyna Westw. 5
Buxela Fairm. 19

Cacoplesia Fairm. 28
Capnochroa Lec. 36
Caristela Fairm. 15
Caulostena Fairm. 36
Charisius Champ. 16
Chromatia Lec. 36
Chromomaea Pasc. 3
Cistela F. 26, 28
Cistelampra Fairm. 26
Cistelina Seidl. 48
Cistelocaula Fairm. 36
Cisteloida Fairm. 23
Cistelomorpha Redtb. 42
Cistelopsis Fairm. 36
Copistethus Seidl. 28
Cteisa Sol. 46
Cteniopinus Seidl. 49
Ctenioposomus Reitt. 51
Cteniopus Sol. 51
Cteniopus Lec. 42
Cylindrothorus Sol. 44

Diastanus Fairm. 65
Dietopsis Sol. 9
Dimorphochilus Borchm. 4
Diopoenus Champ. 22
Dioxycula Fairm. 9

Ectatocera Fåhr. 6
Ectenostoma Fåhr. 6
Ernocharis Thoms. 37
Erxias Champ. 36
Eryx Steph. 24
Eubalia Cast. 15
Eucaliga Fairm. 46
Euomma Boh. 4

Gastrhaema Duv. 54
Gerandryus Rottb. 28
Gonodera Muls. 26

Heliomophlus Reitt. 58
Heliostrhaema Reitt. 55
Heliotaurus Muls. 55
Hemicistela Blackb. 17
Holdhausia Reitt. 48
Homoropsis Fairm. 36
Homotrysis Pasc. 18
Hybrenia Pasc. 18
Hymenalia Muls. 25
Hymenophorus Muls. 19
Hymenorus Muls. 19
Hypocistela Bates 50

Iophon Champ. 19
Ismarus Haag 2
Isomira Muls. 32
Julogenius Reitt. 55

Labetis Waterh. 43
Lepturidea Fauv. 3

Licymnius Bates 2
Lisa Haag 18
Lobopoda Sol. 6
Lystronychus Latr. 45

Mecocerus Sol. 44
Megischia Redtb. 47
Megischia Sol. 65
Megischina Reitt. 65
Menes Champ. 22
Menoeceus Champ. 22
Metistete Pasc. 3
Microcistela Pic. 31
Monoloba Sol. 6
Morocaula Fairm. 8
Mycetochara Berth. 37
Mycetochares Latr. 37
Mycetocharina Seidl. 14
Mycetocharis Gyllh. 37
Mycetocharus Steph. 37
Mycetophila Gyllh. 37

Narses Champ. 16
Neoatractus Borchm. 1
Neocistela Borchm. 17
Nesotaurus Fairm. 65
Netopha Fairm. 15
Nocar Blackb. 17
Nypsius Champ. 19

Odontomophlus Seidl. 59
Omedes Broun 5
Ommatophorus Macl. 19
Omolepta Fåhr. 5
Omophlina Reitt. 49
Omophlinae 46
Omophlus Sol. 59
Oocistela Borchm. 4
Othelecta Pasc. 44
Otys Champ. 17

Parablops Rottb. 28
Phedius Champ. 23
Pitholaus Champ. 23
Plesia Kl. 15
Pleuromophlus Reitt. 55
Podonta Muls. 47
Podontinus Seidl. 48
Polyidus Champ. 22
Prionychus Sol. 24
Proctenius Reitt. 50
Prostenus Latr. 44
Pseudocistela Blackb. 17, 28
Pseudocistela Crotch 28
Psilonycha Fåhr. 6
Pterna Seidl. 37

Rhinobarus Reitt. 51

Scaletomerus Blackb. 18
Simarus Borchm. 2
Stenerula Fairm. 8
Steneryx Reitt. 50
Stenerophlina Reitt. 50
Stenochia Kirby 8
Stenochidus Lec. 8
Stigmatoma Lec. 37
Synallecula Kolbe 16
Syntractus Macl. 2

Tanychilus Newm. 4
Taxes Champ. 17
Tedinus Casey 23
Telesicles Champ. 23
Temnes Champ. 5
Theatetes Champ. 22

Upinella Muls. 9

Viriathus Fairm. 28

Xylochus Broun 5
Xystropides Sol. 1
Xystropus Sol. 45
Xystronia Sol. 45

Species, Varietates.

abdominalis F. 54
abnormis Fåhr. 6
acicularis Mars. 9
acuminata Fairm. 9
acuminata Fairm. 35
acutangula Champ. 6
Adaliae Reitt. 65
adusta Reitt. (Mycet.) 15
adusta Fåhr. (Pseudoc.) 28
Aemiliae Bedel 34
aeneipennis Champ. (Lob.) 6
aeneipennis Har. (All.) 9
aeneopiceus Champ. 19
aeneotincta Champ. 6
aenescens Fairm. 28
aeneus Cast. 45
aereonitens Quedf. 28
aereus Blackb. 2
aethiopica Rits. 9
aetnensis Rottb. 28
aequalis Champ. 22
affinis Blackb. (Anaxo) 2
affinis Fåhr. (Pseudoc.) 28
Agrapha Reitt. 59

Melaps Cart. (Tenebr.) p. 4. = Oocistela Borchm.

Pseudomorvocaulas Pic 8.

Microcistelopsis Pic 31.

Microprosternis Pic 44.

Microstenogena Pic 27. Stenogena Fairm. (Tenebr.) 27.

Notocistela Cart. 4.

Tucumana Geb. (Tenebr.)

Orchesiolobopoda Pic 8.

albovittatus Fairm. 45
alleculoides Fald. 28
alphitobioides Champ. 17
alpina Muls. 49
alpinus Mill. 61
altaicus Gebl. (Cteniopinus) 49
altaicus Reitt. (Cteniopus) 52
alternans Fairm. (Cist.) 42
alternans Champ. (Pseudoc.) 28
alternans Fairm. (Vir.) 28
alternata Fairm. (Pseudoc.) 28
alternata Fairm. (Astic.) 14
ambigua Kiesw. 47
americanus Champ. 20
Amerinae Kirsch 63
amoena Say 36
amoenus Pasc. 4
amplicollis Lind. (Hym.) 26
amplicollis Fairm. (Prost.) 44
analis Lec. (Mycet.) 37
analis Seidl. (Cteniopus) 52
analis Desbr. (Heliot.) 55
anatolicus Pic (Cteniopus) 51
anatolicus Reitt. (Omophl.) 59
anceps Muls. 55
Andrewesi Fairm. 42
angustata Champ. (All.) 9
angustata Macl. (Hom.) 18
angustatus Champ. (Hymenor.) 20
angustatus Champ. (Ted.) 23
angustatus Pic (Cteniopus) 51
angusticollis Boh. (All.) 9
angusticollis Champ. (Aeanes) 23
angusticollis Muls. (Heliot.) 55
angusticornis Fairm. 44
angustifrons Reitt. 37
angustissima Pic 29
annamensis Fleut. 9
annulata Mäkl. 9
annulicornis Champ. 23
annuligera Fairm. 42
antennalis Reitt. 32
antennata Panz. 32
anthracina Kirsch (Lobop.) 6
anthracina Fauv. (All.) 9
anthracinus Muls. (Prio.) 24
anthracinus Fairm. (Heliot.) 57
apacheanus Casey 20
apicalis Borchm. (Dim.) 4
apicalis Blackb. (Apell.) 4
apicalis Westw. (Brat.) 5
apicalis Müll. (Ect.) 6
apicalis Champ. (Lob.) 6
apicalis Perk (Pseudoc.) 29
apicipalpis Fairm. 43
apterus Broun 5
aranea Fairm. 9
arcuata Gebl. 49
arcuatipes Fairm. 9
arcuatipes Fairm. 11
arcuatus Reitt. 62
arenaria Gerh. 32
arida Blackb. 18
armatus Champ. 17
Armeriae Curtis 63
armillata Brullé 65
arthritica Fairm. 9
asiaticus Fairm. 24
asperula Champ. 7
ater Blackb. (Anaxo) 2
ater F. (Prion.) 24
ater Muls. (Eryx) 24
ater Perris (Prion) 25
ater Redtb. (Prion) 25
ater Seidl. (Eryx) 25
ater Vill. (Ten.) 24
aterrima Rosh. 9
atra Baudi (Cist.) 25
atra Gmel. (Pim.) 24
atra Say (Lob.) 7
atra Muls. (Eryx) 25
atra Ol. (Cist.) 24
atra Thoms. (Prion) 24
atrata Kiesw. (Pod.) 47
atrata Champ. (Lob.) 7
atriceps Reitt. 32
atripes Fairm. (Cistelom.) 43
atripes Küst. (Om.) 60
atronitens Fairm. 26
attenuata Champ. 7
atticus Reitt. 59
Aubei Muls. 47
auricoma Reitt. 37
aurozonata Fairm. 15
australica Blackb. 17
Avajewi Sem. 20
avula Seidl. 32
axillaris Payk. (Myc.) 37
axillaris Fairm. (Cistelom.) 43
axillaris Seidl. (Myc.) 38
azteca Champ. 16

badia Kiesw. 25
badius Champ. 20
barbata Cast. 40
barbatus Latr. 40
basalis Faust 25
basicornis Champ. (Theat.) 22
basicornis Reitt. (Om.) 59
basicornis Reitt. (Om.) 60
basilaris Say 38
basitibialis Fairm. 9
Baudii Seidl. 20
Baudueri Baudi 55
Beckeri Kiesw. 15
Bellieri Reiche 25
Belti Champ. 9
Betulae Herbst 59, 63

betulae Bach 63
Betulae Küst. 61
bicolor Blackb. (Lic.) 2
bicolor Champ. (Hom.) 18
bicolor Champ. (Erx.) 36
bicolor Coup. (Mycet.) 38
bicolor Fairm. (Cacopl.) 28
bicolor Ill. (Cten.) 52
bicolor Reitt. (Gon). 27
bicolor F. (Cistela) 52
bicolor Küst. (Cteniopus) 52
bicolor Seidl. (Cteniopus) 52
bicolorata Reitt. 49
biformis Reitt. 47
bilamellata Mars. 9
bimaculata Mannh. 39
bina Fairm. 43
binotata Say 38
bipustulata Gyllh. (Mycet.) 39
bipustulata Ill. (Cist.) 39
bipustulata Thunb. (Lept.) 39
bispilosus Desbr. 25
blandus Er. 45
Bodemeyeri Reitt. (Isom.) 32
Bodemeyeri Reitt. (Cten.) 59
Bodemeyeri Reitt. (Om.) 59
Bodemeyeri Reitt. (Pod.) 47
Bohemani Fairm. 44
brachydera Fairm. (All.) 11
brachydera Fairm. (All.) 9
Brenskei Seidl. 38
brevicollis Klug (All.) 9
brevicollis Champ. (Isom.) 32
brevicollis Muls. (Om.) 64
brevicornis Bates (An.) 2
brevicornis Champ. (Hym.) 20
brevicornis Fairm. (Prost.) 44
brevicorvis Kolbe (Ect.) 6
brevicornis Seidl. (Pod.) 47
brevior Fairm. 15
brevipes Champ. 20
brevis Say (Pseud.) 29
brevis Ill. (Cist.) 40
brevis Lec. (Pseud.) 31
breviusculus Mäkl. 45
Brisouti Bed. 55
Brullei Kirsch 59
brunnea Waterh. 29
brunneus Casey 42.
bucculata Fairm. 10

caerulans Fairm. 28
caeruleonitens Pic. 29
caeruleovirens Fairm. 28
caffra Fähr. 29
calcarata Champ. 7
calida All. (Cistelom.) 43
calida Champ. (Pseudoc.) 29
californicus Horn 44
caligata Thoms. 10
callabonensis Blackb. 18
campestris Fåhr 6
canaliculatus Champ. 20
canescens Hope 10
capitata Müll. 29
carbonaria Germ. (Hom.) 18
carbonaria Kiesw. (Pod.) 47
carbonaria Schaeff. (Alethia) 16
carbonarius Champ. 23
carinatus Haag 2
cariniventris Champ. 7
castanea Faust (Mycet.) 15
castanea Marsh. (Gon.) 27
castaneipennis Champ. (All.) 10
castaneipennis Fairm. (Hym.) 25
castanescens Fairm. 23
castaneus Champ. 20
catopina Perty 7
caucasica Reitt. 32
caucasicus Kirsch 59
cayennensis Cast. 7
cerambycina Fairm. 9
ceramboides L. 29
chalybaeus Kirsch 55
Chamaeleon Reitt. 50
Championi Horn 45
Championis Reitt. 62
Chevrolati Champ. 23
chiriquensis Champ. 30
Chobauti Bed. 56
chontalensis Champ. 7
ciliatus Reitt. 57
cinnamomea Quedf. 10
cinerascens Champ. 30
cisteloides Newm. (Met.) 3
cisteloides Seidl. (Prion.) 25
coerulescens Kirsch (Lob.) 7
coerulescens Ol. (Hel.) 56
coeruleus Champ. (Temn.) 5
coeruleus Sol. (Lyst.) 45
coeruleus F. (Hel.) 56
collaris Küst. 53
collina Lew. 38
colonoides Champ. 20
columbinus Boisd. (Neoatr.) 1
columbinus Germ. (Lyst.) 45
comitans Perk. 43
communis Lec. 20
comorana Fairm. 10
compressicornis Champ. 22
compressus Seidl. 59
concolor Casey 42
confertus Lec. 20
confusa Borchm. 10
confusus Reitt. 56
congrua Walk. 30
conicicollis Fairm. (Pseud.) 30
conicicollis Reitt. (Om.) 59

contracta Germ. 7
convergens Casey 42
convexa Borchm. (Ooc.) 4
convexa Macl. (Pseud.) 30
convexicollis Champ. (Lob.) 7
convexicollis Küst. (Pod.) 47
convexiuscula Fairm. 15
convexus Casey 20
corallinus Reitt. 56
cordatus Champ. 23
coreana Kolbe 10
coriaceus Seidl. 59
carinthia Fairm. 27
corsica Muls. 32
corticarioides Champ. 20
corva Ersch. 49
corvina Kiesw. 47
costata Haag (All.) 10
costata Westw. (Blep.) 6
costatipennis Champ. 3
Costessii Bertol. 32
costipennis Bates 10
crassicollis Fairm. 25
crassicornis Champ. (Menoec.) 22
crassicornis Fairm. (Cac.) 28
crassicornis Sharp. (Pseud.) 30
crassicornis Desbr. (Gastrh.) 54
crassicornis Seidl. (Gastrh.) 54
crassidactylus Seidl. 56
crassipes Fairm. 10
crassulipes Casey 38
crassus Fairm. 48
crenatostriata Fairm. (Cac.) 28
crenatostriata Fairm. (Eub.) 15
crenulata Fairm. 10
cribricollis Fairm. (All.) 10
cribricollis Fairm. (Om.) 59
crinifer Seidl. 59
croceipes Wse. 39
cruentata Phil. 46
cruralis Fairm. (All.) 10
cruralis Mars. (Borb.) 14
cryptomeriae Lew. 10
cuneipennis Fairm. 10
cupreipennis Fauv. 10
cupripennis Luc. 45
curtellus Seidl. 59
curticollis Fauv. (All.) 10
curticollis Casey (Hym.) 20
curticornis Haag 18
curtulus Reitt. 59
curtus Küst. 59
curvimana Reitt. 65
curvipes Brull. (Meg.) 65
curvipes Reitt. (Meg.) 66
cyaneostriata Fairm. 15
cyanescens Lec. 8
cyaneus Fairm. (Prost.) 44
cyaneus Macl. (Neoatr.) 1
cyanicollis Fairm. (Cac.) 28
cyanipes Luc. 45
cylindricollis Boisd. (All.) 10
cylindricollis Champ. (Phed.) 23
cylindricus Germ. 3

daghestanica Reitt. 47
dalmatina Baudi 47
dalmatinus Kirsch 60
dasytoides Fairm. 58
Davidi Fairm. 48
debilicornis Haag 18
debilis Er. (All.) 10
debilis Blackb. (Noc.) 17
decepta Champ. 30
decorata Kirsch 10
Dejeani Fald. (Sten.) 50
Dejeani Sol. (Prost.) 44
Delagrangei Fairm. 25
Delauneyi Fleut. 45
delitescens Champ. 30
densaticollis Fairm. 10
densepunctata Fairm. 30
densepunctatus Fairm. 59
densestriata Fairm. 43
densus Lec. 20
denticollis Mäkl. 45
dentipes Broun 5
deplanatus Champ. 20
Deplanchei Fauv. 3
depressa Champ. 10
depressiuscula Macl. 17
depressus Champ. (Hym.) 20
depressus Champ. (Tax.) 17
dermestoides Fairm. 65
deserticola Kirsch (Om.) 59
deserticola Sem. (Myc.) 15
difficilis Casey 20
dilatatus Fald. 59
dilatatus Fald. 59
diluta Fairm. 10
dircaeoides Sol. 7
discipennis Fairm. 10
discipennis Reitt. (Gastr.) 54
discoidalis Blackb. 17
discolor Casey 32
discrepans Casey 20
discretus Casey 20
dispar Costa 60
dissensus Casey 20
distinctus Cast. 56
diversicollis Borchm. 4
divisa Reitt. 10
Doriae Bed. 56
Dormei Fairm. 6
Doublieri Muls. 20
dorsalis Schwz. 20
dubitatus Reitt. 60

dubius Newm. 4
durangoensis Champ. 20

ebenina Champ. 7
Ecchelii Bertol. 35
elateroides Fåhr. 5
elegans Fald. (Cten.) 51
elegans Fåhr. (Omol.) 5
elegans Walk. (All.) 10
ellipsoides Fairm. 10
elliptica Fairm. 30
elongata Macl. (Met.) 3
elongata Mén. (Pod.) 47
elongatus Küst. 61
Emgei Reitt. 60
emmenastoides Champ. 20
epipleuralis Reitt. 65
equestris F. 45
eros Pasc. 1
erythrocephalus Sol. 54
erythrocemis Germ. 7
erythrogaster Kirsch (Gastrh.) 54
erythrogaster Luc. (Hel.) 56
erythropa Marsh. 27
erythroptera Ziegl. 29
erythropus Kirb. 46
estrellana Kiesw. 32
estriata Seidl. 10
euboica Pic 32
evanescens Champ. 32
Evonymi F. 34
excavatus Seidl. 60
excelsa Reitt. 38
exiguus Casey 20

Fairmairei Fauv. (All.) 10
Fairmairei Reiche (Prion.) 25
fallaciosus Rottb. 60
fallax Mäkl. 45
falsarius Kirsch 60
falsifica Walk. 30
fasciata Muls. 42
fasciatus Champ. 16
fascicularis Fairm. 46
Fauveli Borchm. 10
femoralis Cast. (Prost.) 44
femoralis Champ. (Lob.) 7
femoralis Ol. (Androch.) 47
ferox Champ. 10
ferruginea Küst. (Isom.) 32
ferruginea F. (Gon.) 27
ferruginea Seidl. (Gon.) 27
filicornis Fairm. 10
filitarsis Reitt. 63
flava Cast. 15
flavicornis Kolbe (All.) 10
flavicornis Mill. (Myc.) 38
flavicornis Macl. 11
flavida Fairm. 30
flavifemur Walk. 10
flavipennis Küst. 60
flavipennis Reitt. (Om.) 65
flavipes F. (Myc.) 38
flavipes Gyll. (Myc.) 38
flavipes Duv. (All.) 10
flavipes Küst. (Myc.) 38
flavipes Macl. (Neoatr.) 1
flavipes Reitt. (Myc.) 39
flavipes Sahlb. (Myc.) 38
flavipes F. (All.) 11
flavitarsis Seidl. 63
flavovirens Fairm. 43
flavus Scop. 51
Flecki Reitt. 47
Flohri Champ. 20
floridanus Casey (Hym.) 20
floridanus Linell (Char.) 16
forficula Seidl. 57
Forreri Champ. 20
forticornis Fairm. 30
fortipes Er. (All.) 10
fortipes Reitt. (Om.) 63
foveata Champ. (Lob.) 7
foveata Lec. (Myc.) 39
foveatus Champ. 19
foveicollis Bates (Lyc.) 2
foveicollis Fairm. (Caul.) 36
foveicollis Fairm. (Om.) 60
foveicollis Hope (Allec.) 10
foveicollis Fairm. (Om.) 60
foveipennis Fairm. 10
foveiventris Champ. 20
foveola Seidl. 65
fragilicornis Champ. 30
frater Reitt. (Cteniopus) 52
frater Seidl. (Pod.) 47
fraterna Say 39
frigidus Muls. 63
fulgidus Mäkl. 46
fuliginosa Mäkl. (All.) 11
fuliginosa Melsh. (Capn.) 36
fuliginosus Fairm. 14
fulva Fourcr. 33
fulvipennis Reitt. 27
fulvipes Bach (Gon.) 27
fulvipes F. (Cist.) 27
fulvipes Muls. (Gon.) 27
funerea Champ. (Alethia) 16
funerea Kiesw. (Iso.) 32
funereus Schaeff. 23
funesta Fåhr. (Pseud.) 30
funesta Mäkl. (All.) 11
funestus Champ. 23
furca Seidl. 60
furcula Seidl. 60
fusca Blackb. (Hom.) 18
fusca Sol. 16
fusca Ill. (Hym.) 26

fusca Muls. (Hym.) 26
fusca Marsh. (Is.) 34
fuscata Fairm. 11
fuscatus Broun 5
fuscicornis Muls. (Myc.) 38
fuscimembris Fairm. 65
fuscipennis Bless. 18
fuscipes Melsh. 46
fusciventris Fairm. 30
fuscolineata Fairm. 43
fuscostrigata Fairm. 30
fuscoviolaceus Fairm. 3
fusculus Casey 21
fusicornis Casey 21
fusiformis Walk. 11

galapagoensis Linell 7
galbanata Kiesw. 66
Galii Brahm 33
Ganglbaueri Reitt. 60
gastrhaemoides Reitt. 57
Gaumeri Champ. 11
gemellus Casey 21
geminata Fairm. 30
geniculata Germ. (All.) 11
geniculata Klug (Eub.) 15
genistae Rottb. 33
gentilis Fairm. 11
gibbicollis Newm. 4
gibbosus Baudi 52
gigantea Champ. 7
gilvipes Casey 39
gilvus Seidl. 52
glabrata Champ. 7
Godeffroyi Haag 2
Goedeli Reitt. 57
gossypiatus Fairm. 46
Gouldi Hope 11
graciliformis Reitt. 39
gracilior Fairm. (Heliot.) 57
gracilior Fairm. (Heliom.) 58
gracilipes Kirsch 60
gracilis Lec. (Sten.) 8
gracilis Fald. (Myc.) 39
gracilis Baudi (Myc.) 37
gracilis Lec. (Myc.) 40
gracillimus Fairm. 53
graeca Seidl. (Hym.) 26
graeca Seidl. (Pod.) 47
graecus Heyd. 53
granatensis Rosh. 50
grandicollis Champ. (Hym.) 21
grandicollis Fairm. (Myc.) 39
grandis Borchm. (Hom.) 18
grandis Champ. (Lob.) 7
granifera Kiesw. 33
gravida Küst. 26
Grilati Muls. 57
griseolineatus Reitt. 55
griseostriatus Fairm. 45
griseovittatus Farm. 45
guatemalensis Champ. 21
Guerini Mäkl. 45

Haagi Har. 30
haematica Redtb. 43
haemorrhoidalis Fairm. 54
Haldemani Lec. 39
harpalinus Champ. 17
harpaloides Blackb. 18
Hauseri Reitt. (Stenerophl.) 50
Hauseri Seidl. (Steneryx) 50
hawaiiensis Perk. 43
helopina Perty 7
helopioides Champ. 23
helvinus Casey 21
Heydeni Kiesw. (Pod.) 47
Heydeni Reitt. (Omophl.) 49
Heydeni Reitt. (Omophl.) 49
hidalgoensis Champ. 33
hirsutus Curtis (Prost.) 44
hirsutus Mäkl. (Lyst.) 45
hirsutus Seidl. (Om.) 60
hirsutus Curtis (Prost.) 45
hirta Champ. (Lob.) 7
hirta Fåhr (All.) 11
hirta Sahlb. (Myc.) 39
hirta Sol. (Cteisa) 46
hirtellus Mäkl. (Lyst.) 45
hirtellus Kirsch (Om.) 59
hirtipennis Ersch. (Omophlina) 49
hirtipennis Seidl. (Omophlus) 60
hirtus Champ. (Phed.) 23
hirtus Seidl. (Om.) 60
hispanica Kiesw. 33
hispidulus Champ. 21
Högei Champ. 16
holomelaena Fairm. 11
holoxantha Fairm. 43
humeralis All. (Cistelom.) 43
humeralis F. (Myc.) 39
humeralis Fairm. (Lyst.) 45
humeralis Lec. (Hym.) 21
humeralis Ill. (Cist.) 39
hungarica Csiki 33
hypocrita Mars. (Cteniopinus) 49
hypocrita Muls. (Is.) 35
hypuloides Fairm. 11

icteropa Küst. 35
igualensis Champ. 21
impressa Er. 7
impressicollis Chevr. (Ps.) 30
impressicollis Fairm. (Cten.) 53
impressipennis Cast. 7
impressithorax Pic. 33
impressiuscula Fairm. 30
inaequalis Casey 21

incertus Muls. 58
incognita Blackb. 3
inculta Er. 7
indica Borchm. 11
indicus Fairm. 21
indutus Casey 21
infernalis Pic. 31
infirmus Kirsch 60
infirmus Kirsch 64
infranigera Fairm. 43
infuscatus Casey 21
inquilinus Casey 21
insulana Fauv. 11
insularis Champ. (Lob.) 7
insularis Pasc. (Hom.) 18
intermedius Fairm. (Cten.) 53
intermedius Casey (Hym.) 21
interrupta Fairm. 30
interstitialis Champ. (Char.) 16
interstitialis Reitt. (Meg.) 65
intrusus Seidl. 33
intrusus Seidl. (Cten.) 53
intrusus Seidl. (Cten.) 53
iocerus Pasc. 44
iowensis Casey 33
irazuensis Champ. 7
irrasus Seidl. 60
irregularis Fairm. (Cistelom.) 43
irregularis Reitt. (Om.) 61
italica Baudi 47

jalapensis Champ. 7
janthinus Raffr. 57
jusquilae Champ. 30

kabylianus Pic. 56
kanalensis Perr. 4
kanarensis Borchm. 11
kauaiensis Perk. 30
Kirschi Reitt. 58
Koltzei Heyd. (Cteniopinus) 49
Koltzei Reitt. (Myc.) 40
konae Perk. 30
Korbi Seidl. 47
koreanus Seidl. 50
Küsteri Kirsch 62

laciniatus Seidl. 61
laevicollis Champ. 7
laevigatus Seidl. 61
laevior Fauv. 11
laevis Küst. 30
laevis Küst. (Prion) 25
laevis Rosh. (Cist.) 25
laevis Seidl. (Prion) 25
laminicornis Fairm. 44
laniger Mäkl. 46
lapidicola Champ. 23
lateralis Boh. (Ap.) 4
lateralis Pasc. (Ap.) 4
laticeps Champ. 11
laticollis Boh. (All.) 11
laticollis Champ. (Hym.) 21
laticollis Fairm. (Eub.) 15
laticollis Macl. (Hom.) 18
laticollis Lec. (Myc.) 39
laticornis Reitt. (Myc.) 40
laticornis Saund. (Prost.) 44
latifrons Fairm. 16
latipennis Mäkl. 45
latipleuris Reitt. 61
latitarsis Reitt. 62
latus Blackb. 17
Lebasi Mäkl. 46
Lecontei Borchm. 40
lepheroides F. 61
lepidus Reitt. 61
lepturoides Champ. (All.) 16
lepturoides F. (Om.) 61
lepturoides Redtb. (Om.) 63
lepturoides Vill. (Chrys.) 61
lignicolor Fairm. 11
limbata Blackb. 18
limbatipennis Fairm. 11
Lindensis Blackb. 3
Lindi Blackb. 3
linearis Ill. (Myc.) 40
linearis Gyll. (Myc.) 38
linearis Muls. (Myc.) 40
lineata Kirsch 11
livida Sahlb. 16
lividipes Muls. 61
lividipes Kirsch 61
Loevendali Reitt. 13
longicollis Champ. 21
longicornis Bertol. (Om.) 61
longicornis Fåhr. (Ect.) 6
longicornis Reitt. (Om.) 63
longior Fairm. 41
longipennis Casey (Myc.) 41
longipennis Champ. (Al.) 16
longipennis Quedf. (All.) 11
longipilis Reitt. 63
longipilus Fairm. 57
longula Lec. 41
lucidus Kirsch 61
luciolus Seidl. 62
luctuosa Champ. 11
lugens Küst. 25
lugubris Blackb. (Hom.) 18
lugubris Lec. (Myc.) 41
lugubris Küst. (Pod.) 47
lugubris Pasc. (Prost.) 44
luperoides Reitt. 27
Luperus Herbst. 27
luridipes Fairm. 11
luscitiosa Casey 33
lutea Fourc. 52

luteipes Lec. 46
luteola Guér. 30
luteus Küst. 50

macer Casey 21
Macleayi Borchm. 11
macrophthalma Gebl. (Myc.) 15
macrophthalma Reitt. (Gen.) 27
maculata Haag 18
maculicornis Blackb. (Chrom.) 3
maculicornis Fairm. (All.) 11
maculicornis Fairm. (Ps.) 30
maculicornis Desbr. (Hel.) 58
maculipes Reitt. 41
marcida Kiesw. 33
marginata Lec. (Myc.) 41
marginata Ziegl. (Ps.) 30
marginatus Kirsch. 62
maritimus Champ. 21
maroccanus Luc. 57
Martinii Bed. 54
Mastersi Macl. (All.) 11
Mastersi Macl. (Chrom.) 3
Mastersi Macl. (Omm.) 19
Mastersi Macl. (Ap.) 4
Matthiesseni Reitt. 49
maura F. (Cist.) 34
maura Payk. (Cist.) 40
maurina Muls. 38
mauritanica Muls. 25
mauritiana Fairm. 30
Mechowi Quedf. 11
megalops Casey (Myc.) 41
megalops Fairm. (Mycetoch.) 15
melanaria Mäkl. 11
melanarius Germ. 25
melancholica Hope 12
melanocera Fairm. 53
melanophthalma Luc. 32
melanopyga Fairm. 43
melanura Kl. 15
melitensis Baudi 62
Melsheimeri Casey 21
menticornis Reitt. 57
meridanus Champ. 22
meridionalis Champ. 22
Merthae Reitt. 65
metallica Lac. (All.) 12
metallica Küst. (Gon.) 27
metallicus Mäkl. 45
mexicana Champ. 7
mexicanus Champ. 23
micans Kl. 15
microderes Pasc. 18
militaris Pasc. 44
Milleri Kiesw. 47
mimica Lew. 41
minor Sem. 51
minuta Champ. 7
mitis Reitt. 62
montana Fauv. (All.) 12
montana Perk. (Ps.) 30
monticola Casey 33
morio F. (All.) 12
morio Kiesw. (Pod.) 48
morio Redtb. (Hym.) 26
morio F. (All.) 12
morio Vill. (Chrys.) 12
morio Redtb. (Myc.) 38
morio Seidl. (Myc.) 38
morosa Fairm. 33
moupinea Fairm. 12
mucronata Champ. 7
murina L. 33
murina F. (Cistela) 52
murinus F. 52
murinus Herbst (Cteniopus) 52
Murrayi Lec. 42
myrmecophilus Champ. 19

Nasreddini Reitt. 62
navicularis Fairm. 12
neapolitanus Baudi 53
neglecta Borchm. 12
nevadensis Casey 41
niger Melsh. (Hym.) 21
niger Steph. (Eryx.) 24
nigerrima Casey 41
nigra Curt. (Cist.) 29
nigra Geer (Pyr.) 24
nigra Marsh. (Crioc.) 24
nigrans Melsh. 7
nigrescens Casey 42
nigricans Hope 12
nigriceps Champ. 3
nigricollis Perk. 30
nigricollis Reitt. (Hel.) 58
nigricornis Blackb. (Ap.) 4
nigricornis Champ. (Ps.) 30
nigrifrons Fairm. 53
nigrinus Reitt. 62
nigripennis Kirsch (Hel.) 56
nigripennis F. (Gast.) 54
nigripes Kolbe (Ect.) 6
nigripes Küst. (Om.) 62
nigrita F. 48
nigriventris Fåhr. 6
nigrocephala Reitt. 54
nigrolineata All. 43
nigromaculata All. 43
nigropicta All. 43
nigropictus Kirsch 46
nigrosparsa Fairm. 43
nigrotibialis Fairm. 43
nitens Champ. (Lob.) 7
nitens Pasc. (Prost.) 44
nitida Blackb. (Hom.) 18
nitida Champ. (Lob.) 7

nitida Reitt. (Is.) 34
nitidicollis Seidl. 62
nitidipennis Casey (Hym.) 21
nitidipennis Champ. (Al.) 16
nitidissimus Pic 25
nitidiventris Fairm. 65
nitidula Kiesw. (Is.) 35
nitidula Thoms. (Prion.) 25
nitidus Broun 5
noctivaga Lew. 12
nodicornis Blackb. (Ap.) 4
nodicornis Fairm. (Prost.) 44
nuceipennis Fairm. 12

Oberthüri Reitt. 55
obesus Casey 21
oblonga Champ. (Lob.) 7
oblonga Küst. (Is.) 35
oblonga Ol. (Pod.) 48
oblongata Mill. 47
oblongula Casey 35
obovatus Champ. 23
obscura Borchm. (Hom.) 18
obscura Zett. (Myc.) 41
obscura Har. (All.) 11
obscuripennis Pic. 26
obscurithorax Pic. 50
obscurus Reitt. (Om.) 62
obscurus Say (Hym.) 21
obscurus Blackb. (An.) 3
obsoleta Champ. (Is.) 35
obsoleta Champ. (Lob.) 7
obtusicollis Reitt. 41
occidentalis Blackb. (An.) 3
occidentalis Champ. (Hym.) 21
occulta Champ. 30
ochraceipennis Fald. 62
ochropus Küst. 35
ochropus Seidl. (Is.) 35
ocularis Kirsch (Om.) 62
ocularis Reitt. (Myc.) 41
ocularis Fairm. (Mycetoch.) 15
oculata Mars. 35
oculatifrons Casey 7
oculatus Champ. 21
Oertzeni Reitt. 35
omophloides Hope 12
opaca Champ. (Lob.) 7
opaca Lec. (Ps.) 30
opaca Ill. (All.) 12
opacicollis Champ. 7
opacipennis Champ. 12
opacula Fauv. 12
opaculus Horn 23
ophthalmica Seidl. 35
oranensis Reitt. 57
orchesioides Fairm. 30
orientalis Faust (Mycetoch.) 15
orientalis Muls. (Om.) 62
oronthea Baudi 12
ovalis Blackb. (Neoc.) 17
ovalis Cast. (Eub.) 15
ovalis Cast. (Gast.) 54
ovata Macl. 30
ovipennis Champ. 30
ovulum Kiesw. 35

pachymorpha Fairm. 31
pacifica Casey 41
pallens Champ. 17
pallicornis F. 7
pallida Bates (Chrom.) 3
pallida Blanch. (All.) 12
pallidicollis Fairm. 46
pallidipes Fairm. 15
pallidus Baudi (Ct.) 53
pallidus Champ. (Hym.) 21
pallidus Küst. (Ct.) 53
pallitarsis Reitt. 59
palmarum Montr. 12
palpalis Macl. (Ap.) 4
palpalis Seidl. (Ct.) 52
panamensis Champ. (Lob.) 7
panamensis Champ. (Prost.) 44
papuensis Macl. 12
parilis Pasc. 44
parvicollis Champ. (Hym.) 21
parvicollis Reitt. (Hel.) 57
parvula Champ. 8
parvula Rottb. (Is.) 35
Pascoei Macl. (All.) 13
Pascoei Macl. (Met.) 3
Pascoei Bates (Chrom.) 3
patagiata Seidl. 48
paupercula Baudi 35
pedinoides Mäkl. 46
Pentheri Ganglb. 49
perforatus Casey 21
periscelis Perty 44
Perroudi Muls. 56
persimilis Reitt. 53
phyllocera Fauv. 13
picea Macl. (Chrom.) 3
picea Sahlb. (Synall.) 16
piceata Fairm. 13
piceiventris Fairm. 43
piceocastanea Fairm. 31
picipennis Casey 21
picipes F. (Om.) 62
picipes Reitt. (Om.) 61
picipes Redt. 61
picta Fåhr. (All.) 13
picta Pasc. (Chrom.) 3
pilicollis Mén. 63
pilifer Seidl. 63
piliferus Champ. 45
pilipes Champ. 13
pilosa Champ. 8

pilosula Fairm. (Lob.) 8
pilosula Guér. (Ps.) 31
pilosus Kirsch (Xyst.) 46
pilosus Melsh. (Hym.) 21
pilosus Sol. (Cyl.) 44
pimeloides Hope 3
pinguis Lec. 31
pini Champ. 21
pinicola Redtb. 63
planicollis Macl. 13
planulus Horn 21
plebeja Kolbe 13
podontoides Reitt. (Pod.) 48
podontoides Reitt. (Pod.) 47
polita Macl. 31
politipennis Reitt. 60
poplitis Fairm. 13
porosicornis Casey 21
Potanini Heyd. 49
praticolor Fairm. 13
princeps Blackb. 18
procera Casey 41
productus Rosh. 57
prolixus Casey 21
Prometheus Reitt. 63
promiscua Mäkl. 13
propagatus Kirsch 63
prosternalis Reitt. 66
Proteus Kirsch 63
proxima Champ. 8
proximus Blackb. 18
pruinosus Reitt. 63
pruinosus Reitt. 64
pubens Fairm. 31
puberula Fairm. (All.) 10
puberula Montr. (All.) 13
pubescens Muls. 63
pubifer Reitt. 49
pubipennis Lec. 41
pulchella Sol. 13
pulchellus Saund. 45
pulcherrima Fald. 27
pulchra Bates 2
pulla Melsh. 35
punctatella Fairm. 13
punctatosulcatus Fairm. 58
punctatissima Mäkl. (All.) 13
punctatissimus Baudi (Cten.) 53
punctatissimus Kiesw. (Pod.) 48
punctatissimus Lec. (Hym.) 21
puncticeps Blackb. 3
puncticollis Boh. (All.) 13
puncticollis Champ. (Lob.) 8
puncticollis Reitt. (Myc.) 15
punctipennis Macl. 13
punctulata Melsh. 13
punctulaticollis Blackb. 2
punctulatus Lec. 21
purpureipennis Champ. 45
purpurina Fairm. 26
pusilla Fauv. 13
pygialis Fairm. 53
pygmaea Redtb. (Myc.) 41
pygmaea Redtb. (Myc.) 41

quadricollis Fairm. (Bolb.) 16
quadricollis Brullé (Om.) 60
quadrillum Fauv. 13
quadrimaculata Latr. 41
quadristriata Coup. 35
quadrivittata Fairm. 14
Quedenfeldti Reitt. 57
quinquelineata Fairm. 31

regularis Macl. 18
Reichei Muls. 57
Reitteri Kön. 63
remipes Fairm. 8
Renardi Fairm. 43
reppensis Herbst 33
reticulata Seidl. 26
Retowskyi Reitt. 41
rhenana Bach 13
robusta Blackb. 17
Rollei Pic 31
Rolphi Fairm. 55
Rosinae Pic (Mic.) 31
Rosinae Seidl. (Meg.) 65
rotundangula Reitt. 48
rotundatus Champ. 22
rotundicollis Casey (Hym.) 21
rotundicollis Cast. (All.) 13
rubricollis Reitt. (Om.) 49
rubricollis Panz. (Cist.) 34
rubripes Boh. 13
rubroflava Fairm. 31
rubronotatus Fuente 58
rudis Baudi (Hym.) 20
rudis Küst. (Myc.) 42
rudis Reitt. (Myc.) 38
rufa Blackb. (Hom.) 18
rufa Sol. (All.) 13
rufa Geer (Pyr.) 29
rufa Towns. (Is.) 34
rufescens Bates (Chrom.) 3
rufescens Champ. (Hym.) 21
ruficollis Baudi (Myc.) 42
ruficollis Champ. (Hym.) 21
ruficollis F. (Hel.) 57
ruficollis Ham. (Is.) 35
ruficollis Macl. (Neoatr.) 1
ruficollis Schilsky (Ps.) 29
ruficornis Macl. (Hom.) 18
ruficornis Blackb. (Hom.) 18
rufina Fairm. (Cistelom.) 43
rufina Fairm. (Cistelopsis) 36
rufipennis Mars. (Hym.) 26
rufipennis Blackb. (Chrom.) 3

rufipes Lec. (Myc.) 42
rufipes Bach (Cist.) 26
rufipes F. (All.) 12
rufipes F. (Hym.) 26
rufipes Mars. (All.) 11
rufitarsis Leske 63
rufitarsis Leske (Om.) 63
rufithorax Reitt. 58
rufiventris Waltl. 54
rufoaenea Reitt. 27
rufojanthinus Fairm. 3
rufonotatus Champ. 45
rufotestacea Reitt. 15
rufovittata Fairm. 15
rufula Thoms. 31
rufulicornis Borchm. 18
rufulus Fairm. 44
rugicollis Fauv. (All.) 10
rugicollis Champ. (All.) 13
rugicollis Küst. (Om.) 64
rugicollis Muls. (Hym.) 20
rugipennis Seidl. 64
rugosicollis Brullé 64
rugosulus Macl. 1
rugulosa Boisd. 19

Salbachi Reitt. 64
Sallaei Champ. 16
Salvini Champ. 16
Sandneri Reitt. 64
sanguinicollis Fairm. (Euc.) 46
sanguinicollis Reitt. (Hel.) 58
sanguinosa Fairm. 43
saperdoides Küst. (Cist.) 30
satanula Reitt. 42
satsumae Fairm. 13
scabriusculus Fairm. 58
scabrosa Champ. 19
scalaris Mäkl. 45
scapularis Champ. (Lyst.) 45
scapularis Ill. (Cist.) 38, 40
Schwarzi Reitt. 41
scioana Gestr. 31
sculpturata Champ. 8
scutellaris Baudi (Is.) 35
scutellaris Muls. (Om.) 64
scutellatus Pic 21
securigera Macl. 31
segnis Champ. 21
Seidlitzi Reitt. (Hel.) 58
Seidlitzi Reitt. (Myc.) 42
Seidlitzi Reitt. (Omophl.) 49
semicaligata Fairm. 13
semiflava Küst. 35
semilivida Pic 13
seriata Champ. 8
seriatopora Fairm. 13
seriatus Casey 22
sericans Fairm. (All.) 13
sericans Fairm. (Nesot.) 65
sericea Drap. (Ps.) 31
sericea Say (Is.) 35
sericeicollis Küst. 62
serrata Chevr. (Ps.) 29
serrata Seidl. (Ps.) 29
sertatipennis Berg 13
sexsignatus Mäkl. 45
sexvittata Fairm. 31
similis Champ. 22
simillima Fairm. 43
simiola Lew. 13
simplex Blackb. (Noc.) 17
simplex Champ. (Lob.) 8
simplex Fauv. (All.) 14
simplex Seidl. (Pod.) 48
singularis Haag 19
Sipolisii Fairm. 44
sitiens Blackb. 19
Sladeni Gah. 44
sobrinus Borchm. (Dim.) 4
sobrinus Casey (Hym.) 22
socia Lec. (Lob.) 8
socia Lec. (All.) 13
soleata Fairm. 16
Solieri Cast. (All.) 14
Solieri Luc. (Xyst.) 46
somcheticus Seidl. 64
sophorae Broun 4
sordescens Fairm. 19
sordida Horn 14
sordidus Champ. 22
soror Seidl. 48
sororcula Kolbe 16
spadicea Er. 14
spadix Kiesw. 28
sparsus Blackb. 3
sphenarioides Sem. 51
spinifer Broun (Xy.) 5
spinifer Horn (Hym.) 22
splendens Bless. (Tan.) 5
splendens Cast. (Prost.) 44
splendida Thoms. 31
splendidus Bed. 64
spurcaticornis Fairm. 43
squalescens Fairm. 14
stenodactylus Reitt. 56
straminea Redtb. 43
Straussi Seidl. 42
striata Thoms. (All.) 17
striata Sol. (Lob.) 8
striata Fourc. (Mord.) 29
striatipennis Pic 42
striatus Newm. 5
strigicollis Fairm. (Lic.) 2
strigicollis Fauv. (All.) 14
strigipennis Fairm. 28
subaenea Küst. (Go.) 27
subaenea Champ. (Is.) 35

subaenescens Perk. 31
subalatus Champ. 16
subalpina Mén. (Ps.) 31
subalpinus Mén. (Om.) 64
subcostatus Reitt. 64
subcostulata Fairm. 43
subcuneata Casey 8
subgeminata Macl. (Hom.) 19
sublaevis Macl. (Hom.) 19
subnitida Champ. 16
subopaca Fairm. 8
subparallela Champ. 8
subpilosus Seidl. 58
subrubica Reitt. 54
substriata Broun 5
subsulcata Fairm. (Ps.) 31
subsulcata Macl. (All.) 14
subtilis Solsky 63
subvittata Fairm. (Ps.) 31
subvittata Macl. (Hom.) 19
sugillata Klug 14
sulcipennis Reitt. (Myc.) 42
sulcipleuris Seidl. 64
sulfureus Muls. 52
sulfuripes Redt. 53
sulphuratus Gmel. 52
sulphurea L. (Chrysomela) 51
sulphurea F. (Cistela) 51
sulphurea Seidl. (Cistelina) 48
sulphureus Redt. (Cteniopus) 51
sulphureus (Crypt.) 52
sulphureus F. (Ct.) 52
sulphuripes Germ. 53
sulphuripes Redt. 53
suturata Fairm. 11
suturella Fairm. 8
sydneyanus Blackb. 3
syriaca Baudi 15
syriacus Kirsch. (Om.) 60
syriacus Muls. (Om.) 64

talyschensis Reitt. 64
tarsalis Champ. (Hym.) 22
tarsalis Fleut. (Lob.) 8
tarsalis Kirsch (Om.) 62
tasmanicus Champ. 4
teapensis Champ. 8
tenebrioides Blackb. 19
tenebrosa Casey 35
tenella Fåhr. 6
tenellus Casey (Hym.) 22
tenellus Kirsch (Om.) 64
tenellus Kirsch 64
tenuestriata Fairm. 14
tenuicornis Champ. (Lob.) 8
tenuicornis Fauv. (All.) 14
tenuipes Bates (Hyp.) 50
tenuipes Seidl. (Hel.) 58
tenuis Lec. (Myc.) 42
tenuis Mars. (All.) 14
tenuis Fairm. (All.) 10
tenuis Fairm. (All.) 12
tenuis Kraatz (Om.) 49
terminatus Fairm. 64
terminatus Fairm. 60
testacea Seidl. 35
testaceicornis Pic 35
testaceus Casey (Hym.) 22
testaceus Cast. (Hel.) 56
texana Casey 35
texanus Champ. 22
Theveneti Horn 31
thoracica Cast. (Ps.) 31
thoracica Gredl. (Myc.) 42
thoracica F. (Is.) 34
tibialis Broun (Xyl.) 5
tibialis Champ. (Hym.) 22
tibialis Reitt. (Om.) 64
tibialis Waterh. (Lab.) 43
tibialis Costa (Om.) 62
tocatensis Pic 53
torrida Pasc. 44
torridus Champ. 22
Tournieri Pic 58
trabeata Fairm. 43
trifossus Pic 53
tripolitanus Quedf. 66
tristicula Reitt. 32
tristis Champ. (Lob.) 8
tristis Germ. (Hom.) 19
tropicalis Champ. 8
tuberculifer Champ. 45
tumidipes Reitt. 64
tuniseus Baudi (Hel.) 55
tuniseus Fairm. (Hel.) 58
turanicus Reitt. 65
turcica Kiesw. 48
turcicus Kirsch 65

umbellatarum Kiesw. 35
umbilicata Seidl. 14
umbonata Fauv. 14
umbrosa Er. 8
unicolor Bates 3
uniseriatus Casey 22
ustiventris Fairm. 31
ustulata Fairm. 36

vagevittata Fairm. 31
valida Schwz. 36
validicornis Fairm. 36
variabilis Horn (Is.) 36
variabilis Macl. (Synt.) 2
varians F. (Ps.) 31
varians F. (Allecula) 52
varians F. (Cistela) 52
varicolor Heyd. 50
varicolor Kirsch. (Om.) 64

variiventris Desbr. 56
velutina Lec. (Is.) 35
velutina Mars. (All.) 11
velutina Mars. (All.) 14
veraepacis Champ. 14
vestita Bates 44
veterator Lew. 22
vilis Mäkl. 14
villosipes Fairm. 14
villosus Champ. 22
violaceipennis Champ. (Erx.) 36
vialaceipennis Fairm. (Prost.) 44
violaceus Blanch. 46
virescens Boisd. 1
viridipennis Champ. 8
viridis Boisd. (Neoatr.) 2
viridis Champ. (Lob.) 8
viridis All. (Gon.) 27
vittata Bates (Chrom.) 3
vittata Fåhr. (Ps.) 31
vittata Pasc. (Hom.) 19
vitticollis Macl. 2
vittipennis Macl. 2
vittula Fairm. 31
volgensis Kirsch 63

Willbergi Reitt. 49

yucatanica Champ. 8

Zolotareffi Reitt. 42
Zolotarewi Reitt. 63
zonalis Fairm. 15
zunilensis Champ. (Char.) 16
zunilensis Camp. (Ps.) 31

Druck von Oskar Bonde in Altenburg.